

MORE FEATURES COME STANDARD.



Why buy an ARGO ATV versus all the other brands? Simple – you get more for your money. Besides class-leading horsepower, incredible torque and electric power steering, the 2020 Xplorer Series is well-equipped with standard features not found on other ATVs. High-quality functional features include improved suspension, Innova tires, steel racks, a multifunction digital gauge, front differential lock and an anti-vibration 2" receiver hitch. ARGO ATVs are available in 1-up riding with the XR series and 2-up riding with the XRT series.
















XPLORER XR 500 4X4

ENGINE	500	cc SIN	GLE	EFI L	./C
TRANSMISSION		CVT	AUT	AMC	TIC
FRONT DIFFEREN	TIAL	LOCK	STA	NDA	RD
REAR DIFFERENT	IAL L	оск		N	/ A
ELECTRONIC POWE	R ST	EERING	;	N	/ A

FRONT TIRES	AT 25x8-12
REAR TIRES	AT 25x10-12
RIMS	STEEL
FRONT SUSPENSION T	RAVEL 8.7"
REAR SUSPENSION TR	RAVEL 9.4"

WINCH	OPTIONA
BRUSHGUARD	OPTIONA
RACK - FRONT/REAR	99 LBS/165 LB
REAR HITCH RECEIV	ER a
CAPACITY	ONE RIDE








XPLORER XR 500 LE 4X4

ENGINE	500cc SIN	GLE EFI L/C
TRANSMISSION	CVT	AUTOMATIO
FRONT DIFFEREN	TIAL LOCK	STANDARD
REAR DIFFERENT	IAL LOCK	N/A
ELECTRONIC POWE	R STEERING	STANDARD

REAR SUSPENSION TRAVEL	9.4"
FRONT SUSPENSION TRAVE	L 8.7"
RIMS	ALUMINUM
REAR TIRES	AT 26x10-14
FRONT TIRES	AT 26x8-14

VINCH	STANDARD
RUSHGUARD	STANDARD
ACK - FRONT/REAR	99 LBS/165 LBS
EAR HITCH RECEIV	ER 2"
CAPACITY	ONE RIDER








XPLORER XRT 500 4X4

ENGINE	500cc SIN	GLE EFI L/C
TRANSMISSION	CVT	AUTOMATIC
FRONT DIFFEREN	TIAL LOCK	STANDARD
REAR DIFFERENTIAL LOCK N/A		
ELECTRONIC POWER STEERING N/A		

FRONT TIRES	Α	T 25x8-12
REAR TIRES	ΑТ	25x10-12
RIMS		STEEL
FRONT SUSPENSION TRAVI	EL	9.1"
REAR SUSPENSION TRAVEL	L	10.4"

WINCH	OPTIONAL
BRUSHGUARD	OPTIONAL
${\tt RACK-FRONT/REAR}$	99 LBS/165 LBS
REAR HITCH RECEIV	ER 2'
CAPACITY	TWO RIDERS








XPLORER XRT 500 LE 4X4

ENGINE	500cc SIN	GLE EFI L/C
TRANSMISSION CVT AUTOMATIC		AUTOMATIC
FRONT DIFFERENTIAL LOCK STANDARD		
REAR DIFFERENTIAL LOCK N/A		
ELECTRONIC POWER STEERING STANDARD		

FRONT TIRES	AT 26x8-14
REAR TIRES	AT 26x10-14
RIMS	ALUMINUM
FRONT SUSPENSION TRA	AVEL 9.1'
REAR SUSPENSION TRA	VEL 10.4'

WINCH	STANDARD
BRUSHGUARD	STANDARD
RACK - FRONT/REAR	99 LBS/165 LBS
REAR HITCH RECEIV	ER 2'
CAPACITY	TWO RIDERS








XPLORER XRT 1000 LE 4X4


ENGINE	997cc TWIN EFI L/C		
TRANSMISSION	CVT AUTOMATIC		
FRONT DIFFERENT	AL LOCK STANDARD		
REAR DIFFERENTIA	L LOCK STANDARD		
ELECTRONIC POWER STEERING STANDARD			

FRONT TIRES	AT 26x8-14
REAR TIRES	AT 26x10-14
RIMS	ALUMINUM
FRONT SUSPENSION TRAVEL	
REAR SUSPENSION TRAV	EL 9.3

WINCH	STANDARD
BRUSHGUARD	N/A
RACK - FRONT/REAR	99 LBS/165 LBS
REAR HITCH RECEIV	ER 2"
CAPACITY	TWO RIDERS

























ARGOxtv.COM

363 Rt. 513
Califon, NJ 07830
908-439-3002
www.NJARGO.com
Sales, Rentals, Fabricating,
Custom Alterations,
and Service Center

Some vehicle applications shown are for demonstration purposes, originating from third porties and not available from ARGO. In all cases vehicle load limits have been considered. Always remain seated while in the ARGO. ATVs and XTVs can be hazardous to operate. Improper use can cause severe injury or death. Riders must wear an approved helmet, eye protection, protective clothing and when operating in water always wear a personal floatation device. Use handholds and stay completely inside the vehicle. Each rider must read and understand the operator's manual before riding. Follow all instructions and warnings. Avoid abrupt maneuvers, paved surfaces, hard acceleration when turning and side hilling; slow down before entering a turn. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. Never carry a passenger on a single-rider ATV. ATVs are recommended only for users over 16 years old. Never operate on public roads. ATVs and XTVs are designated for off-highway vehicle access only — collisions with cars and trucks can occur. Never drive or ride under the influence of alcohol or drugs. Do not shoot from or lean firearms or bows against the ATV or XTV. ARGO recommends that all riders take an ATV training course. When equipped with tracks, Conquest Series models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm). For safety or training information in the U.S., call the ATV Safety Institute at (800) 887-2887. In Canada, please contact the Canada Safety Council at (613) 739-1535 or see your dealer. Along with concerned conservationists everywhere, ARGO urges you to respect public and private lands. Ride only on designated areas or trails. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others when riding. All materials and specifications are subject to change without notice. All specifications, claims and information contained within are based on current knowledg

PART#: 678-020 Printed in Canada 07/2019