

Table: Requirements for routine vaccination of adjustment of status applicants who are not fully vaccinated or lack documentation.

Vaccine	Age							
	Birth-1 Month	2-11 Months		12 Months-6 Years	7-10 Years	11-17 Years	18-64 Years	≥65 Years
DTP/DTaP/DT	NO	YES			NO			
Td/Tdap	NO				YES			
IPV	NO	YES				NO		
MMR	NO			YES, if born in 1957 or later			NO	
Rotavirus *	NO	YES, 6 weeks to 8 months	NO					
Hib	NO	YES 2 through 59 months old			NO			
Hepatitis A	NO			YES, 12 through 23 months old	NO			
Hepatitis B	YES, through 18 years old						NO	
Meningococcal (MCV4)	NO					YES, 11 through 18 years old	NO	
Varicella	NO			YES				
Pneumococcal	NO	YES, 2 through 59 months old (administer PCV)			NO			YES, administer either PCV or PPSV depending on vaccination history
Influenza	NO		YES, ≥ 6 months (annually each flu season in country of exam)					

DTP=diphtheria and tetanus toxoids and pertussis vaccine; DTaP=diphtheria and tetanus toxoids and acellular pertussis vaccine; DT=pediatric formulation diphtheria and tetanus toxoids; Td=adult formulation tetanus and diphtheria toxoids; Tdap=adolescent and adult formulation tetanus and diphtheria toxoids and acellular pertussis vaccine (Boostrix for persons ≥ 10 years old; Adacel for persons 11 through 64 years old); IPV=inactivated poliovirus vaccine (killed); MMR=combined measles, mumps, and rubella vaccine; Hib=Haemophilus influenzae type b conjugate vaccine; MCV=meningococcal conjugate vaccine; PCV=pneumococcal conjugate vaccine; PPSV=pneumococcal polysaccharide vaccine.

*Rotavirus vaccination should not be initiated for infants aged 15 weeks 0 days or older.

Adapted from ACIP recommendations.

[Top of Page](#)

Glossary of Abbreviations

- ACIP - Advisory Committee on Immunization Practices
- CASA - Clinic Assessment Software Application
- CDC - Centers for Disease Control and Prevention
- CLIA - Clinical Laboratory Improvement Amendments
- DGMQ - Division of Global Migration and Quarantine
- DT - Diphtheria and tetanus toxoids
- DTaP - Diphtheria and tetanus toxoids and acellular pertussis vaccine
- DTP - Diphtheria and tetanus toxoids and pertussis vaccine
- FDA - Food and Drug Administration
- Hib - *Haemophilus influenzae* type b conjugate vaccine
- INA - Immigration Nationality Act
- INS - Immigration and Naturalization Services
- MCV - Meningococcal conjugate vaccine
- MMR - Measles, mumps, and rubella vaccine
- MMRV - Measles, mumps, rubella, and varicella vaccine
- MMWR - *Morbidity and Mortality Weekly Report*
- MPSV - Meningococcal polysaccharide vaccine
- NCIRD - National Center for Immunization and Respiratory Diseases
- NCVIA - National Childhood Vaccine Injury Act
- PCV - Pneumococcal conjugate vaccine

- PPV - Pneumococcal polysaccharide vaccine
- Td - Tetanus and diphtheria toxoids
- Tdap - Tetanus and diphtheria toxoids and acellular pertussis vaccine
- USCIS - United States Citizenship and Immigration Services
- VAERS - Vaccine Adverse Event Reporting System
- VIS - Vaccine Information Statement