

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Musselman Middle School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 229-1965	
Facility Address 8184 Winchester Ave Bunker Hill , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/14/2019	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
walkin- milk cooler-left	37 21 scan
milk cooler-right	27 scan
Beverage Air refrig	39
Victory hot hold	166
Metro hot hold	not in use today

Food Temperatures	
Description	Temperature (Fahrenheit)
green beans	180-184
salisbury steak	143-152
mashed potatoes	163
gravy	157

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachinebuck ets3baysink	heatchemicalche mical	Outoforder	200	multiquat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

ObservedNon-CriticalViolations

Total # 7

Repeated # 1

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (*CORRECTED DURING INSPECTION*): Probe Thermometers need to be calibrated

4-302.14 - SANITIZING SOLUTIONS, TESTING DEVICES

OBSERVATION: quaternary test strips needed for 3 bay sink(only have chlorine strips)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION dishmachine-kitchen has been operating without a dishmachine since last fall-
Waiting for a replacement-having to use 3 bay sink and disposable trays/plasticware

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: few aeas on walkin shelving need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: few kitchen light covers need dusted

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: storeroom-corners and shelving behind door needs cleaned-cobwebs-Also clean corners into laundry area

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: hood filters need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards