

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | | |
|--|--|---------------------------------|
| Facility Name D+D Meats | Facility Type Food Service Establishment | |
| Licensee Name Hycrest Farms/DBA D+D Meats | Facility Telephone # 304 229-5164 | |
| Facility Address 8488 Winchester Ave Inwood , WV | Licensee Address , | |
| Inspection Information | | |
| Inspection Type Routine | Inspection Date 08/09/2018 | Total Time Spent 1.00 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Meat Case | 35 |
| True | 34 |
| Walk-In | 36 |
| Cheese Case | 36 |
| Bacon Case | 36 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3-BayBucket | ChemicalChemical | | 100 | Chlorine | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Critical Violations |
|---|
| Total # 1 Repeated # 1 6-501.111 - CONTROLLING PESTS This is a critical violation OBSERVATION: Mouse droppings in storage room |

| Observed Non-Critical Violations |
|---|
| Total # 1 Repeated # 1 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR REPEAT OBSERVATION Holes under 3-Bay sink, women's bathroom toilet, wall in meat room need sealed/covered |

| Inspection Outcome |
|---------------------------|
| |

Comments

Disclaimer

Person in Charge



Arnold Dailey Jr.

Sanitarian



Keith Allison