

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Rocky's Pizza	Facility Type Food Service Establishment	
Licensee Name Vincenzo Schiano Dicola	Facility Telephone # 304 274-0500	
Facility Address 29 Forever Green Drive Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/04/2017	Total Time Spent 2.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Beverage Air	40
Pizza Prep	40
Sandwich Prep	40
Pepsi	36
Vendo	38
Beverage Air 2	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay	Chemical		100	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 4 3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING <i>This is a critical violation</i> OBSERVATION: Need to date cut meats, vegetables in Vendo refrigerator</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE <i>This is a critical violation</i> OBSERVATION: Inside of ice machine needs cleaned (mold)</p>

ObservedNon-CriticalViolations
<p>Total # 17 Repeated # 4 3-304.12 - IN-USE UTENSILS, BETWEEN USE STORAGE OBSERVATION: Many shelves lined with cardboard (non-cleanable surface)</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Grease pan under grill needs repaired (bolt missing)</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION</p>

REPEAT OBSERVATION Upright GE freezer needs defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Gaskets on Beverage Air refrigerator/Artic Air freezer need replaced (torn)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Vent covers in Pepsi refrigerator need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving under prep table needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of McCall refrigerator needs cleaned

6-202.15 - OUTSIDE OPENINGS, PROTECTED

OBSERVATION: Arrived at establishment and found front door and back door hanging open (need to stay closed at all times to prevent insects/rodents from entering)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Soap dispenser at handsink beside ice machine needs hung on wall. Laying on counter.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Urinal in men's bathroom needs repaired (not flushing).

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Walls need painted in numerous areas (Holes being sealed/repaired)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Faucet on mop sink needs repaired (leaking)

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: Any unused equipment in establishment and on outside of building needs removed or put into storage

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vents need cleaned throughout establishment.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor perimeters needs cleaned (especially corners and beside equipment)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Backs of equipment need cleaned (pizza prep/refrigerators/freezers)

Inspection Outcome

Comments

Disclaimer

Person in Charge



Vincenzo DiCola

Sanitarian



Keith Allison