

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Musselman Middle School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 229-1965	
Facility Address 8184 Winchester Ave Bunker Hill , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/06/2018	Total Time Spent 1.33

Equipment Temperatures	
Description	Temperature (Fahrenheit)
walkin-	37
milk cooler-left	40
milk cooler-right	41
Beverage Air refrig	36
Victory hot hold	157
Metro hot hold	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachinebuck ets	heatchemical		300	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 2
Repeated # 0
 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Dishmachine not working at time of inspection (new one already ordered)
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Took over 2 minutes for water to get hot at each handsink in the kitchen (needs to be hot within 15 seconds).

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Eva Butts



Keith Allison