

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health  
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>		
Facility Name Shenandoah Bible Concession	Facility Type Mobile Food Unit	
Licensee Name Shenandoah Bible Concession	Facility Telephone # 304	
Facility Address 2251 Williamsport Pike Martinsburg, WV	Licensee Address 2251 Williamsport Pike Martinsburg, WV 25404	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 07/10/2017	Total Time Spent 0.35

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
refrigerator	40

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b>  <b>Repeated # 0</b>  <b>6-501.111(C)* - APPROVED METHODS OF CONTROLLING PESTS</b>  <i>This is a critical violation</i>  <b>OBSERVATION:</b> few mouse droppings in a/c corner</p>

<b>Observed Non-Critical Violations</b>
<p><b>Total # 4</b>  <b>Repeated # 0</b>  <b>4-602.13 - NONFOOD CONTACT SURFACES</b>  <b>OBSERVATION:</b> 2nd shelf in refrigerator needs cleaned</p> <p><b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b>  <b>OBSERVATION:</b> leak beneath 3 bay sink-faucet dripping</p> <p><b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b>  <b>OBSERVATION:</b> handsink cabinet pulling away from wall</p> <p><b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>  <b>OBSERVATION:</b> window blinds need cleaned</p>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge

Sanitarian

**Amy ARE Edwards**