

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Jasper's Sports Bar	Facility Type Food Service Establishment	
Licensee Name Ladd Jasper	Facility Telephone # 304 262-1470	
Facility Address 970 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/07/2019	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Refrigerator	40
Beer Cooler	39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations
Total # 4
Repeated # 1
4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: (CORRECTED DURING INSPECTION): Freezer drawer needs cleaned in LG refrigerator
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR REPEAT OBSERVATION Cracked floor tiles need repaired/replaced
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Hot water handle on handsink needs repaired (leaking)
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: Floors under and behind equipment in bar area needs cleaned

Inspection Outcome


Comments

Disclaimer

Person in Charge

Sanitarian


Pat Darrow


Keith Allison