



Please see Important Safety Information, including Boxed Warning, inside.

BOTOX® Cosmetic (onabotulinumtoxinA) Important Information

Approved Uses

BOTOX* Cosmetic is a prescription medicine that is injected into muscles and used to temporarily improve the look of both moderate to severe crow's feet lines and frown lines between the eyebrows in adults.

IMPORTANT SAFETY INFORMATION

BOTOX® Cosmetic may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems any time (hours to weeks) after injection of BOTOX® Cosmetic:

- Problems swallowing, speaking, or breathing, due to weakening of associated muscles, can be severe and result in loss of life. You are at the highest risk if these problems are pre-existing before injection. Swallowing problems may last for several months
- Spread of toxin effects. The effect of botulinum toxin
 may affect areas away from the injection site and cause
 serious symptoms including: loss of strength and allover muscle weakness, double vision, blurred vision and
 drooping eyelids, hoarseness or change or loss of voice,
 trouble saying words clearly, loss of bladder control,
 trouble breathing, trouble swallowing. If this happens,
 do not drive a car, operate machinery, or do other
 dangerous activities

The dose of BOTOX® Cosmetic is not the same as, or comparable to, any other botulinum toxin product.

There has not been a confirmed serious case of spread of toxin effect when BOTOX* Cosmetic has been used at the recommended dose to treat frown lines, crow's feet lines, or both at the same time.

Serious and/or immediate allergic reactions have been reported. They include: itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Tell your doctor or get medical help right away if you are wheezing or have asthma symptoms, or if you become dizzy or faint.

Please see additional Important Safety Information on pages 5 and 15.

Real results that are true to you

Are you ready to discover real, noticeable results?

Learn more about BOTOX® Cosmetic (onabotulinumtoxinA) and decide if it's time to ask your doctor about treatment.

What is BOTOX® Cosmetic?

BOTOX* Cosmetic is the *first* and *only* FDA-approved product to temporarily improve *both* moderate to severe frown lines between the brows *and* crow's feet lines around the sides of the eyes in adults.

How does BOTOX® Cosmetic work?

BOTOX® Cosmetic targets one of the underlying causes of frown lines and crow's feet—the repeated muscle contractions from frowning and squinting over the years. Your doctor will inject these muscles with BOTOX® Cosmetic to temporarily reduce muscle activity. You'll begin to notice a visible smoothing of these lines.





You can ask your doctor about treating these 2 areas in just 1 visit, and that's the beauty of BOTOX® Cosmetic.



Did YOU know?

Important facts about BOTOX® Cosmetic (onabotulinumtoxinA):

- In 2002, BOTOX* Cosmetic became the first product of its kind in the United States to receive FDA approval for moderate to severe frown lines
- In 2013, it became the first and only product to receive FDA approval for moderate to severe crow's feet
- #1 selling product of its kind in the world^{2,*}
- ≈ 11 million treatments for moderate to severe frown lines have been performed since 2002³
- Approved in 78 countries for aesthetic use^{4,†}

Data collected through December 2013. †VISTABEL in most European countries.

People, just like you

- Approximately 8 out of 10 surveyed neurotoxin patients (n = 276) expect to receive BOTOX* Cosmetic (onabotulinumtoxinA) at their next treatment⁵
- Approximately 9 out of 10 BOTOX* Cosmetic surveyed patients (n = 300) are willing to tell friends and family about their treatment⁵

Plus, BOTOX® Cosmetic has a record of experience that aesthetic providers know and trust. Is it time to ask your doctor about BOTOX® Cosmetic?

BOTOX® Cosmetic (onabotulinumtoxinA) IMPORTANT SAFETY INFORMATION (continued from page 2)

Do not take BOTOX® Cosmetic if you: are allergic to any of the ingredients in BOTOX® Cosmetic (see Medication Guide for ingredients); had an allergic reaction to any other botulinum toxin product such as Myobloc® (rimabotulinumtoxinB), Dysport® (abobotulinumtoxinA), or Xeomin® (incobotulinumtoxinA); have a skin infection at the planned injection site.

Please see additional Important Safety Information on page 15.




How is BOTOX® Cosmetic (onabotulinumtoxinA) administered?

To temporarily improve moderate to severe crow's feet, your doctor will inject BOTOX® Cosmetic into the muscle surrounding the sides of your eyes—called the orbicularis oculi.



For temporary improvement of moderate to severe frown lines, BOTOX* Cosmetic is injected into 2 muscles—the corrugator and procerus muscles.



Treatment with BOTOX* Cosmetic takes approximately 10 minutes and requires minimal downtime or recovery—it's often called a lunchtime procedure.

Think 2 treatments, 1 visit. Ask your doctor about receiving BOTOX* Cosmetic for moderate to severe frown lines and crow's feet at the same time.

Will BOTOX® Cosmetic make me look like I've had work done?

When BOTOX* Cosmetic is administered by an experienced injector, you should not lose the ability to show expressions. BOTOX* Cosmetic is a technique-sensitive procedure that should only be performed by a licensed and trained aesthetic provider who has expertise in facial anatomy.

Talk to your doctor about your expectations and the results you want to achieve with treatment.







Is BOTOX® Cosmetic (onabotulinumtoxinA) for me?

Take some time to read through this brochure, visit BotoxCosmetic.com, and talk to your doctor.

What are the most common side effects of BOTOX® Cosmetic?

The most common side effects are eyelid drooping or swelling. Other possible side effects include: dry mouth; discomfort or pain at the injection site; tiredness; headache; neck pain; eye problems: double vision, blurred vision, decreased eyesight, and dry eyes; and allergic reactions.'

Symptoms of an allergic reaction to BOTOX® Cosmetic may include: itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Tell your doctor or get medical help right away if you are wheezing or have asthma symptoms, or if you become dizzy or faint.¹

Please see Important Safety Information on pages 2, 5, and 15.

"With BOTOX" Cosmetic, I can get noticeable results and still look like myself."



Real results that are true to you

Moderate to severe crow's feet





After (Day 7)



Before



After (Day 7)



Photos taken at full smile before and after treatment with BOTOX® Cosmetic (onabotulinumtoxinA) at day 7. In two clinical studies, 26.1% and 20.3% of people had ≥ 2-grade improvement at day 30. In one of these studies, 67.9% of people had mild or no crow's feet at day 30 after treatment.6

Side effects associated with the injection include localized pain, infection, inflammation, tenderness, swelling, redness, and/or bleeding/bruising.1

BOTOX® Cosmetic (onabotulinumtoxinA)

Moderate to severe crow's feet

Before



After (Day 7)



Before



After (Day 7)



Please see Important Safety Information on pages 2, 5, and 15.



There's only one BOTOX® Cosmetic

Real results that are true to you

Moderate to severe frown lines

Before



After (Day 7)



After (Month 3)



After (Month 4)

Actual patients. Results may vary.

Photos taken at maximum frown before and after treatment with BOTOX® Cosmetic (onabotulinumtoxinA) at day 7, month 3, and month 4. In clinical studies, physicians assessed 74% of people had significant improvement at day 7; 80% of people had significant improvement at day 30; 48% of people had significant improvement at month 3; and 25% of people had significant improvement at month 4.1

Side effects associated with the injection include localized pain, infection, inflammation, tenderness, swelling, redness, and/or bleeding/bruising.1

Proven to last up to 4 months'

Physician-reported response of 25% (102/403) vs 2% (2/128) for placebo¹

Moderate to severe frown lines

Before



After (Day 7)



After (Month 3)



After (Month 4)



Please see Important Safety Information on pages 2, 5, and 15.



"I like to do my research, and BotoxCosmetic.com was a one-stop source for the information I needed."

Explore more at BotoxCosmetic.com

- See more real, noticeable results in the Before & After Gallery
- Watch real stories from people who have experienced BOTOX* Cosmetic (onabotulinumtoxinA)

To learn more about the #1 selling product of its kind in the world, 2,*
visit BotoxCosmetic.com

*Data collected through December 2013.



BOTOX® Cosmetic (onabotulinumtoxinA) IMPORTANT SAFETY INFORMATION (continued from page 5)

Tell your doctor about all your muscle or nerve conditions, such as amyotrophic lateral sclerosis (ALS or Lou Gehrig's disease), myasthenia gravis, or Lambert-Eaton syndrome, as you may be at increased risk of serious side effects including difficulty swallowing and difficulty

breathing from typical doses of BOTOX® Cosmetic.

Tell your doctor about all your medical conditions, including: plans to have surgery; had surgery on your face; weakness of forehead muscles, such as trouble raising your eyebrows; drooping eyelids; any other abnormal facial change; are pregnant or plan to become pregnant (it is not known if BOTOX* Cosmetic can harm your unborn baby); are breast-feeding or plan to breast-feed (it is not known if BOTOX* Cosmetic passes into breast milk).

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal products. Using BOTOX* Cosmetic with certain other medicines may cause serious side effects. Do not start any new medicines until you have told your doctor that you have received BOTOX* Cosmetic in the past.

Especially tell your doctor if you: have received any other botulinum toxin product in the last 4 months; have received injections of botulinum toxin, such as Myobloc*, Dysport*, or Xeomin* in the past (be sure your doctor knows exactly which product you received); have recently received an antibiotic by injection; take muscle relaxants; take an allergy or cold medicine; take a sleep medicine; take aspirin-like products or blood thinners.

Other side effects of BOTOX® Cosmetic include: dry mouth, discomfort or pain at the injection site, tiredness, headache, neck pain, and eye problems: double vision, blurred vision, decreased eyesight, drooping eyelids, swelling of your eyelids, and dry eyes.

For more information refer to the Medication Guide or talk with your doctor.

To report a side effect, please call Allergan at 1-800-433-8871.

For more information on BOTOX® Cosmetic, please see accompanying full Product Information including Boxed Warning and Medication Guide.



There's only one BOTOX® Cosmetic

14



There's only one BOTOX® Cosmetic

Also from the Allergan family of brands:











SkinMedica* products are intended to meet the FDA's definition of a cosmetic product, an article applied to the human body to cleanse, beautify, promote attractiveness, and alter appearances. SkinMedica* products are not intended to be drug products that diagnose, treat, cure, or prevent any disease or condition.

1. BOTOX* Cosmetic Prescribing Information, September 2013. 2. Data on file, Allergan, Inc., December 2013. 3. Data on file, Allergan, Inc., March 25, 2009. 4. Data on file, Allergan, Inc.; December 2013; BOTOX* and BOTOX* Cosmetic Country Approvals. 5. Facial Injectables Consumer User Survey; May 2014. 6. Data on file, Allergan, Inc., December 30, 2013.



©2014 Allergan, Inc., Irvine, CA 92612 "marks owned by Allergan, Inc.
JUVÉDERM" mark owned by Allergan Industrie, SAS.
Dysport is a registered trademark of Ipsen Biopharm Limited.
Myobloc is a registered trademark of Solstice Neurosciences, Inc.
Xeomin is a registered trademark of Merz Pharma GmbH & Co. KGaA.
www.botoxcosmetic.com 1-800-BOTOXMD Re-order: APC37CQ14 142114