

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Laddie's LLC	Facility Type Food Service Establishment	
Licensee Name Ladd Jasper	Facility Telephone # 304	
Facility Address 170 Lutz Ave Martinsburg, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/26/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Beer Cooler	39
Prep Unit	40
Walk-In	36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine	Chemical		50	Chlorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 0 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE <i>This is a critical violation</i> OBSERVATION: <i>Inside of ice machine needs cleaned</i></p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE <i>This is a critical violation</i> OBSERVATION: <i>(CORRECTED DURING INSPECTION): Can opener blade needs cleaned</i></p>

Observed Non-Critical Violations

Total # 14

Repeated # 0

3-305.11 - FOOD STORAGE

OBSERVATION: Food stored on floor of walk-in freezer (needs to be 6 inches off floor)

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: Thermometer needed in Beer Cooler at bar.

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting board needs cleaned/re-surfaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Brown trays storing plates need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Inside of Prep unit needs cleaned

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: (CORRECTED DURING INSPECTION): Utensils need to be stored handle up in storage containers

5-501.17 - TOILET ROOM RECEPTACLE, COVERED

OBSERVATION: Covered trashcan needed in women's bathroom.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walk-in freezer floor needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under oven needs cleaned (grease)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vent in women's bathroom needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Black floor fan needs cleaned

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: Hood vents need cleaned above grill

6-501.16 - DRYING MOPS

OBSERVATION: Mop needs to air dry

Inspection Outcome

Comments

Disclaimer

Person in Charge



Ladd Jasper

Sanitarian



Keith Allison