

PRODUCT

Spectrol 5W-40 Euro Full Synthetic Passenger Car Engine Oil

FEATURES/BENEFITS

- DPF compatible
- Excellent wear and corrosion protection
- Extended drain capability

APPLICATIONS

Spectrol 5W-40 Euro Full Synthetic has been developed to exceed the performance requirements of many European OEM specifications including Mercedes Benz, Volkswagen, BMW, Renault, Porsche, Peugeot and GM dexos2®. It also carries the American Petroleum Institute (API) SN and the European ACEA C3 classifications. It is compatible with diesel engines incorporating DPF technology for exhaust gas treatment.

Always consult your vehicle's owner's manual when selecting the appropriate viscosity and service grade.

Recommended for

•	API SN	•	BMW LL-04	•	ACEA C3	•	BMW LL-98
•	MB 229.51	•	GM dexos2®	•	Ford WSS-M2C917-A	•	Porsche A40
•	MB 229.31	•	MB 226.5	•	Renault RN0700	•	PSA B71 2290
•	VW 502 00	•	VW 505 00	•	Renault RN0710	•	Chrysler MS-10850 (supersedes MS-10896)

TYPICAL PHYSICAL PROPERTIES

Spectrol Full Synthetic dexos2® 5W-40	Typical Results
Density @ 15.6°C	7.12 lbs/gal
Specific gravity @ 15.6°C	0.855
Viscosity @ 100°C	14 cSt
Viscosity @ 40°C	81 cSt
Viscosity Index	180
Flash Point (PMCC), °C	220
Pour Point (D97), °C	-42
CCS Viscosity @ -30 °C	6000 cP
TBN, mg/KOH/g	8.0

Rev. 02/13/2018

ADDITIONAL INFORMATION

Please use proper handling and care that you would use with any motor oil.

4950 Virginia Ave. North Charleston, SC 29405 PH: 1.877.433.5346 F: 1.877.335.3469 www.spectrolusa.com