



Your Partner in Endoscopy

Richard Wolf Medical Instruments

Vernon Hills, Illinois



For over 100 years, Wolf has been a driving force and world-respected leader in the development and production of high-quality optics and instrumentation for minimally invasive surgery. With our broad background and expertise in endoscopy, Richard Wolf continues to develop, design and manufacture optics and precision instruments and equipment that many surgeons believe to be the finest available.

As a complete endoscopy company, we supply medical professionals and healthcare facilities with superior products for all endoscopic disciplines including General Surgery, Gynecology, Urology, ENT, Arthroscopy and Spine. We incorporate the same high-quality images that our customers have come to expect from our world-class optics in our video and documentation equipment which features single chip, 3-chip and HD imaging systems.

Richard Wolf Medical Instruments Corporation was founded in 1972, the first international subsidiary of Richard Wolf, GmbH, Knittlingen, Germany. In 1991 we moved into our comprehensive new facility outside Chicago in Vernon Hills, Illinois. The operation now supports U.S. customers with a nearly complete manufacturing and assembly operation, as well as with comprehensive repair, sales, service and marketing capabilities.

More than 1000 skilled, highly motivated employees worldwide, with state-of-the-art manufacturing processes and facilities, guarantee products and systems distinguished by exceptional quality and durable, long-lasting reliable performance.

Richard Wolf GmbH is proud to be one of the first endoscopy companies to receive certification by an accredited test organization for medical instrumentation in compliance with ISO 9001, ensuring our customers proven quality.

To promote the advancement and successful outcome of minimally invasive surgical procedures, we maintain a constant dialogue with leading physicians and the healthcare community.

Richard Wolf is committed to continually presenting new concepts and improvements to our physician and nursing partners. This on-going dedication to research has led to a myriad of innovations including modular instrumentation, magnetic-ball trocars, bipolar systems and HD video.

This catalog presents our latest product line for General Surgery and Laparoscopy.

Richard Wolf GmbH


Knittlingen, Germany



RICHARD WOLF GmbH

Postfach 1164 · D-75434 Knittlingen
Pforzheimer Straße 32 · D-75438 Knittlingen
Phone ++49 70 43 - 35-0 · Fax ++49 70 43 - 3 53 00

Our parent company, Richard Wolf GmbH in Knittlingen, Germany, has long been at the forefront of development and manufacturing of the finest optics and medical instrumentation. As one of five worldwide subsidiaries, we are proud to continue the Wolf heritage of excellence.



Worldwide Subsidiaries

USA

RICHARD WOLF
Medical Instruments Corp.
353 Corporate Woods Parkway
Vernon Hills, Illinois 60061
Tel.: 847-913 1113
Fax: 847-913 1488
www.richardwolfusa.com
sales&marketing@richardwolfusa.com

FRANCE

RICHARD WOLF France S. A. R. L.
Rue Daniel Berger
Z. A. C. La Neuville
F-51 100 Reims
Tél.: 26-87 02 89
Fax: 26-87 60 33

AUSTRIA

RICHARD WOLF Austria
Ges. m. b. H.
Lederergasse 32
A-1082 Wien
Tel.: 0 222-42 62 19
Fax: 0 222-408 70 84

UK

RICHARD WOLF UK Ltd.
Waterside Way
Wimbledon
SW17 0HB
Tel.: 0181-944 7447
Fax: 0181-944 1311

BELGIUM

N. V. Endoscopie
RICHARD WOLF Belgium S. A.
Industriezone Drongen, Landegemstraat 6
B-9031 Gent-Drongen
Tél.: 09-282.92.15
Fax: 09-282.92.16

Table of Contents

Arthroscopes & Sheaths

4 mm ARTHROlution Arthroscopes, Sheaths & Trocars	4-5
2.7 mm ARTHROlution Arthroscopes, Sheaths & Trocars	6
2.4 mm ARTHROlution Arthroscopes, Sheaths & Trocars	7
1.9 mm ARTHROlution Arthroscopes, Sheaths & Trocars	8
2.7 mm Long Length Arthroscopes, Sheaths & Trocars	9
1.9 mm Long Needle Arthroscopes, Sheaths & Trocars	10

Arthroscopy Instrumentation

ARTHROline Punches, Scissors, & Forceps	15-19
Classic Punches, Suction Punches, Scissors, Graspers & Forceps	20-29
Arthro-rasps / Spoons	30
Curettes	31-32
Microfractor Awls	33
Knives	34
Hook Probes / Switching Stick	35-36
Hand Instruments for Small Joints	37

Fluid Management Products

3.7 mm and 2.3 Cannula, Trocar, & Obturator	41-42
Universal Cannula, Trocar, & Obturator	43
Adapters	43
Irrigation Pump	44

Power Shaver Systems

PowerGenerator ART1	47
M5 Power Stick, Resectors & Burrs	48-49
S4 Micro Power Stick, Resectors & Burrs	50
M4 Power Stick, Resectors & Burrs	51

Accessories

Leg Holder	55
Replacement Thigh Pads	55
Sterilization Trays	56-57

Sets

Large Joint	61
Small Joint	62

Index


Alphabetical	I-VI
Numerical	VII-XII

Arthroscopes & Sheaths



4 mm Panoview Arthroscopes, Standard & Wide Angle	3
4 mm ARTHROlution Arthroscopes, Sheaths & Trocars	4-5
2.7 mm ARTHROlution Arthroscopes, Sheaths & Trocars	6
2.4 mm ARTHROlution Arthroscopes, Sheaths & Trocars	7
1.9 mm ARTHROlution Arthroscopes, Sheaths & Trocars	8
2.7 mm Long Length Arthroscopes, Sheaths & Trocars	9
1.9 mm Long Needle Arthroscopes, Sheaths & Trocars	10

Panoview Plus Endoscopes



Richard WOLF endoscopes provide
the right angle of view for all applications



Enhanced Image

PANOVIEW PLUS Endoscopes Enhanced Field of View








- ☐ The enlargement of the field of view provides increased panorama

High-detail resolution

- ☐ 30% larger image size
 - Improved identification of fine tissue structures and vessels
- ☐ Focal depth combined with superior images provides excellent documentation
- ☐ Proprietary Richard Wolf lens geometry reduces the possibility of breakage within the optical system
- ☐ Improved resolution

All Richard Wolf endoscopes are steam sterilizable*


- ☐ Economical and longer scope life
- ☐ Short sterilization times
- ☐ Safe storage, shipment, and reprocessing with the special R. Wolf sterilization trays
 - * If the Part Number begins with "8"
 - * Please refer to specific endoscope manual for detailed cycle parameters

 175 mm WL AUTOCLAVE 134° C / 273° F			
Angle of view	Description	Outer ø	Part Number
	PANOVIEW 3, wide angle arthroscope	4 mm	8885.443
	PANOVIEW 3, wide angle arthroscope		8885.445
	PANOVIEW PLUS arthroscope	4 mm	8880.541
	PANOVIEW PLUS arthroscope		8880.543
	PANOVIEW PLUS arthroscope		8880.544
	PANOVIEW PLUS arthroscope		8880.545

Adapter for Dyonics sheath.....8880.591



Sheaths and Trocars for 4 mm Arthroscopes

Knee & Shoulder



 132 mm WL			
Description	Outer ø	Standard Part Number	EZ-Release Part Number
Sheath , Qui-Connect, with 2 fixed stopcocks	6 mm	89121.0260	88032.0260
Sheath , Qui-Connect, with 2 rotatable stopcocks	6 mm	89121.1260	88032.1260
Sheath , Qui-Connect, with 1 rotatable stopcock	6 mm	88031.1160	88032.1160
Sheath , Qui-Connect, high-flow, with 2 rotatable stopcocks	6.3 mm	89121.1263	88032.1263
Sheath , Qui-Connect, high-flow, with 1 rotatable stopcock	6.3 mm	88031.1163	88032.1163
Sheath , Qui-Connect, small-caliber, with 2 rotatable stopcocks	5.5 mm	891221255	88032.1255
Trocar , blunt	4 mm	89121.0544	
Trocar , semi-blunt		89121.0542	
Trocar , conical blunt		89121.0540	
Trocar , sharp		89121.0640	

arthro lution

2.7 mm Arthroscopes, Sheaths and Trocars Elbow & Ankle

 110 mm WL AUTOCLAVE 134° C / 273° F				
Angle of view	Description	Outer ø	Part Number	
 30°	PANOVIEW PLUS, arthroscope	2.7 mm	8476.433	
 70°	PANOVIEW PLUS, arthroscope		8476.435	
 77.5 mm WL AUTOCLAVE 134° C / 273° F				
Description		Outer ø	Standard Part Number	EZ-Release Part Number
Sheath , Qui-Connect, with 2 rotatable stopcocks		4.1 mm	891221241	88032.1241
Trocar , blunt		2.7 mm	891222754	
Trocar , conical blunt			891222750	
Trocar , conical pointed			891222762	

2.4 mm Arthroscope, Sheaths and Trocars Hand & Wrist

 105 mm WL AUTOCLAVE 134° C / 273° F			
Angle of view	Description	Outer ø	Part Number
 30°	PANOVIEW PLUS, Arthroscope	2.4 mm	8871413
 60 mm WL AUTOCLAVE 134° C / 273° F			
Description	Outer ø	Standard Part Number	EZ-Release Part Number
Sheath , Qui-Connect, with 1 fixed stopcock	3.2 mm	891220132	88032.0132
Sheath , Qui-Connect, with 2 rotatable stopcocks		891221232	88032.1232
Sheath , Qui-Connect, high-flow, with 2 rotatable stopcocks	3.5 mm	891221235	88032.1235
Trocar , semi-blunt 	2.4 mm	891222452	
Trocar , conical pointed 		891222462	

arthro
lution

1.9 mm Short Needle Arthroscope Finger & Toe

Arthroscopes



Instrumentation

Fluid Management






Power Shaver

Accessories





Sets

 69 mm WL AUTOCLAVE 134° C / 273° F			
Angle of view	Description	Outer ø	Part Number
 30°	PANOVIEW PLUS Arthroscope	1.9 mm	8860453
 40 mm WL AUTOCLAVE 134° C / 273° F			
Description	Outer ø	Standard Part Number	EZ-Release Part Number
Sheath , Qui-Connect, with 1 fixed stopcock	2.4 mm	891220124	88032.0124
Sheath , Qui-Connect, high-flow, with 1 fixed stopcock	2.8 mm	891220128	88032.0128
Trocar , semi-blunt 	1.9 mm	891221952	
Trocar , conical pointed 		891221962	

2.7 mm Long-length Arthroscopes, Sheaths and Trocars

 185 mm WL AUTOCLAVE 134° C / 273° F			
Angle of view	Description	Outer ø	Part Number
0° 	PANOVIEW PLUS, Arthroscope	2.7 mm	8672.421
30° 	PANOVIEW PLUS, Arthroscope		8672.422
70° 	PANOVIEW PLUS, Arthroscope		8672.425
 142 mm WL AUTOCLAVE 134° C / 273° F			
	Sheath, with self-sealing mechanism and 1 fixed stopcock	4 mm	8862.02
	Trocar with short pyramidal tip	3 mm	8862.11
	Obturator, conical tip		8862.12
	Obturator, blunt		8862.13

1.9 mm Long Needle Arthroscope, Sheath and Trocars

 120 mm WL AUTOCLAVE 134° C / 273° F			
Angle of view	Description	Outer ø	Type
 5°	PANOVUE PLUS Arthroscope	1.9 mm	8860.431
 25°	PANOVUE PLUS Arthroscope		8860.433
 45 mm WL AUTOCLAVE 134° C / 273° F			
	Sheath, 2.4 mm, with self-sealing mechanism and 1 fixed irrigation tap*	3.5 mm	8860.05
	Trocar with short pyramidal tip	2.4 mm	8860.11
	Obturator, blunt	2.4 mm	8860.13

*Irrigation only possible with endoscope removed!

Stopper8852.90


Panoview Plus Arthroscopes Overview

				
Angle of view	Color code	Ø	WL	Part Number
0°	 <i>blue</i>	2.7 mm	185 mm	8672.421
		4.0 mm	175 mm	8880.541
5°	 <i>green</i>	1.9 mm	120 mm	8860.431
25°	 <i>red</i>	1.9 mm	120 mm	8860.433
30°	 <i>red</i>	1.9 mm	69 mm	8860.453
		2.4 mm	105 mm	8871.413
		2.7 mm	110 mm	8476.433
		2.7 mm	185 mm	8672.422
		4.0 mm	175 mm	8880.543
		4.0 mm	175 mm	8885.443 (wide angle)
45°	 <i>orange</i>	4.0 mm	175 mm	8880.544
70°	 <i>yellow</i>	2.7 mm	110 mm	8476.435
		2.7 mm	185 mm	8672.425
		4.0 mm	175 mm	8880.545
		4.0 mm	175 mm	8885.445 (wide angle)




Accessories

Fiber light cable, 3.0 m for endoscope Ø
 1.9/2.4/2.7 mm 8061.256
 4.0 mm 8061.356
 Sheath stopper plug for
 ArthroLution Sheaths . . . 89101.0000


Arthroscopy Instrumentation






ARTHROline Punches, Scissors, & Forceps	15-19
Classic Punches, Suction Punches, Scissors, Graspers & Forceps	20-29
Arthro-rasps / Spoons	30
Curettes	31-32
Microfractor Awls	33
Knives	34
Hook Probes / Switching Stick	35-36
Hand Instruments for Small Joints	37



								
Description		Ø	WL	Straight	Jaws curved upward	Shaft curved upward	Jaw curved upward, shaft right	Jaw curved upward, shaft left
Punch, flat jaws Sectional view:  Height of Jaws 1.6 mm		3.4 mm	125 mm	89140.0105				
		3.4 mm	125 mm		89140.0102			
		3.4 mm	125 mm			89140.0122		
		3.4 mm	125 mm				89140.0103	
		3.4 mm	125 mm					89140.0101
Punch, standard Sectional view:  Height of Jaws 2.1 mm		3.4 mm	125 mm	89140.0005				
		3.4 mm	125 mm		89140.0002			
		3.4 mm	125 mm			89140.0022		
		3.4 mm	125 mm				89140.0203	
		3.4 mm	125 mm					89140.0001

anthro
line
ARTHROline Punches



Description		Ø	WL	Straight	Jaws curved upward
Hooked punch					
Height of Jaws 1.6 mm		3.4 mm	125 mm	89140.0205	
Sectional view: 		3.4 mm	125 mm		89140.0202
Basket punch oval					
Height of Jaws 2.1 mm		3.4 mm	125 mm	89140.0305	
Sectional view: 		3.4 mm	125 mm		89140.0302
Hooked punch with scoop					
Height of Jaws 2.1 mm		3.4 mm	125 mm	89140.0405	
Sectional view: 		3.4 mm	125 mm		89140.0402
Scissors punch					
Height of Jaws 2.1 mm		3.4 mm	125 mm	89140.0505	
Sectional view: 		3.4 mm	125 mm		89140.0502

ARTHROline Retrograde Punches

					
Description		Ø	WL	Left back biter	Right back biter
Punch, retrograde cutting action Height of Jaws 2.3mm Sectional view:  2.0 mm 2.5 mm		3.4 mm	125 mm	89140.0605	
		3.4 mm	125 mm		89140.0602

arthro
line

ARTHROline Rotary Basket Punch



Description	Height of Jaws	Curved Left	Curved Right
Basket punch Sectional view:  	2.2 mm	89140.0704	
Basket punch Sectional view:  	2.2 mm		89140.0706
Basket punch Sectional view:  	3.2 mm	89140.0804	
Basket punch Sectional view:  	3.2 mm		89140.0806

ARTHROline Suction Punches

				
Description		Ø	WL	Part Number
Suction punch		2.7 mm	125 mm	89140.0027
		4.5 mm	125 mm	89140.0045


Classic Punches



Description	Ø	WL	Straight	Curved left	Curved right	Sheath curved 15° upwards	Jaw angled 15° upwards
Hooked punch with scoop Sectional view: 	2.7 mm	130 mm	8487.01	8487.011	8487.012	8487.013	
	3.4 mm	130 mm	8488.951	8488.952	8488.953	8488.954	
	4.5 mm	130 mm					8489.201
Hooked punch Sectional view: 	3.4 mm	130 mm	8488.02	8488.021	8488.022		8488.025
	4.5 mm	130 mm	8489.02	8489.021	8489.022		
Hooked punch, moveable jaw section toothed; Sectional view: 	2.7 mm	130 mm	8487.061				
Hooked punch, moveable jaw section toothed; Sectional view: 	2.7 mm	130 mm					8487.063
Hooked punch, moveable jaw section toothed; broad design 4.5 mm Sectional view: 	3.4 mm	130 mm	8488.121				8488.063
Hooked punch with scoop, moveable jaw section toothed; broad design 4.5 mm Sectional view: 	4.5 mm	130 mm					8489.063

Classic Punches

with angled jaws and scissors handle

				
Description	Angle	Ø	WL	Part Number
Punch , cutting to the front and side, straight shaft Sectional view:  	90° left	3.4 mm	130 mm	8404.017
	90° right			8404.018
Punch with scoop , particularly suitable for lateral cutting and trimming Sectional view:  	45° left			8404.71
	45° right			8404.81
Scissors, hook , left bent shaft	45° left			8404.521
Scissors, hook , right bent shaft	45° right			8404.622

Classic Scissors

						
with straight blades	Ø	WL	shaft straight	shaft curved left	shaft curved right	shaft curved 15° upward
Hooked scissors , for universal application in soft and hard structures 	2.7 mm	130 mm	8487.04	8487.041	8487.042	8487.043
	3.4 mm		8488.04	8488.041	8488.042	8488.043
	4.5 mm		8489.04	8489.041	8489.042	8489.043
Scissors, straight , for fine structures 	2.7 mm		8211.071			
Micro scissors for precise cutting in soft structures  Sectional view: 	3.4 mm		8488.051	8488.052	8488.053	
with angled blades		Ø	WL	Part Number		
Hooked scissors , for inaccessible areas, straight with 45° left or right angle 	45° left	3.4 mm	130 mm	8404.52		
	45° right			8404.62		

Classic Suction Punches / Forceps with aspiration channel

						
Description	Ø	WL	straight	Curved 15° upwards	Curved 30° right	Curved 30° left
Suction punch  Sectional view: 	4.5 mm	130 mm	8403.925			
Suction punch  Sectional view: 				8403.221		
Suction punch  Sectional view: 					8403.222	
Suction punch  Sectional view: 						8403.223
Suction grasping forceps 				8403.851		

Classic Forceps

			
Description	Ø	WL	Part Number
Biopsy and retraction forceps with spike, dual action 	4.5 mm	130 mm	8403.10

Classic Forceps

			
Description	Ø	WL	Part Number
 Grasping forceps, forceps handle ratcheted, tip with additional fine teeth	3.4 mm	130 mm	8488.096
	4.5 mm		8489.096

			
Description	Ø	WL	Part Number
 Patella biopsy forceps, upward bent	5 / 3 mm	100 mm	8211.131

Meniscus Grasping Forceps

			
Description	Ø	WL	Part Number
 Meniscus grasping forceps	4 / 7 mm	105 mm	8403.00
 Meniscus grasping forceps by O'Connor, curved			8403.001

Classic Punches

with interchangeable forceps attachments

					
Description	Ø	WL	Forceps-attachment	Handle	Complete instrument
Punch , retrograde cutting action, rotatable  Sectional view: 	3.4 mm	92 mm	8211.661	8211.601	8211.651
Punch , retrograde cutting action, rotatable, large  Sectional view: 	5.0 mm		8211.621	8211.601	8211.611

Classic Forceps Small Joint Arthroscopy

			
Description	Sheath Ø	WL	Part Number
 Miniature punch	2.0 mm	60 mm	8486.601
	2.2 mm	75 mm	8486.602
	2.0 mm	130 mm	8486.02
 Miniature double-spoon forceps	2.0 mm	60 mm	8486.611
	2.2 mm	75 mm	8486.612
	2.0 mm	110 mm	8486.06
 Miniature grasping forceps	2.0 mm	60 mm	8486.621
	2.2 mm	75 mm	8486.622
	2.0 mm	110 mm	8486.08

Classic Forceps Small Joint Arthroscopy

with overload protection

				
	Description	Ø	WL	Part Number
	Miniature double-spoon forceps , rotatable, ratcheted, overload protection and irrigation tap	2.7 mm	134 mm	8486.651
	Miniature grasping forceps , rotatable, ratcheted overload protection and irrigation tap	2.0 mm	110 mm	8486.081

				
	Description	Ø	WL	Part Number
	Miniature double-spoon forceps , with overload protection and irrigation tap	2.7 mm	110 mm	8486.614
	Miniature grasping forceps , with overload protection and irrigation tap	2.7 mm	110 mm	8486.624

Arthro-rasps / Spoon

		
Description	WL	Part Number
 Arthro-rasp , rough, straight	125 mm	8436.501
 Arthro-rasp , rough, convex (6.5 x 15 mm)		8436.511
 Arthro-rasp , rough, concave (6.5 x 15 mm)		8436.521
 Spoon , rough (6.5 x 10 mm)		8436.601
 Curette , Ø 5 mm, sharp on both sides, angled 15°		8436.701

Curettes

			
Description	Inner Ø	WL	Part Number
 Curette, offset, size 1	3 mm	95 mm	8435.901
 Curette, offset, size 2	4.5 mm		8435.902
 Curette, offset, size 3	6 mm		8435.903
 Curette, offset	9 mm		89160.1009
 Curette, offset	11 mm		89160.1011

Curettes

			
Description	Ø	WL	Part Number
 Curette, square, distal tip curved upwards, angled one side sharp	4.5 mm	170 mm	891632245
 Curette, square, distal tip curved upwards, angled one side sharp	6.0 mm	170 mm	891632260

			
Description	Ø	WL	Part Number
 Curette, round distal tip curved upwards, angled one side sharp	5.5 mm	170 mm	891631255
 Curette, round, distal tip curved upwards, angled, one side sharp	7.0 mm	170 mm	891631270

Specially shaped **curettes** with ergonomic handles for effective removal and smoothing of bone, remnants of cartilage and calcium deposits.

Microfractor Awls

			
	Description	WL	Part Number
 Microfractor	15° curved	170 mm	891631521
	30° curved		891633021
	45° curved		891634521
	35° S-shaped		891633522
	60° curved		891636021
	60° S-shaped		891636022
	80° curved		891638021

Graduated **microfractors** with tips at a variety of angles for microfracture of cartilage defects with ergonomic handles.

Knives

for operative arthroscopy

		
Description	WL	Part Number
 Scalpel, straight	125 mm	8436.101
 Rosette knife		8436.151
 Hooked knife		8436.201
 Banana knife		8436.251
 Arthro-knife, straight		8436.301

Hook Probes
for meniscus mobilization

			
Description	Ø	WL	Part Number
 Hook probe, graduated, with cm marking	4.0 mm	115 mm	8399.901
 Hook probe, graduated, with cm marking	2.5 mm		8399.95

Hook Probes & Switching Stick

			
Description	Ø	WL	Part Number
 Hook probe , to fit in trocar sleeve 8863.01	4.4 mm	228 mm	8863.80
 Hook probe , to fit in trocar sleeve 8864.01	5.5 mm		8864.80

For palpation in the articular cavity, for re-establishing access or for marking a further incision:

Switching Stick 			
Description	Ø	WL	Part Number
 Only for re-establishing access or for marking a further incision:	4.4 mm	326 mm	8863.75

Instrument Set Small Joint Arthroscopy

		
Description	WL	Part Number
 Burr with handle	100 mm	8871.301

		
Description	WL	Part Number
 Spoon with handle	100 mm	8871.562
 Curette with handle		8871.571
 Knife with handle		8871.586
 Elevator with handle		8871.596
 Hook, Ø 2.5 mm with handle		8871.721

Fluid Management Products



3.7 mm and 2.3 mm Cannula, Trocar, & Obturator	41-42
Universal Cannula, Trocar, & Obturator	43
Adapters	43
Irrigation Pump	44

3.7 mm Cannulae

				
Description	Capacity	Ø	WL	Part Number
 Drainage cannula with 1 tap	3.7 mm	4.4 mm	73 mm	8303.09*
 Drainage cannula with 1 straight tap and 1 laterally mounted tap				8303.50*
 Troc ar with pyramidal tip		3.7 mm	112 mm	8303.10
 Obturator , conical tip				8303.11


* Mainly used as an inlet cannula when used in conjunction with power cutting instruments or burrs.

Silicone tube, 2 m long,
with Luer connector 886.018303.90

2.3 mm Cannulae

				
Description	Capacity	Ø	WL	Part Number
 Drainage cannula with 1 tap	2.3 mm	3.2 mm	80 mm	8302.09
 Trocar with oblique tip		2.3 mm	103 mm	8302.101
 Obturator				8302.11

Universal Cannula System

 73 mm WL			
Universal trocar sleeve	Capacity	Trocar	Obturator
8863.01 	4.6 mm	8863.11 	8863.13 
8864.01 	5.6 mm	8864.11 	8864.13 
Adaptors to fit the trocar sleeves 8863.01/8864.01:		Size	Part Number
Telescope adaptor for 4 mm telescopes		5.6 mm	8864.70
Adaptor for power cutting instruments with connecting cone			8864.72
Adaptor for power instruments with Luer lock			8864.74
Adaptor for straight forceps up to 4.5 mm diameter			8864.75
Adaptor for inlet or outlet tube			8864.79
Adaptor for Dyonics sheaths			8880.591

Fluid Control 2203

Irrigation Pump for Arthroscopy



- Automatic Instrument Recognition System optimizes performance by adapting to any kind of inflow instrumentation
- Easy to load tubing
- Contact-free pressure and precise regulation monitoring ensure constant distension of the joint, even during the use of a shaver system
- Large easy to read display
- Enhanced patient safety through intra-articular pressure monitoring and active pressure relief
- Over pressure alarm (audible and visible)

Foot switch,
pneumatic2030.231

Remote control including cable
autoclavable2202.961

Fluid Control, Irrigation Pump for Arthroscopy2203.011

Tube set,
PVC, disposable, sterile, 10 / box4170.223

Power Shaver Systems



PowerGenerator ART1	47
M5 Power Stick, Resectors & Burrs	48-49
S4 Micro Power Stick, Resectors & Burrs	50
M4 Power Stick, Resectors & Burrs	51

PowerDrive ART1

The universal motor system



PowerDrive ART1 generator 2304

Universal device console for connection of motorised shavers, drills and saws. Includes network cable, CAN bus connecting cable and packaging.

Generator Unit2304.0071

Double-pedal footswitch2304.901

☐ Automatic handpiece, blade and burr detection

Detection of all motorized handpieces and tools when connected to the device console and preselection of the optimum application parameters

☐ Automatic user memory

Memory for user-specific parameters (rotational speed, torque, oscillation, language, display setting)

☐ Optional control options



1. footswitch



2. handpiece

☐ Memory for shaver blade

Recording of time in use and frequency of use for reusable shaver blade

☐ Touch screen display

☐ Service friendly

Replaceable universal connecting cable for all motorized handpieces

Acromionizer

Type number: 89975.0553
Mating cycles: 1
Operating hours: 0:00:00 h
Minimum rpm: 500 min-1
Tool rpm: 3000 min-1
Direction of rotation: right
Maximum rpm: 16000 min-1



Back

Default settings

Dr. Bones
Dr. Krause
Dr. Muth

NEW

Back

Acromionizer

Type number: 89975.0553
Mating cycles: 1
Operating hours: 0:00:00 h



Dr. Bones

A B C D E F G H
I J K L M N O P
Q R S T U V W X
Y Z . , - + = % & ' () *
Back

Back

Power Stick M5/3 Power Stick M5/O Accessories


Reusable cutting instruments and burrs

Power Stick M5/3  Power Stick M5/O89955.0000 Power Stick M5/389955.0003 Universal connecting cable.....8564.851	Power Stick M5/O  ☐ High speed shaver handpiece with or without hand-held control unit ☐ Speeds up to 16000 rpm ☐ Shaver tools from Ø 2 mm to Ø 8 mm
--	---

Reusable	Name	2 mm Ø	3.5 mm Ø	4.5 mm Ø	5.5 mm Ø	8 mm Ø
	Resector, toothed	89975.0032	89975.0033	89975.0034	89975.0035	
	Resector, oval		89975.0113	89975.0114	89975.0115	
	Resector, curved convex		89975.0253	89975.0254	89975.0255	
	Resector, curved concave		89975.0263	89975.0264	89975.0265	
	Resector, aggressive		89975.0333	89975.0334		
	Shaver-cutter		89975.0403	89975.0404		
	Slotted Whisker		89975.0473	89975.0474		
	End cutter		89975.0493	89975.0494		
	Ball burr with guard		89975.0503	89975.0504	89975.0505	
	Ball burr without guard				89975.0516	
	Burr oval, acromionizer		89975.0553		89975.0555	89975.0558

Accessories for Power Stick M5/O and M5/3

Disposable cutting instruments and burrs

M5/O 89955.0000 • M5/3 89955.0003 Large interface (pack of 5)					
Disposable	Name	3.5 mm Ø	4.5 mm Ø	5.5 mm Ø	8 mm Ø
	Resector, smooth	49975.0003	49975.0004	49975.0005	
	Resector, toothed	49975.0033	49975.0034	49975.0035	
	Resector, oval	49975.0113	49975.0114	49975.0115	
	Resector, curved convex	49975.0253	49975.0254	49975.0255	
	Resector, curved concave	49975.0263	49975.0264	49975.0265	
	Resector, aggressive	49975.0333	49975.0334	49975.0335	
	Shaver-cutter	49975.0403	49975.0404		
	Slotted Whisker		49975.0474		
	End cutter	49975.0493	49975.0494		
	Ball burr with guard		49975.0504		
	Ball burr without guard			49975.0516	
	Burr oval, acromionizer	49975.0553		49975.0555	49975.0558


Micro Stick S1

with small tool interface




- ☐ Miniature shaver handpiece for small joints
- ☐ Speed up to 3000 rpm
- ☐ Shaver blades from Ø 2 mm to Ø 5.5 mm

Accessories for S1 89951.0001 Small interface

	Name	Reusable			Disposable (pack of 5)		
		2 mm Ø	3.5 mm Ø	4.5 mm Ø	2 mm Ø	3.5 mm Ø	4.5 mm Ø
	Resector	89971.0032	89971.0033	89971.0034	49971.0032	49971.0033	49971.0034
	Resector, oval		89971.0113	89971.0114		49971.0113	49971.0114
	Resector, curved convex			89971.0254			49971.0254
	Resector, curved concave			89971.0264			49971.0264
	Ball burr with guard		89971.0503			49971.0503	
	Burr oval, acromionizer					49971.0553	

Power Stick M4 and Disposable Blades



Range	Power Stick M4 8564.121		
	min.	Basic	max.
Range I:	100 rpm	600 rpm	1000 rpm
Range II:	500 rpm	850 rpm	1500 rpm
Range III:	1000 rpm	1500 rpm	2500 rpm
Range IV:	2000 rpm	3500 rpm	6000 rpm

							
Color code	 brown	 blue	 yellow	 red	 black	 black	 grey
Instrument	Full Radius Resector	Aggressive Meniscus Resector	Serrated Scalped Resector	End Cutter	Curved Meniscus Resector concave	Curved Meniscus Resector convex	Acromionizer
∅ 3.5 mm WL 126.5 mm	4567.021	4567.022					
∅ 4.5 mm WL 126.5 mm	4568.021	4568.022	4568.041	4568.571	4568.031	4568.032	
∅ 5.5 mm WL 126.5 mm	4569.021	4569.022	4569.041				4569.351

Accessories



Leg Holder	55
Replacement Thigh Pads	55
Sterilization Trays	56-57

Leg Holder




Leg holder for arthroscopy8562.20

- Firm fixation of the leg
- Easily fitted to different thigh dimensions
- Hinged thigh grip
- Detachable anti-static padding (can be disinfected)
- Secure mounting on the table with special clamp, to fit rails 25 and 30 mm height / 10 mm wide


Replacement thigh grip pads (pair)560.10

Arthroscopy Instrument Trays



ARTHROSCOPY TRAY (PLASTIC)

Holds scopes, forceps
and instrumentation.....8570.026




ARTHROSCOPY TRAY

11"L x 5.25"W x 1.5"D

Holds two 4mm arthroscopes securely
and light source.....8585.091


Arthroscopy Instrument Trays



ARTHROSCOPY TRAY

23"L x 11"W x 5"D

Holds straight Arthroscopy Scopes
and instrumentation.....8585.025



SINGLE SCOPE TRAY

12"L x 3"W x 1.5"D

Equipped with brackets
Holds 1.9mm, 2.7mm, or 5mm
rigid endoscope.....8570.012

DUAL ARTHROSCOPY SCOPE TRAY

11"L x 3"W x 1.3"D

Holds two 4mm rigid arthroscopes8570.004

Sets



- | | |
|---------------------------|----|
| • Large Joint Arthroscopy | 61 |
| • Small Joint Arthroscopy | 62 |

Large Joint Arthroscopy

Basic Set

Arthroscope Options

Arthroscope, Panoview 3, Wide Angle, 4 mm, 175 mm WL, 30°	.8885.443
Arthroscope, Panoview 3, Wide Angle, 4 mm, 175 mm WL, 70°	.8885.445
Arthroscope, Panoview Plus, 4 mm, 175 mm WL, 30°	.8880.543
Arthroscope, Panoview Plus, 4 mm, 175 mm WL, 70°	.8885.545

Sheath System Options

Sheath, Qui-Connect, 6 mm, with 2 Rotatable Stopcocks	.89121.1260*
Sheath, Qui-Connect, 6.3 mm, High Flow, with 2 Rotatable Stopcocks	.89121.1263*
Trocar, Blunt	.89121.0544
Trocar, Conical Blunt	.89121.0540
Trocar, Sharp	.89121.0640

Forceps and Punches

ARTHROline Punch, Standard Straight	.89140.0005
ARTHROline Punch, Standard Upbiter Left	.89140.0001
ARTHROline Punch, Standard Upbiter Right	.89140.0203
ARTHROline Punch, Low Profile, Upbiter	.89140.0102
ARTHROline Punch, Hooked, w/ Scoop, Straight	.89140.0405
ARTHROline Suction Punch, 4.5 mm	.89140.0045
ARTHROline Scissors, Punch, Straight	.89140.0505
Scissors, Hook, Straight Shaft, 3.4 mm, 130 mm WL	.8488.04
Forceps, Grasping, Meniscus, 4/7 mm, 105 mm WL	.8403.00
Forceps, Grasping, Meniscus, by O'Conner, 4/7 mm, 105 mm WL	.8403.001
Forceps, Biopsy and Grasping w/ Spike, 4.5 mm, 120 mm WL	.8403.10

Instrumentation

Hook Probe, 2.5 mm with CM Markings	.8399.95
Curette, Offset, Size 3	.8435.903
Switching Stick, 4.4 mm, 326 mm WL	.8863.75

Outflow Cannulae

Cannula, Drainage, 3.7 mm, with 1 Tap	.8303.09
Trocar, Pyramidal Tip, 3.7 mm	.8303.10
Oburator, Conical Tip, 3.7 mm	.8303.11

Units

Arthro Pump	.2203.011
Tube Set, Disposable, pkg of 10	.4170.223
ART1 Shaver Generator	.2304.0071
ART1 Double-pedal Footswitch	.2304.901
Power Stick M5/3	.89955.0000
Power Stick M5/3 with hand controls	.89955.0003
Universal Connecting Cable	.8564.851

Trays

Arthroscopy Tray for Storage and Sterilization	.8570.026
--	-----------

* EZ-Release versions: 88032.1260 and 88032.1263

Small Joint Arthroscopy

Basic Set

Arthroscopes and Sheath Options

Arthroscope, Panoview, 2.7 mm, 77.5 mm WL, 30°	.8476.433
Arthroscope, Panoview, 2.7 mm, 77.5 mm WL, 70°	.8476.435
Sheath, Qui-Connect, with 2 Rotatable Stopcocks	.891221241*
Trocar, Blunt	.891222754
Trocar, Conical Blunt	.891222750
Arthroscope, Panoview, 2.4 mm, 60 mm WL, 30°	.8871413
Sheath, Qui-Connect, with 2 Rotatable Stopcocks	.891221232*
Sheath, Qui-Connect, high flow, with 2 Rotatable Stopcocks	.891221235*
Trocar, Blunt	.891222452
Trocar, Conical Pointed	.891222462
Arthroscope, Panoview, 1.9 mm, 40 mm WL, 30°	.8860453
Sheath, Qui-Connect, with 1 Fixed Stopcock	.891220124*
Sheath, Qui-Connect, high flow, with 1 Fixed Stopcock	.891220128*
Trocar, Semi-blunt	.891221952
Trocar, Conical Pointed	.891221962

Forceps and Punches

Punch, Miniature, 2.0 mm, 60 mm WL	.8486.601
Forceps, Miniature, Double Spoon, 2.0 mm, 60 mm WL	.8486.611
Forceps, Miniature, Grasping, 2.0 mm, 60 mm WL	.8486.621
Forceps, Miniature, Grasping, 2.2 mm, 75 mm WL	.8486.622
Scissors, Hooked, Straight, 2.7 mm, 130 mm WL	.8487.04
Punch, Toothed, 2.0mm Wide Bite, Straight, 2.7 mm, 130 mm WL	.8487.061
Punch, Toothed, 0.8mm Wide Bite, Jaw Upbent 15°, 2.7 mm, 130 mm WL	.8487.063

Instrumentation

Spoon, 100 mm WL	.8871.562
Curette, 100 mm WL	.8871.571
Knife, Straight Blade, 100 mm WL	.8871.586
Elevator, 100 mm WL	.8871.596
Hook, 2.5 mm, 100 mm WL	.8871.721
Switching Stick, 4.4 mm, 326 mm WL	.8863.75

Outflow Cannulae

Cannula, Egress, 2.3 mm	.8302.09
Trocar, Oblique Tip, 2.3 mm	.8302.101
Oburator, 2.3 mm	.8302.11

Units

Arthro Pump	.2203.011
Tube Set, Disposable, pkg of 10	.4170.223
ART1 Shaver Generator	.2304.0071
ART1 Double-pedal Footswitch	.2304.901
Micro Stick S1	.89951.0001

Trays

Arthroscopy Tray for Storage and Sterilization	.8570.026
--	-----------

* EZ-Release versions: 88032.1241, 88032.1232, 88032.1235, 88032.0124, and 88032.0128.

Index

• Alpha Index	I-VI
• Numeric Index	VII-XII

Alpha Index

Arthroscopy

Description	Product #	Page #
Acromionizer, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	4569.351	51
Adapter, for 4 mm endoscopes, for use with trocar sleeves 8863.01 / 8864.01	8864.70	43
Adapter, for Dyonics sheaths, for use with trocar sleeves 8863.01 / 8864.01	8880.591	43
Adapter, for inlet or outlet tube, for use with trocar sleeves 8863.01 / 8864.01	8864.79	43
Adapter, for power instruments, with Luer lock, for use with trocar sleeves 8863.01 / 8864.01	8864.74	43
Adapter, for straight forceps up to 4.5 mm ø, for use with trocar sleeves 8863.01 / 8864.01	8864.75	43
Adaptor, for power cutting instruments, with connecting cone	8864.72	43
Arthroscope, 1.9 mm ø, 120 mm WL, 25°	8860.433	10, 11
Arthroscope, 1.9 mm ø, 120 mm WL, 5°	8860.431	10, 11
Arthroscope, 1.9 mm ø, 40 mm WL, 30°	8860.453	8, 11
Arthroscope, 2.4 mm ø, 60 mm WL, 30°	8871.413	7, 11
Arthroscope, 2.7 mm ø, 185 mm WL, 0°	8672.421	9, 11
Arthroscope, 2.7 mm ø, 185 mm WL, 30°	8672.422	9, 11
Arthroscope, 2.7 mm ø, 185 mm WL, 70°	8672.425	9, 11
Arthroscope, 2.7 mm ø, 77.5 mm WL, 30°	8476.433	6, 11
Arthroscope, 2.7 mm ø, 77.5 mm WL, 70°	8476.435	6, 11
Arthroscope, 4 mm ø, 170 mm WL, 0°	8880.541	4, 11
Arthroscope, 4 mm ø, 170 mm WL, 30°	8880.543	4, 11
Arthroscope, 4 mm ø, 170 mm WL, 45°	8880.544	4, 11
Arthroscope, 4 mm ø, 170 mm WL, 70°	8880.545	4, 11
Arthroscope, 4 mm ø, 170 mm WL, wide-angle, 30°	8885.443	4, 11
Arthroscope, 4 mm ø, 170 mm WL, wide-angle, 70°	8885.445	4, 11
Burr, ball, w/ guard, disposable, 3.5 mm ø, for MicroStick S1	49971.0503	50
Burr, ball, w/ guard, disposable, 4.5 mm ø, for PowerStick M5	49975.0504	49
Burr, ball, w/ guard, reusable, 3.5 mm ø, for MicroStick S1	89971.0503	50
Burr, ball, with guard, reusable, 3.5 mm ø, for PowerStick M5	89975.0503	48
Burr, ball, with guard, reusable, 4.5 mm ø, for PowerStick M5	89975.0504	48
Burr, ball, with guard, reusable, 5.5 mm ø, for PowerStick M5	89975.0505	48
Burr, ball, without guard, disposable, 5.5 mm ø, for PowerStick M5	49975.0516	49
Burr, ball, without guard, reusable, 5.5 mm ø, for PowerStick M5	89975.0516	48

Description	Product #	Page #
Burr, for small joints, w/ handle, 100 mm WL	8871.301	37
Burr, oval acromionizer, disposable, 3.5 mm ø, for PowerStick M5	49975.0553	49
Burr, oval acromionizer, disposable, 5.5 mm ø, for PowerStick M5	49975.0555	49
Burr, oval acromionizer, disposable, 8.0 mm ø, for PowerStick M5	49975.0558	49
Burr, oval, acromionizer, disposable, 3.5 mm ø, for MicroStick S1	49971.0553	50
Burr, oval, acromionizer, reusable, 3.5 mm ø, for PowerStick M5	89975.0553	48
Burr, oval, acromionizer, reusable, 5.5 mm ø, for PowerStick M5	89975.0555	48
Burr, oval, acromionizer, reusable, 8.0 mm ø, for PowerStick M5	89975.0558	48
Cable, universal connecting	8564.851	48
Curette, 5 mm ø, 125 mm WL	8436.701	30
Curette, for small joints, w/ handle, 100 mm WL	8871.571	37
Curette, offset, 11 mm inner ø, 95 mm WL	89160.1011	31
Curette, offset, 9 mm inner ø, 95 mm WL	89160.1009	31
Curette, ring, offset, size 1, 3 mm ø, 100 mm WL	8435.901	31
Curette, ring, offset, size 2, 4.5 mm ø, 100 mm WL	8435.902	31
Curette, ring, offset, size 3, 6 mm ø, 100 mm WL	8435.903	31
Curette, round, 5.5 mm ø, ergonomic handle	891631255	32
Curette, round, 7.0 mm ø, ergonomic handle	891631270	32
Curette, square, 4.5 mm ø, ergonomic handle	891632245	32
Curette, square, 6.0 mm ø, ergonomic handle	891632260	32
Drainage cannula, 2.3 mm capacity, 3.2 mm ø, 80 mm WL	8302.09	42
Drainage cannula, 3.7 mm capacity, 4.4 mm ø, 73 mm WL, 1 tap	8303.09	41
Drainage cannula, 3.7 mm capacity, 4.4 mm ø, 73 mm WL, w/ 1 straight tap and 1 lateral tap	8303.50	41
Elevator, for small joints, w/handle, 100 mm WL	8871.596	37
End cutter, reusable, 3.5 mm ø, for PowerStick M5	89975.0493	48
End cutter, reusable, 4.5 mm ø, for PowerStick M5	89975.0494	48
End cutter, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	4568.571	51
End-cutter, disposable, 3.5 mm ø, for PowerStick M5	49975.0493	49
End-cutter, disposable, 4.5 mm ø, for PowerStick M5	49975.0494	49
Foot switch, double pedal, for 2304.0071	2304.901	47
Foot switch, pneumatic, for 2203.011	2030.231	44
Forceps attachment for 8211.611 & 8211.601	8211.621	27

Alpha Index

Description	Product #	Page #
Forceps attachment for 8211.651 & 8211.601	8211.661	27
Forceps, biopsy and retraction, with spike, 4.5 mm ø, 130 mm WL	8403.10	24
Forceps, grasping, with ratcheting handle, 3.4 mm ø, 130 mm WL	8488.096	25
Forceps, grasping, with ratcheting handle, 4.5 mm ø, 130 mm WL	8489.096	25
Forceps, meniscus grasping, 4 / 7 mm ø, 105 mm WL	8403.00	26
Forceps, meniscus grasping, bz O' Connor, 4 / 7 mm ø, 105 mm WL	8403.001	26
Forceps, miniature double spoon, with overload protection, 2.7 mm ø, 134 mm WL	8486.651	29
Forceps, miniature double spoon, with overload protection, irrigation tap, 2.7 mm ø, 110 mm WL	8486.614	29
Forceps, miniature grasping, with overload protection, 2.0 mm ø, 110 mm WL	8486.081	29
Forceps, miniature grasping, with overload protection, irrigation tap, 2.7 mm ø, 110 mm WL	8486.624	29
Forceps, miniature, double spoon, 2.0 mm ø, 110 mm WL	8486.06	28
Forceps, miniature, double spoon, 2.0 mm ø, 60 mm WL	8486.611	28
Forceps, miniature, double spoon, 2.2 mm ø, 75 mm WL	8486.612	28
Forceps, miniature, grasping, 2.0 mm ø, 110 mm WL	8486.08	28
Forceps, miniature, grasping, 2.0 mm ø, 60 mm WL	8486.621	28
Forceps, miniature, grasping, 2.2 mm ø, 75 mm WL	8486.622	28
Forceps, patella biopsy, 5 / 3 mm ø, 100 mm WL	8211.131	25
Generator, PowerDrive ART1, motor system	2304.0071	47
Handle for 8211.651 & 8211.661	8211.601	27
Handpiece, MicroStick S1, electronic, for small joints	89951.0001	50
Handpiece, Power Stick M5/O, without control buttons	89955.0000	48
Handpiece, Power Stick M5/3, with control buttons	89955.0003	48
Handpiece, PowerStick M4, electronic	8564.121	51
Hook probe, fits in trocar sleeve 8863.01, 4.4 mm ø, 228 mm WL	8863.80	36
Hook probe, fits in trocar sleeve 8864.01, 5.5 mm ø, 228 mm WL	8864.80	36
Hook probe, for meniscus mobilization, 2.5 mm ø, 115 mm WL	8399.95	35
Hook probe, for meniscus mobilization, 4.0 mm ø, 115 mm WL	8399.901	35
Hook, for small joints, w/ handle, 100 mm WL	8871.721	37
Irrigation pump, for arthroscopy	2203.011	44
Knife, arthro, straight, 125 mm WL	8436.301	34
Knife, banana, 125 mm WL	8436.251	34
Knife, for small joints, w/ handle, 100 mm WL	8871.586	37

Description	Product #	Page #
Knife, hook, 125 mm WL	8436.201	34
Knife, rosette, 125 mm WL	8435.151	34
Leg holder, for arthroscopy	8562.20	55
Light cable, fiber, 3 M length for 1.9 / 2.4 / 2.7 mm ø endoscopes	8061.256	11
Light cable, fiber, 3 M length for 4.0 mm ø endoscopes	8061.356	11
Microfractor, 15° curved, 170 mm WL	891631521	33
Microfractor, 30° curved, 170 mm WL	891633021	33
Microfractor, 35° S-shaped, 170 mm WL	891633522	33
Microfractor, 45° curved, 170 mm WL	891634521	33
Microfractor, 60° curved, 3 mm ø, 110 mm WL	891636021	33
Microfractor, 60°, S-shaped, 170 mm WL	891636022	33
Microfractor, 80° curved, 3 mm ø, 110 mm WL	891638021	33
Obturator, 2.3 mm ø, 103 mm WL	8302.11	42
Obturator, blunt tip, 3 mm outer ø	8862.13	9
Obturator, blunt, 2.4 mm outer ø	8860.13	10
Obturator, conical tip, 3 mm outer ø	8862.12	9
Obturator, for 8863.01 trocar sleeve	8863.13	43
Obturator, for 8864.01 trocar sleeve	8864.13	43
Obturator, w/ conical tip, 3.7 mm ø, 112 mm WL	8303.11	41
Punch, basket punch, oval, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	89140.0302	16
Punch, basket punch, oval, ArthroLine, straight, 3.4 mm ø, 125 mm WL	89140.0305	16
Punch, cutting, left 90°, 3.4 mm ø, 130 mm WL	8404.017	21
Punch, cutting, right 90°, 3.4 mm ø, 130 mm WL	8404.018	21
Punch, cutting, w/ scoop, 45° left, 3.4 mm ø, 130 mm WL	8404.71	21
Punch, cutting, w/ scoop, 45° right, 3.4 mm ø, 130 mm WL	8404.81	21
Punch, flat jaws, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	89140.0102	15
Punch, flat jaws, ArthroLine, jaws curved upward, shaft curved left, 3.4 mm ø, 125 mm WL	89140.0101	15
Punch, flat jaws, ArthroLine, jaws curved upward, shaft curved right, 3.4 mm ø, 125 mm WL	89140.010315	15
Punch, flat jaws, ArthroLine, shaft curved upward, 3.4 mm ø, 125 mm WL	89140.0122	15
Punch, flat jaws, ArthroLine, straight jaws, 3.4 mm ø, 125 mm WL	89140.0105	15
Punch, hooked punch w/ scoop, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	89140.0402	16
Punch, hooked punch w/ scoop, ArthroLine, straight, 3.4 mm ø, 125 mm WL	89140.0405	16
Punch, hooked, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	89140.0202	16

Alpha Index

Description	Product #	Page #
Punch, hooked, ArthroLine, straight, 3.4 mm ø, 125 mm WL	89140.0205	16
Punch, hooked, curved left, 3.4 mm ø, 130 mm WL	8488.021	20
Punch, hooked, curved left, 4.5 mm ø, 130 mm WL	8489.021	20
Punch, hooked, curved right, 4.5 mm ø, 130 mm WL	8489.022	20
Punch, hooked, jaw curved upwards, 3.4 mm ø, 130 mm WL	8488.025	20
Punch, hooked, moveable jaw, toothed, broad design, jaws curved upward, 3.4 mm ø, 130 mm WL	8488.063	20
Punch, hooked, moveable jaw, toothed, broad design, straight, 3.4 mm ø, 130 mm WL	8488.121	20
Punch, hooked, moveable jaw, toothed, jaws curved upward, 2.7 mm ø, 130 mm WL	8487.063	20
Punch, hooked, moveable jaw, toothed, straight, 2.7 mm ø, 130 mm WL	8487.061	20
Punch, hooked, straight, 3.4 mm ø, 130 mm WL	8488.02	20
Punch, hooked, straight, 4.5 mm ø, 130 mm WL	8489.02	20
Punch, hooked, w/ scoop, curved left, 2.7 mm ø, 130 mm WL	8487.011	20
Punch, hooked, w/ scoop, curved left, 3.4 mm ø, 130 mm WL	8488.952	20
Punch, hooked, w/ scoop, curved right, 2.7 mm ø, 130 mm WL	8487.012	20
Punch, hooked, w/ scoop, curved right, 3.4 mm ø, 130 mm WL	8488.953	20
Punch, hooked, w/ scoop, jaws curved upwards, 4.5 mm ø, 130 mm WL	8489.201	20
Punch, hooked, w/ scoop, moveable jaw, toothed, broad design, jaws curved upward, 4.5 mm ø, 130 mm WL	8489.063	20
Punch, hooked, w/ scoop, shaft curved upwards, 3.4 mm ø, 130 mm WL	8488.954	20
Punch, hooked, w/ scoop, straight, 2.7 mm ø, 130 mm WL	8487.01	20
Punch, hooked, w/ scoop, straight, 3.4 mm ø, 130 mm WL	8488.951	20
Punch, hooked, w/scoop, shaft curved upwards, 2.7 mm ø, 130 mm WL	8487.013	20
Punch, miniature, grasping, 2.0 mm ø, 130 mm WL	8486.02	28
Punch, miniature, grasping, 2.0 mm ø, 60 mm WL	8486.601	28
Punch, miniature, grasping, 2.2 mm ø, 75 mm WL	8486.602	28
Punch, retrograde cutting action, large, rotatable, 3.4 mm ø, 92 mm WL, complete instrument	8211.611	27
Punch, retrograde cutting action, rotatable, 3.4 mm ø, 92 mm WL, complete instrument	8211.651	27
Punch, retrograde cutting, ArthroLine, left back biter, 3.4 mm ø, 125 mm WL	89140.0605	17
Punch, retrograde cutting, ArthroLine, right back biter, 3.4 mm ø, 125 mm WL	89140.0602	17

Description	Product #	Page #
Punch, rotary basket, 2.2 mm jaw height, curved left	89140.0704	18
Punch, rotary basket, 2.2 mm jaw height, curved right	89140.0706	18
Punch, rotary basket, 3.2 mm jaw height, curved left	89140.0804	18
Punch, rotary basket, 3.2 mm jaw height, curved right	89140.0806	18
Punch, scissors punch, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	89140.0502	16
Punch, scissors punch, ArthroLine, straight, 3.4 mm ø, 125 mm WL	89140.0505	16
Punch, standard, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	89140.0002	15
Punch, standard, ArthroLine, jaws curved upward, shaft curved left, 3.4 mm ø, 125 mm WL	89140.0001	15
Punch, standard, ArthroLine, jaws curved upward, shaft curved right, 3.4 mm ø, 125 mm WL	89140.0203	15
Punch, standard, ArthroLine, shaft curved upward, 3.4 mm ø, 125 mm WL	89140.0022	15
Punch, standard, ArthroLine, straight jaws, 3.4 mm ø, 125 mm WL	89140.0005	15
Rasp, arthro, rough, concave, 3 mm ø, 125 mm WL	8436.521	30
Rasp, arthro, rough, convex, 3 mm ø, 125 mm WL	8436.511	30
Rasp, arthro, rough, straight, 3 mm ø, 125 mm WL	8436.501	30
Remote control for 2203.011, autoclavable	2202.961	44
Resector, aggressive meniscus, disposable, 3.5 mm ø, 126.5 mm WL, for PowerStick M4	4567.022	51
Resector, aggressive meniscus, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	4568.022	51
Resector, aggressive meniscus, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	4569.022	51
Resector, aggressive, disposable, 3.5 mm ø, for PowerStick M5	49975.0333	49
Resector, aggressive, disposable, 3.5 mm ø, for PowerStick M5	49975.0333	49
Resector, aggressive, disposable, 4.5 mm ø, for PowerStick M5	49975.0334	49
Resector, aggressive, disposable, 5.5 mm ø, for PowerStick M5	49975.0335	49
Resector, aggressive, reusable, 3.5 mm ø, for PowerStick M5	89975.0333	48
Resector, aggressive, reusable, 4.5 mm ø, for PowerStick M5	89975.0334	48
Resector, curved concave, disposable, 3.5 mm ø, for PowerStick M5	49975.0263	49
Resector, curved concave, disposable, 4.5 mm ø, for MicroStick S1	49971.0264	50
Resector, curved concave, disposable, 4.5 mm ø, for PowerStick M5	49975.0264	49

Alpha Index

Description	Product #	Page #
Resector, curved concave, disposable, 5.5 mm ø, for PowerStick M5	49975.0265	49
Resector, curved concave, reusable, 4.5 mm ø, for MicroStick S1	89971.0264	50
Resector, curved convex, disposable, 3.5 mm ø, for PowerStick M5	49975.0253	49
Resector, curved convex, disposable, 4.5 mm ø, for MicroStick S1	49971.0254	50
Resector, curved convex, disposable, 4.5 mm ø, for PowerStick M5	49975.0254	49
Resector, curved convex, disposable, 5.5 mm ø, for PowerStick M5	49975.0255	49
Resector, curved convex, reusable, 4.5 mm ø, for MicroStick S1	89971.0254	50
Resector, curved meniscus, concave, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	4568.031	51
Resector, curved meniscus, convex, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	4568.032	51
Resector, curved, concave, reusable, 3.5 mm ø, for PowerStick M5	89975.0263	48
Resector, curved, concave, reusable, 4.5 mm ø, for PowerStick M5	89975.0264	48
Resector, curved, concave, reusable, 5.5 mm ø, for PowerStick M5	89975.0265	48
Resector, curved, convex, reusable, 3.5 mm ø, for PowerStick M5	89975.0253	48
Resector, curved, convex, reusable, 4.5 mm ø, for PowerStick M5	89975.0254	48
Resector, curved, convex, reusable, 5.5 mm ø, for PowerStick M5	89975.0255	48
Resector, disposable, 2.0 mm ø, for MicroStick S1	49971.0032	50
Resector, disposable, 3.5 mm ø, for MicroStick S1	49971.0033	50
Resector, disposable, 4.5 mm ø, for MicroStick S1	49971.0034	50
Resector, full-radius, disposable, 3.5 mm ø, 126.5 mm WL, for PowerStick M4	4567.021	51
Resector, full-radius, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	4568.021	51
Resector, full-radius, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	4569.021	51
Resector, oval, disposable, 3.5 mm ø, for MicroStick S1	49971.0113	50
Resector, oval, disposable, 3.5 mm ø, for PowerStick M5	49975.0113	49
Resector, oval, disposable, 4.5 mm ø, for MicroStick S1	49971.0114	50
Resector, oval, disposable, 4.5 mm ø, for PowerStick M5	49975.0114	49
Resector, oval, disposable, 5.5 mm ø, for PowerStick M5	49975.0115	49
Resector, oval, reusable, 3.5 mm ø, for MicroStick S1	89971.0113	50
Resector, oval, reusable, 3.5 mm ø, for PowerStick M5	89975.0113	48
Resector, oval, reusable, 4.5 mm ø, for MicroStick S1	89971.0114	50

Description	Product #	Page #
Resector, oval, reusable, 4.5 mm ø, for PowerStick M5	89975.0114	48
Resector, oval, reusable, 5.5 mm ø, for PowerStick M5	89975.0115	48
Resector, reusable, 2.0 mm ø, for MicroStick S1	89971.0032	50
Resector, reusable, 3.5 mm ø, for MicroStick S1	89971.0033	50
Resector, reusable, 4.5 mm ø, for MicroStick S1	89971.0034	50
Resector, serrated scalped, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	4568.041	51
Resector, serrated scalped, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	4569.041	51
Resector, smooth, disposable, 3.5 mm ø, for PowerStick M5	49975.0003	49
Resector, smooth, disposable, 4.5 mm ø, for PowerStick M5	49975.0004	49
Resector, smooth, disposable, 5.5 mm ø, for PowerStick M5	49975.0005	49
Resector, toothed, disposable, 3.5 mm ø, for PowerStick M5	49975.0033	49
Resector, toothed, disposable, 4.5 mm ø, for PowerStick M5	49975.0034	49
Resector, toothed, disposable, 5.5 mm ø, for PowerStick M5	49975.0035	49
Resector, toothed, reusable, 2 mm ø, for PowerStick M5	89975.0032	48
Resector, toothed, reusable, 3.5 mm ø, for PowerStick M5	89975.0033	48
Resector, toothed, reusable, 4.5 mm ø, for PowerStick M5	89975.0034	48
Resector, toothed, reusable, 5.5 mm ø, for PowerStick M5	89975.0035	48
Scalpel, straight, 125 mm WL	8436.101	34
Scissors, hook, 45° left bent shaft, basket with scoop, 3.4 mm ø, 130 mm WL	8404.521	21
Scissors, hook, shaft 45° right, 3.4 mm ø, 130 mm WL	8404.622	21
Scissors, hooked, blades curved left, 3.4 mm ø, 130 mm WL	8404.52	22
Scissors, hooked, blades curved right, 3.4 mm ø, 130 mm WL	8404.62	22
Scissors, hooked, curved left, 2.7 mm ø, 130 mm WL	8487.041	22
Scissors, hooked, curved left, 3.4 mm ø, 130 mm WL	8488.041	22
Scissors, hooked, curved left, 4.5 mm ø, 130 mm WL	8489.041	22
Scissors, hooked, curved right, 2.7 mm ø, 130 mm WL	8487.042	22
Scissors, hooked, curved right, 3.4 mm ø, 130 mm WL	8488.042	22
Scissors, hooked, curved right, 4.5 mm ø, 130 mm WL	8489.042	22
Scissors, hooked, curved upward, 2.7 mm ø, 130 mm WL	8487.043	22
Scissors, hooked, curved upward, 3.4 mm ø, 130 mm WL	8488.043	22

Alpha Index

Arthroscopy

Description	Product #	Page #
Scissors, hooked, curved upward, 4.5 mm ϕ , 130 mm WL	8489.043	22
Scissors, hooked, straight, 2.7 mm ϕ , 130 mm WL	8487.04	22
Scissors, hooked, straight, 3.4 mm ϕ , 130 mm WL	8488.04	22
Scissors, hooked, straight, 4.5 mm ϕ , 130 mm WL	8489.04	22
Scissors, micro, curved left, 3.4 mm ϕ , 130 mm WL	8488.052	22
Scissors, micro, curved right, 3.4 mm ϕ , 130 mm WL	8488.053	22
Scissors, micro, straight, 3.4 mm ϕ , 130 mm WL	8488.051	22
Scissors, straight, 2.7 mm ϕ , 130 mm WL	8211.071	22
Shaver-cutter, disposable, 3.5 mm ϕ , for PowerStick M5	49975.0403	49
Shaver-cutter, disposable, 4.5 mm ϕ , for PowerStick M5	49975.0404	49
Shaver-cutter, reusable, 3.5 mm ϕ , for PowerStick M5	89975.0403	48
Shaver-cutter, reusable, 4.5 mm ϕ , for PowerStick M5	89975.0404	48
Sheath, 2.4 mm, w/self-sealing mechanism, w/ 1 fixed stopcock	8860.05	10
Sheath, ArthroLution, 6.0 mm outer ϕ , 130 mm WL, w/ 1 rotatable stopcock	88031.1160	5
Sheath, Qui-Connect, 2.4 mm outer ϕ , w/ 1 fixed stopcock, EZ-Release	88032.0124	8
Sheath, Qui-Connect, 3.2 mm outer ϕ , w/ 1 fixed stopcock, EZ-Release	88032.0132	7
Sheath, Qui-Connect, 3.2 mm outer ϕ , w/ 2 rotatable stopcocks, EZ-Release	88032.1232	7
Sheath, Qui-Connect, 4.1 mm outer ϕ , w/ 2 rotatable stopcocks, EZ-Release	88032.1241	6
Sheath, Qui-Connect, 6.0 mm outer ϕ , w/ 1 rotatable stopcock, EZ-Release	88032.1160	5
Sheath, Qui-Connect, 6.0 mm outer ϕ , w/ 2 fixed stopcocks, EZ-Release	88032.0260	5
Sheath, Qui-Connect, 6.0 mm outer ϕ , w/ 2 rotatable stopcocks, EZ-Release	88032.1260	5
Sheath, Qui-Connect, high-flow, 2.8 mm outer ϕ , w/ 1 fixed stopcock, EZ-Release	88032.0128	8
Sheath, Qui-Connect, high-flow, 3.5 mm outer ϕ , w/ 2 rotatable stopcocks, EZ-Release	88032.1235	7
Sheath, Qui-Connect, high-flow, 6.3 mm outer ϕ , w/ 1 rotatable stopcock	88031.1163	5
Sheath, Qui-Connect, high-flow, 6.3 mm outer ϕ , w/ 1 rotatable stopcock, EZ-Release	88032.1163	5
Sheath, Qui-Connect, high-flow, 6.3 mm outer ϕ , w/ 2 rotatable stopcocks, EZ-Release	88032.1263	5
Sheath, Qui-Connect, high-flow, w/ 1 fixed stopcock, 2.8 mm outer ϕ	891220128	8

Description	Product #	Page #
Sheath, Qui-Connect, high-flow, w/ 2 rotatable stopcocks, 3.5 mm outer ϕ	891221235	7
Sheath, Qui-Connect, high-flow, w/ 2 rotatable stopcocks, 6 mm outer ϕ	89121.1263	5
Sheath, Qui-Connect, small caliber, 5.5 mm outer ϕ , w/ 2 rotatable stopcocks, EZ-Release	88032.1255	5
Sheath, Qui-Connect, small-caliber, w/ 2 rotatable stopcocks	891221255	5
Sheath, Qui-Connect, w/ 1 fixed stopcock, 2.4 mm outer ϕ	891220124	8
Sheath, Qui-Connect, w/ 1 fixed stopcock, 3.2 mm outer ϕ	891220132	7
Sheath, Qui-Connect, w/ 2 fixed stopcocks, 6 mm outer ϕ	89121.0260	5
Sheath, Qui-Connect, w/ 2 rotatable stopcocks, 3.2 mm outer ϕ	891221232	7
Sheath, Qui-Connect, w/ 2 rotatable stopcocks, 4.1 mm outer ϕ	891221241	6
Sheath, Qui-Connect, w/ 2 rotatable stopcocks, 6 mm outer ϕ	89121.1260	5
Sheath, with self-sealing mechanism, w/ 1 fixed stopcock, 4 mm outer ϕ	8862.02	9
Silicone tube, w/ Luer connector	8303.90	41
Spoon curette, rough, 3 mm ϕ , 125 mm WL	8436.601	30
Spoon, for small joints, w/ handle, 100 mm WL	8871.562	37
Stopper plug, for ArthroLution sheaths	89101.0000	11
Stopper, for 8860.05 sheath	8852.90	10
Suction forceps, straight, 4.5 mm ϕ , 130 mm WL	8403.851	23
Suction punch, dismantling, 2.7 mm ϕ , 125 mm WL	89140.0027	19
Suction punch, dismantling, 4.5 mm ϕ , 125 mm WL	89140.0045	19
Suction punch, jaws curved left, 4.5 mm ϕ , 130 mm WL	8403.223	23
Suction punch, jaws curved right, 4.5 mm ϕ , 130 mm WL	8403.222	23
Suction punch, jaws curved upward, 4.5 mm ϕ , 130 mm WL	8403.221	23
Suction punch, straight, 4.5 mm ϕ , 130 mm WL	8403.925	23
Switching stick, 4.4 mm ϕ , 326 mm WL	8863.75	36
Thigh pads, pair, replacements for 8562.20	560.10	55
Tray, arthroscopy, 11"L x 5.25"W x 1.5"D	8585.091	56
Tray, arthroscopy, 23"L x 11"W x 5"D	8585.025	57
Tray, arthroscopy, plastic	8570.026	56
Tray, dual scope	8570.004	57
Tray, single scope, w/ brackets	8570.012	57
Trocar sleeve, universal, 4.6 mm capacity, 73 mm WL	8863.01	43
Trocar sleeve, universal, 5.6 mm capacity, 73 mm WL	8864.01	43

Alpha Index

Description	Product #	Page #
Trocar, blunt, 2.4 mm outer ø	891222452	7
Trocar, blunt, 2.7 mm outer ø	891222754	6
Trocar, blunt, 4 mm outer ø	89121.0544	5
Trocar, conical blunt, 2.7 mm outer ø	891222750	6
Trocar, conical blunt, 4 mm outer ø	89121.0540	5
Trocar, conical pointed, 1.9 mm outer ø	891221962	8
Trocar, conical pointed, 2.4 mm outer ø	891222462	7
Trocar, conical pointed, 2.7 mm outer ø	891222762	6
Trocar, for 8863.01 trocar sleeve	8863.11	43
Trocar, for 8864.01 trocar sleeve	8864.11	43
Trocar, semi-blunt, 1.9 mm outer ø	891221952	8
Trocar, semi-blunt, 4 mm outer ø	89121.0542	5
Trocar, sharp, 4 mm outer ø	89121.0640	5
Trocar, short pyramidal tip, 2.4 mm outer ø	8860.11	10
Trocar, short pyramidal tip, 3 mm outer ø	8862.11	9
Trocar, w/ oblique tip, 2.3 mm ø, 103 mm WL	8302.101	42
Trocar, w/ pyramidal tip, 3.7 mm ø, 112 mm WL	8303.10	41
Tubing, PVC, disposable, sterile, 10 / box	4170.223	44
Whisker, disposable, 4.5 mm ø, for PowerStick M5	49975.0474	49
Whisker, reusable, 3.5 mm ø, for PowerStick M5	89975.0473	48
Whisker, reusable, 4.5 mm ø, for PowerStick M5	89975.0474	48

Numeric Index

Arthroscopy

Product #	Description	Page #
2030.231	Foot switch, pneumatic, for 2203.011	44
2202.961	Remote control for 2203.011, autoclavable	44
2203.011	Irrigation pump, for arthroscopy	44
2304.0071	Generator, PowerDrive ART1, motor system	47
2304.901	Foot switch, double pedal, for 2304.0071	47
4170.223	Tubing, PVC, disposable, sterile, 10 / box	44
4567.021	Resector, full-radius, disposable, 3.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4567.022	Resector, aggressive meniscus, disposable, 3.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4568.021	Resector, full-radius, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4568.022	Resector, aggressive meniscus, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4568.031	Resector, curved meniscus, concave, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4568.032	Resector, curved meniscus, convex, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4568.041	Resector, serrated scalped, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4568.571	End cutter,, disposable, 4.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4569.021	Resector, full-radius, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4569.022	Resector, aggressive meniscus, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4569.041	Resector, serrated scalped, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	51
4569.351	Acromionizer, disposable, 5.5 mm ø, 126.5 mm WL, for PowerStick M4	51
49971.0032	Resector, disposable, 2.0 mm ø, for MicroStick S1	50
49971.0033	Resector, disposable, 3.5 mm ø, for MicroStick S1	50
49971.0034	Resector, disposable, 4.5 mm ø, for MicroStick S1	50
49971.0113	Resector, oval, disposable, 3.5 mm ø, for MicroStick S1	50
49971.0114	Resector, oval, disposable, 4.5 mm ø, for MicroStick S1	50
49971.0254	Resector, curved convex, disposable, 4.5 mm ø, for MicroStick S1	50
49971.0264	Resector, curved concave, disposable, 4.5 mm ø, for MicroStick S1	50
49971.0503	Burr, ball, w/ guard, disposable, 3.5 mm ø, for MicroStick S1	50
49971.0553	Burr, oval, acromionizer, disposable, 3.5 mm ø, for MicroStick S1	50
49975.0003	Resector, smooth, disposable, 3.5 mm ø, for PowerStick M5	49

Product #	Description	Page #
49975.0004	Resector, smooth, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0005	Resector, smooth, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0033	Resector, toothed, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0034	Resector, toothed, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0035	Resector, toothed, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0113	Resector, oval, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0114	Resector, oval, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0115	Resector, oval, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0253	Resector, curved convex, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0254	Resector, curved convex, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0255	Resector, curved convex, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0263	Resector, curved concave, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0264	Resector, curved concave, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0265	Resector, curved concave, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0333	Resector, aggressive, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0334	Resector, aggressive, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0335	Resector, aggressive, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0403	Shaver-cutter, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0404	Shaver-cutter, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0474	Whisker, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0493	End-cutter, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0494	End-cutter, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0504	Burr, ball, w/ guard, disposable, 4.5 mm ø, for PowerStick M5	49
49975.0516	Burr, ball, without guard, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0553	Burr, oval acromionizer, disposable, 3.5 mm ø, for PowerStick M5	49
49975.0555	Burr, oval acromionizer, disposable, 5.5 mm ø, for PowerStick M5	49
49975.0558	Burr, oval acromionizer, disposable, 8.0 mm ø, for PowerStick M5	49
560.10	Thigh pads, pair, replacements for 8562.20	55
8061.256	Light cable, fiber, 3 M length for 1.9 / 2.4 / 2.7 mm ø endoscopes	11
8061.356	Light cable, fiber, 3 M length for 4.0 mm ø endoscopes	11
8211.071	Scissors, straight, 2.7 mm ø, 130 mm WL	22

Numeric Index

Product #	Description	Page #
8211.131	Forceps, patella biopsy, 5 / 3 mm ø, 100 mm WL	25
8211.601	Handle for 8211.651 & 8211.661	27
8211.611	Punch, retrograde cutting action, large, rotatable, 3.4 mm ø, 92 mm WL, complete instrument	27
8211.621	Forceps attachment for 8211.611 & 8211.601	27
8211.651	Punch, retrograde cutting action, rotatable, 3.4 mm ø, 92 mm WL, complete instrument	27
8211.661	Forceps attachment for 8211.651 & 8211.601	27
8302.09	Drainage cannula, 2.3 mm capacity, 3.2 mm ø, 80 mm WL	42
8302.101	Trocar, w/ oblique tip, 2.3 mm ø, 103 mm WL	42
8302.11	Obturator, 2.3 mm ø, 103 mm WL	42
8303.09	Drainage cannula, 3.7 mm capacity, 4.4 mm ø, 73 mm WL, 1 tap	41
8303.10	Trocar, w/ pyramidal tip, 3.7 mm ø, 112 mm WL	41
8303.11	Obturator, w/ conical tip, 3.7 mm ø, 112 mm WL	41
8303.50	Drainage cannula, 3.7 mm capacity, 4.4 mm ø, 73 mm WL, w/ 1 straight tap and 1 lateral tap	41
8303.90	Silicone tube, w/ Luer connector	41
8399.901	Hook probe, for meniscus mobilization, 4.0 mm ø, 115 mm WL	35
8399.95	Hook probe, for meniscus mobilization, 2.5 mm ø, 115 mm WL	35
8403.00	Forceps, meniscus grasping, 4 / 7 mm ø, 105 mm WL	26
8403.001	Forceps, meniscus grasping, bz O' Connor, 4 / 7 mm ø, 105 mm WL	26
8403.10	Forceps, biopsy and retraction, with spike, 4.5 mm ø, 130 mm WL	24
8403.221	Suction punch, jaws curved upward, 4.5 mm ø, 130 mm WL	23
8403.222	Suction punch, jaws curved right, 4.5 mm ø, 130 mm WL	23
8403.223	Suction punch, jaws curved left, 4.5 mm ø, 130 mm WL	23
8403.851	Suction forceps, straight, 4.5 mm ø, 130 mm WL	23
8403.925	Suction punch, straight, 4.5 mm ø, 130 mm WL	23
8404.017	Punch, cutting, left 90°, 3.4 mm ø, 130 mm WL	21
8404.018	Punch, cutting, right 90°, 3.4 mm ø, 130 mm WL	21
8404.52	Scissors, hooked, blades curved left, 3.4 mm ø, 130 mm WL	22
8404.521	Scissors, hook, 45° left bent shaft, basket with scoop, 3.4 mm ø, 130 mm WL	21
8404.62	Scissors, hooked, blades curved right, 3.4 mm ø, 130 mm WL	22
8404.622	Scissors, hook, shaft 45° right, 3.4 mm ø, 130 mm WL	21
8404.71	Punch, cutting, w/ scoop, 45° left, 3.4 mm ø, 130 mm WL	21

Product #	Description	Page #
8404.81	Punch, cutting, w/ scoop, 45° right, 3.4 mm ø, 130 mm WL	21
8435.151	Knife, rosette, 125 mm WL	34
8435.901	Curette, ring, offset, size 1, 3 mm ø, 100 mm WL	31
8435.902	Curette, ring, offset, size 2, 4.5 mm ø, 100 mm WL	31
8435.903	Curette, ring, offset, size 3, 6 mm ø, 100 mm WL	31
8436.101	Scalpel, straight, 125 mm WL	34
8436.201	Knife, hook, 125 mm WL	34
8436.251	Knife, banana, 125 mm WL	34
8436.301	Knife, arthro, straight, 125 mm WL	34
8436.501	Rasp, arthro, rough, straight, 3 mm ø, 125 mm WL	30
8436.511	Rasp, arthro, rough, convex, 3 mm ø, 125 mm WL	30
8436.521	Rasp, arthro, rough, concave, 3 mm ø, 125 mm WL	30
8436.601	Spoon curette, rough, 3 mm ø, 125 mm WL	30
8436.701	Curette, 5 mm ø, 125 mm WL	30
8476.433	Arthroscope, 2.7 mm ø, 77.5 mm WL, 30°	6, 11
8476.435	Arthroscope, 2.7 mm ø, 77.5 mm WL, 70°	6, 11
8486.02	Punch, miniature, grasping, 2.0 mm ø, 130 mm WL	28
8486.06	Forceps, miniature, double spoon, 2.0 mm ø, 110 mm WL	28
8486.08	Forceps, miniature, grasping, 2.0 mm ø, 110 mm WL	28
8486.081	Forceps, miniature grasping, with overload protection, 2.0 mm ø, 110 mm WL	29
8486.601	Punch, miniature, grasping, 2.0 mm ø, 60 mm WL	28
8486.602	Punch, miniature, grasping, 2.2 mm ø, 75 mm WL	28
8486.611	Forceps, miniature, double spoon, 2.0 mm ø, 60 mm WL	28
8486.612	Forceps, miniature, double spoon, 2.2 mm ø, 75 mm WL	28
8486.614	Forceps, miniature double spoon, with overload protection, irrigation tap, 2.7 mm ø, 110 mm WL	29
8486.621	Forceps, miniature, grasping, 2.0 mm ø, 60 mm WL	28
8486.622	Forceps, miniature, grasping, 2.2 mm ø, 75 mm WL	28
8486.624	Forceps, miniature grasping, with overload protection, irrigation tap, 2.7 mm ø, 110 mm WL	29
8486.651	Forceps, miniature double spoon, with overload protection, 2.7 mm ø, 134 mm WL	29
8487.01	Punch, hooked, w/ scoop, straight, 2.7 mm ø, 130 mm WL	20
8487.011	Punch, hooked, w/ scoop, curved left, 2.7 mm ø, 130 mm WL	20
8487.012	Punch, hooked, w/ scoop, curved right, 2.7 mm ø, 130 mm WL	20

Numeric Index

Arthroscopy

Product #	Description	Page #
8487.013	Punch, hooked, w/scoop, shaft curved upwards, 2.7 mm ø, 130 mm WL	20
8487.04	Scissors, hooked, straight, 2.7 mm ø, 130 mm WL	22
8487.041	Scissors, hooked, curved left, 2.7 mm ø, 130 mm WL	22
8487.042	Scissors, hooked, curved right, 2.7 mm ø, 130 mm WL	22
8487.043	Scissors, hooked, curved upward, 2.7 mm ø, 130 mm WL	22
8487.061	Punch, hooked, moveable jaw, toothed, straight, 2.7 mm ø, 130 mm WL	20
8487.063	Punch, hooked, moveable jaw, toothed, jaws curved upward, 2.7 mm ø, 130 mm WL	20
8488.02	Punch, hooked, straight, 3.4 mm ø, 130 mm WL	20
8488.021	Punch, hooked, curved left, 3.4 mm ø, 130 mm WL	20
8488.025	Punch, hooked, jaw curved upwards, 3.4 mm ø, 130 mm WL	20
8488.04	Scissors, hooked, straight, 3.4 mm ø, 130 mm WL	22
8488.041	Scissors, hooked, curved left, 3.4 mm ø, 130 mm WL	22
8488.042	Scissors, hooked, curved right, 3.4 mm ø, 130 mm WL	22
8488.043	Scissors, hooked, curved upward, 3.4 mm ø, 130 mm WL	22
8488.051	Scissors, micro, straight, 3.4 mm ø, 130 mm WL	22
8488.052	Scissors, micro, curved left, 3.4 mm ø, 130 mm WL	22
8488.053	Scissors, micro, curved right, 3.4 mm ø, 130 mm WL	22
8488.063	Punch, hooked, moveable jaw, toothed, broad design, jaws curved upward, 3.4 mm ø, 130 mm WL	20
8488.096	Forceps, grasping, with ratcheting handle, 3.4 mm ø, 130 mm WL	25
8488.121	Punch, hooked, moveable jaw, toothed, broad design, straight, 3.4 mm ø, 130 mm WL	20
8488.951	Punch, hooked, w/ scoop, straight, 3.4 mm ø, 130 mm WL	20
8488.952	Punch, hooked, w/ scoop, curved left, 3.4 mm ø, 130 mm WL	20
8488.953	Punch, hooked, w/ scoop, curved right, 3.4 mm ø, 130 mm WL	20
8488.954	Punch, hooked, w/ scoop, shaft curved upwards, 3.4 mm ø, 130 mm WL	20
8489.02	Punch, hooked, straight, 4.5 mm ø, 130 mm WL	20
8489.021	Punch, hooked, curved left, 4.5 mm ø, 130 mm WL	20
8489.022	Punch, hooked, curved right, 4.5 mm ø, 130 mm WL	20
8489.04	Scissors, hooked, straight, 4.5 mm ø, 130 mm WL	22
8489.041	Scissors, hooked, curved left, 4.5 mm ø, 130 mm WL	22
8489.042	Scissors, hooked, curved right, 4.5 mm ø, 130 mm WL	22

Product #	Description	Page #
8489.043	Scissors, hooked, curved upward, 4.5 mm ø, 130 mm WL	22
8489.063	Punch, hooked, w/ scoop, moveable jaw, toothed, broad design, jaws curved upward, 4.5 mm ø, 130 mm WL	20
8489.096	Forceps, grasping, with ratcheting handle, 4.5 mm ø, 130 mm WL	25
8489.201	Punch, hooked, w/ scoop, jaws curved upwards, 4.5 mm ø, 130 mm WL	20
8562.20	Leg holder, for arthroscopy	55
8564.121	Handpiece, PowerStick M4, electronic	51
8564.851	Cable, universal connecting	48
8570.004	Tray, dual scope	57
8570.012	Tray, single scope, w/ brackets	57
8570.026	Tray, arthroscopy, plastic	56
8585.025	Tray, arthroscopy, 23"L x 11"W x 5"D	57
8585.091	Tray, arthroscopy, 11"L x 5.25"W x 1.5"D	56
8672.421	Arthroscope, 2.7 mm ø, 185 mm WL, 0°	9, 11
8672.422	Arthroscope, 2.7 mm ø, 185 mm WL, 30°	9, 11
8672.425	Arthroscope, 2.7 mm ø, 185 mm WL, 70°	9, 11
88031.1160	Sheath, ArthroLution, 6.0 mm outer ø, 130 mm WL, w/ 1 rotatable stopcock	5
88031.1163	Sheath, Qui-Connect, high-flow, 6.3 mm outer ø, w/ 1 rotatable stopcock	5
88032.0124	Sheath, Qui-Connect, 2.4 mm outer ø, w/ 1 fixed stopcock, EZ-Release	8
88032.0128	Sheath, Qui-Connect, high-flow, 2.8 mm outer ø, w/ 1 fixed stopcock, EZ-Release	8
88032.0132	Sheath, Qui-Connect, 3.2 mm outer ø, w/ 1 fixed stopcock, EZ-Release	7
88032.0260	Sheath, Qui-Connect, 6.0 mm outer ø, w/ 2 fixed stopcocks, EZ-Release	5
88032.1160	Sheath, Qui-Connect, 6.0 mm outer ø, w/ 1 rotatable stopcock, EZ-Release	5
88032.1163	Sheath, Qui-Connect, high-flow, 6.3 mm outer ø, w/ 1 rotatable stopcock, EZ-Release	5
88032.1232	Sheath, Qui-Connect, 3.2 mm outer ø, w/ 2 rotatable stopcocks, EZ-Release	7
88032.1235	Sheath, Qui-Connect, high-flow, 3.5 mm outer ø, w/ 2 rotatable stopcocks, EZ-Release	7
88032.1241	Sheath, Qui-Connect, 4.1 mm outer ø, w/ 2 rotatable stopcocks, EZ-Release	6
88032.1255	Sheath, Qui-Connect, small caliber, 5.5 mm outer ø, w/ 2 rotatable stopcocks, EZ-Release	5
88032.1260	Sheath, Qui-Connect, 6.0 mm outer ø, w/ 2 rotatable stopcocks, EZ-Release	5
88032.1263	Sheath, Qui-Connect, high-flow, 6.3 mm outer ø, w/ 2 rotatable stopcocks, EZ-Release	5
8852.90	Stopper, for 8860.05 sheath	10
8860.05	Sheath, 2.4 mm, w/self-sealing mechanism, w/ 1 fixed stopcock	10
8860.11	Trocar, short pyramidal tip, 2.4 mm outer ø	10

Numeric Index

Product #	Description	Page #
8860.13	Obturator, blunt, 2.4 mm outer ø	10
8860.431	Arthroscope, 1.9 mm ø, 120 mm WL, 5°	10, 11
8860.433	Arthroscope, 1.9 mm ø, 120 mm WL, 25°	10, 11
8860453	Arthroscope, 1.9 mm ø, 40 mm WL, 30°	8, 11
8862.02	Sheath, with self-sealing mechanism, w/ 1 fixed stopcock, 4 mm outer ø	9
8862.11	Trocar, short pyramidal tip, 3 mm outer ø	9
8862.12	Obturator, conical tip, 3 mm outer ø	9
8862.13	Obturator, blunt tip, 3 mm outer ø	9
8863.01	Trocar sleeve, universal, 4.6 mm capacity, 73 mm WL	43
8863.11	Trocar, for 8863.01 trocar sleeve	43
8863.13	Obturator, for 8863.01 trocar sleeve	43
8863.75	Switching stick, 4.4 mm ø, 326 mm WL	36
8863.80	Hook probe, fits in trocar sleeve 8863.01, 4.4 mm ø, 228 mm WL	36
8864.01	Trocar sleeve, universal, 5.6 mm capacity, 73 mm WL	43
8864.11	Trocar, for 8864.01 trocar sleeve	43
8864.13	Obturator, for 8864.01 trocar sleeve	43
8864.70	Adapter, for 4 mm endoscopes, for use with trocar sleeves 8863.01 / 8864.01	43
8864.72	Adaptor, for power cutting instruments, with connecting cone	43
8864.74	Adapter, for power instruments, with Luer lock, for use with trocar sleeves 8863.01 / 8864.01	43
8864.75	Adapter, for straight forceps up to 4.5 mm ø, for use with trocar sleeves 8863.01 / 8864.01	43
8864.79	Adapter, for inlet or outlet tube, for use with trocar sleeves 8863.01 / 8864.01	43
8864.80	Hook probe, fits in trocar sleeve 8864.01, 5.5 mm ø, 228 mm WL	36
8871.301	Burr, for small joints, w/ handle, 100 mm WL	37
8871.562	Spoon, for small joints, w/ handle, 100 mm WL	37
8871.571	Curette, for small joints, w/ handle, 100 mm WL	37
8871.586	Knife, for small joints, w/ handle, 100 mm WL	37
8871.596	Elevator, for small joints, w/handle, 100 mm WL	37
8871.721	Hook, for small joints, w/ handle, 100 mm WL	37
8871413	Arthroscope, 2.4 mm ø, 60 mm WL, 30°	7, 11
8880.541	Arthroscope, 4 mm ø, 170 mm WL, 0°	4, 11
8880.543	Arthroscope, 4 mm ø, 170 mm WL, 30°	4, 11
8880.544	Arthroscope, 4 mm ø, 170 mm WL, 45°	4, 11
8880.545	Arthroscope, 4 mm ø, 170 mm WL, 70°	4, 11
8880.591	Adapter, for Dyonics sheaths, for use with trocar sleeves 8863.01 / 8864.01	43

Product #	Description	Page #
8885.443	Arthroscope, 4 mm ø, 170 mm WL, wide-angle, 30°	4, 11
8885.445	Arthroscope, 4 mm ø, 170 mm WL, wide-angle, 70°	4, 11
89101.0000	Stopper plug, for ArthroLution sheaths	11
89121.0260	Sheath, Qui-Connect, w/ 2 fixed stopcocks, 6 mm outer ø	5
89121.0540	Trocar, conical blunt, 4 mm outer ø	5
89121.0542	Trocar, semi-blunt, 4 mm outer ø	5
89121.0544	Trocar, blunt, 4 mm outer ø	5
89121.0640	Trocar, sharp, 4 mm outer ø	5
89121.1260	Sheath, Qui-Connect, w/ 2 rotatable stopcocks, 6 mm outer ø	5
89121.1263	Sheath, Qui-Connect, high-flow, w/ 2 rotatable stopcocks, 6 mm outer ø	5
891220124	Sheath, Qui-Connect, w/ 1 fixed stopcock, 2.4 mm outer ø	8
891220128	Sheath, Qui-Connect, high-flow, w/ 1 fixed stopcock, 2.8 mm outer ø	8
891220132	Sheath, Qui-Connect, w/ 1 fixed stopcock, 3.2 mm outer ø	7
891221232	Sheath, Qui-Connect, w/ 2 rotatable stopcocks, 3.2 mm outer ø	7
891221235	Sheath, Qui-Connect, high-flow, w/ 2 rotatable stopcocks, 3.5 mm outer ø	7
891221241	Sheath, Qui-Connect, w/ 2 rotatable stopcocks, 4.1 mm outer ø	6
891221255	Sheath, Qui-Connect, small-caliber, w/ 2 rotatable stopcocks	5
891221952	Trocar, semi-blunt, 1.9 mm outer ø	8
891221962	Trocar, conical pointed, 1.9 mm outer ø	8
891222452	Trocar, blunt, 2.4 mm outer ø	7
891222462	Trocar, conical pointed, 2.4 mm outer ø	7
891222750	Trocar, conical blunt, 2.7 mm outer ø	6
891222754	Trocar, blunt, 2.7 mm outer ø	6
891222762	Trocar, conical pointed, 2.7 mm outer ø	6
89140.0001	Punch, standard, ArthroLine, jaws curved upward, shaft curved left, 3.4 mm ø, 125 mm WL	15
89140.0002	Punch, standard, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	15
89140.0005	Punch, standard, ArthroLine, straight jaws, 3.4 mm ø, 125 mm WL	15
89140.0022	Punch, standard, ArthroLine, shaft curved upward, 3.4 mm ø, 125 mm WL	15
89140.0027	Suction punch, dismantling, 2.7 mm ø, 125 mm WL	19
89140.0045	Suction punch, dismantling, 4.5 mm ø, 125 mm WL	19
89140.0101	Punch, flat jaws, ArthroLine, jaws curved upward, shaft curved left, 3.4 mm ø, 125 mm WL	15
89140.0102	Punch, flat jaws, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	15
89140.0103	Punch, flat jaws, ArthroLine, jaws curved upward, shaft curved right, 3.4 mm ø, 125 mm WL	15
89140.0105	Punch, flat jaws, ArthroLine, straight jaws, 3.4 mm ø, 125 mm WL	15
89140.0122	Punch, flat jaws, ArthroLine, shaft curved upward, 3.4 mm ø, 125 mm WL	15

Numeric Index

Arthroscopy

Product #	Description	Page #
89140.0202	Punch, hooked, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	16
89140.0203	Punch, standard, ArthroLine, jaws curved upward, shaft curved right, 3.4 mm ø, 125 mm WL	15
89140.0205	Punch, hooked, ArthroLine, straight, 3.4 mm ø, 125 mm WL	16
89140.0302	Punch, basket punch, oval, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	16
89140.0305	Punch, basket punch, oval, ArthroLine, straight, 3.4 mm ø, 125 mm WL	16
89140.0402	Punch, hooked punch w/ scoop, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	16
89140.0405	Punch, hooked punch w/ scoop, ArthroLine, straight, 3.4 mm ø, 125 mm WL	16
89140.0502	Punch, scissors punch, ArthroLine, jaws curved upward, 3.4 mm ø, 125 mm WL	16
89140.0505	Punch, scissors punch, ArthroLine, straight, 3.4 mm ø, 125 mm WL	16
89140.0602	Punch, retrograde cutting, ArthroLine, right back biter, 3.4 mm ø, 125 mm WL	17
89140.0605	Punch, retrograde cutting, ArthroLine, left back biter, 3.4 mm ø, 125 mm WL	17
89140.0704	Punch, rotary basket, 2.2 mm jaw height, curved left	18
89140.0706	Punch, rotary basket, 2.2 mm jaw height, curved right	18
89140.0804	Punch, rotary basket, 3.2 mm jaw height, curved left	18
89140.0806	Punch, rotary basket, 3.2 mm jaw height, curved right	18
89160.1009	Curette, offset, 9 mm inner ø, 95 mm WL	31
89160.1011	Curette, offset, 11 mm inner ø, 95 mm WL	31
891631255	Curette, round, 5.5 mm ø, ergonomic handle	32
891631270	Curette, round, 7.0 mm ø, ergonomic handle	32
891631521	Microfractor, 15° curved, 170 mm WL	33
891632245	Curette, square, 4.5 mm ø, ergonomic handle	32
891632260	Curette, square, 6.0 mm ø, ergonomic handle	32
891633021	Microfractor, 30° curved, 170 mm WL	33
891633522	Microfractor, 35° S-shaped, 170 mm WL	33
891634521	Microfractor, 45° curved, 170 mm WL	33
891636021	Microfractor, 60° curved, 3 mm ø, 110 mm WL	33
891636022	Microfractor, 60°, S-shaped, 170 mm WL	33
891638021	Microfractor, 80° curved, 3 mm ø, 110 mm WL	33
89951.0001	Handpiece, MicroStick S1, electronic, for small joints	50
89955.0000	Handpiece, Power Stick M5/O, without control buttons	48
89955.0003	Handpiece, Power Stick M5/3, with control buttons	48
89971.0032	Resector, reusable, 2.0 mm ø, for MicroStick S1	50

Product #	Description	Page #
89971.0033	Resector, reusable, 3.5 mm ø, for MicroStick S1	50
89971.0034	Resector, reusable, 4.5 mm ø, for MicroStick S1	50
89971.0113	Resector, oval, reusable, 3.5 mm ø, for MicroStick S1	50
89971.0114	Resector, oval, reusable, 4.5 mm ø, for MicroStick S1	50
89971.0254	Resector, curved convex, reusable, 4.5 mm ø, for MicroStick S1	50
89971.0264	Resector, curved concave, reusable, 4.5 mm ø, for MicroStick S1	50
89971.0503	Burr, ball, w/ guard, reusable, 3.5 mm ø, for MicroStick S1	50
89975.0032	Resector, toothed, reusable, 2 mm ø, for PowerStick M5	48
89975.0033	Resector, toothed, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0034	Resector, toothed, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0035	Resector, toothed, reusable, 5.5 mm ø, for PowerStick M5	48
89975.0113	Resector, oval, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0114	Resector, oval, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0115	Resector, oval, reusable, 5.5 mm ø, for PowerStick M5	48
89975.0253	Resector, curved, convex, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0254	Resector, curved, convex, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0255	Resector, curved, convex, reusable, 5.5 mm ø, for PowerStick M5	48
89975.0263	Resector, curved, concave, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0264	Resector, curved, concave, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0265	Resector, curved, concave, reusable, 5.5 mm ø, for PowerStick M5	48
89975.0333	Resector, aggressive, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0334	Resector, aggressive, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0403	Shaver-cutter, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0404	Shaver-cutter, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0473	Whisker, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0474	Whisker, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0493	End cutter, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0494	End cutter, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0503	Burr, ball, with guard, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0504	Burr, ball, with guard, reusable, 4.5 mm ø, for PowerStick M5	48
89975.0505	Burr, ball, with guard, reusable, 5.5 mm ø, for PowerStick M5	48

Numeric Index

Arthroscopy

Product #	Description	Page #
89975.0516	Burr, ball, without guard, reusable, 5.5 mm ø, for PowerStick M5	48
89975.0553	Burr, oval, acromionizer, reusable, 3.5 mm ø, for PowerStick M5	48
89975.0555	Burr, oval, acromionizer, reusable, 5.5 mm ø, for PowerStick M5	48
89975.0558	Burr, oval, acromionizer, reusable, 8.0 mm ø, for PowerStick M5	48