

# 2018/2019 Hampton Health Department Inspections

## Aberdeen

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/19/2018	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Ceiling of the walk-in cooler noted in need of cleaning. Observed ceiling covered in soilage.
11/19/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Physical structures are not maintained in good repair: 1) Light bulb blown out in walk-in cooler; observed the light in the walk-in cooler blown out. 2) Ceiling tiles damaged in kitchen and office area of facility.
5/31/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

## Adult and Alternative Learning Center

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/14/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	Metering faucet at the hand sink next to the two-compartment sink does not have a flow of water for at least 15 seconds without the need to reactivate the faucet.

## Andrews

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
6/3/2019	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No disposable towels were provided at the hand washing lavatory.

## Armstrong

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
9/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dead or trapped pests was found on the premises. Also observed flies flying around the facility.
9/25/2018	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The Hotdogs were not reheated to 165F within 2 hours to eliminate pathogenic bacteria. Observed hot dogs sitting in the hot holding unit at 109-110°F; PIC corrected by discarding the food.
9/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Improper methods used to thaw italian sausage. Observed italian sausage sitting in prep sink i sitting water. Employee corrected by continuing running water to unthaw meat.

### Armstrong

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
9/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Single service items observed unprotected from contamination. Observed styrofoam trays with the food-contact surface facing up.
9/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster or outside refuse container was open or uncovered. Noted that trashcan is shared.
5/29/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Asbury

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/24/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Single styrofoam trays observed unprotected from contamination at the service line.
10/24/2018	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The ambient air thermometer on the hot holding cabinet is not accurate (reading 120°F and dial has not moved when door is opened; EHS measured ambient air at 177°F).
10/24/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few dead flying insects (flies, dragonfly) observed on the window sill that runs above the three compartment sink.
10/24/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	EHS could not determine if this the PIC has completed an approved Certified Food Protection Manager (CFPM) course since the certificate is not provided at this location.
5/15/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed paper towel dispensers are not functioning properly and paper towels are loosely placed next to dispensers.

### Barron

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/29/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/8/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Bassette

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/29/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Bethel

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
-------------	------------------------	-----------------	---------------	------------------

### Bethel

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/10/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
4/17/2019	Risk Factor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Soiled single-use gloves still in use. Observed male food employee take phone call on personal cell phone with gloved hands and employee failed to remove gloves after taking call and before handling clean sheet pan, knife, and deli paper. Manager instructed employee to change his gloves during inspection.

### Blue Phantom Inn

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Toilet room door is propped open.
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The floors are not clean: 1) below centerline prep table 2) cook line equipment
11/26/2018	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	An irreversible registering temperature indicator is not provided for the high temperature dish machine.
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Scoop handle stored in bulk dry food contents.
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The nonfood contact surfaces are not clean: 1) shelves in cabinet to the right of the oven 2) the power box to the dish machine
11/26/2018	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sanitizer test strips could not be located during evaluation.
11/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Signage reminding staff to wash hands not posted at each hand sink.
11/26/2018	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The physical structures are not maintained in good repair: 1) cove molding not secured to floor-wall juncture below three compartment sink and two compartment sink 2) floor tile damaged at door frame to prep area 3) one floor tile damaged below three compartment sink

### Booker

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/24/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/15/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Bryan

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The following equipment are in poor repair: 1) Door gasket torn, multiple sections, on the walk-in cooler. 2) Trim on exterior ice machine lid.

### Bryan

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The nonfood contact surfaces are not clean: 1) oscillating fan dusty above storeroom entry 2) window sills in kitchen dusty
10/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster is overfilled and in need of emptying.
5/23/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Burbank

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/9/2018	Risk Factor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Cream Cheese stored on the grab and go cold bar was cold holding at improper temperatures.
4/15/2019	Risk Factor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Lettuce 56°F, Turkey Meat 57°F, Yogurt 58°F cold holding at improper temperatures in the walk-in.

### Cary

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster doors are open (unit shared with school).
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The physical structures are not maintained in good repair: 1) cracks in the wall in the restroom and along wall where three compartment sink, prep table, and 2-compartment sink located 2) wall vent in employee restroom is corroded 3) door frame trim at kitchen-hall juncture is scored 4) gaps exist along floor-wall juncture in storeroom behind/below the storage racks 5) paint flaking, blistering, and cracking along wall where three compartment sink, prep sink, and two compartment sink installed
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few rodent droppings observed floor below the dish machine.
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dead flying insects observed on window sill and trim in storeroom.
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed employees wearing watches on their wrists while preparing food.
6/3/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Cooper

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/24/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed the metal panel on the door frame at the dry storage room entryway is heavily corroded and flaking rust and is not smooth and easily cleanable.

**Cooper**

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
5/2/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Darling Stadium**

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
8/22/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Eaton**

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/1/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/10/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Forrest**

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/22/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed heavy peeling paint on the wall near the dish machine, the wall near the food prep sink, and the wall at the serving line.
10/22/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Ceiling tiles above serving line noted in need of cleaning (dusty).
4/22/2019	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The following physical structure is not maintained in good repair: >> light burned out above the serving line >> heavy peeling paint on walls near the dish machine, the serving line, and above the handwashing sink in the kitchen
4/22/2019	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The ceiling tiles above the serving line noted in need of cleaning (dusty).

**Hampton**

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/26/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/14/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Jones**

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
-------------	------------------------	-----------------	---------------	------------------

**Jones**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Physical structures are not maintained in good repair: 1) Observed seal on 3-compartment sink peeling off wall. Re-apply sealant to ensure 3-compartment sink is sealed to wall. 2) Missing ceiling tiles; place ceiling back in correct places.
6/3/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Kecoughtan**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
11/27/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
4/24/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Kraft**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
10/15/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The ceiling in the walk-in refrigerator is in need of cleaning.
10/15/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The handwashing sink in the kitchen is not sealed to the adjoining wall.
10/15/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed peeling paint/corrosion on hood system surfaces (perimeter and especially above stove and steamer and where steam condensation builds up).
4/29/2019	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The ceiling in the walk-in refrigerator noted in need of cleaning (build-up of apparent mildew/mold).
4/29/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The following equipment was observed in a state of disrepair and damaged: >> all reach-in freezers are missing shelves (boxes of frozen product stacked on top of each other makes it difficult for food employees to get to product and also hinders the proper circulation of air in the unit) >> paper towel dispensers are not functioning due to low battery
4/29/2019	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The handwashing sink in the kitchen is not sealed to the adjoining wall.

**Langley**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
10/24/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
4/16/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Lindsay**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
11/19/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
6/6/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Machen**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
10/17/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
4/15/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Moton**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
10/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few dead flying insects observed on window sill right of the kitchen door and in the laundry room.
10/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster doors left open. Dumpster shared with other school departments.
5/23/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

**Phenix**

<b><u>Date</u></b>	<b><u>Inspection Type</u></b>	<b><u>Priority</u></b>	<b><u>Repeat</u></b>	<b><u>Violation</u></b>
10/10/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
4/25/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed several paper towel dispensers at handwashing sinks throughout the kitchen are missing batteries or are not operating correctly.
4/25/2019	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Observed milk (53°F), shredded cabbage (surface temperature at 50°F), yogurt (52°F), and opened commercial cheese sauce (50*) cold holding at improper temperatures in the walk-in refrigerator. Manager moved foods to alternate coolers and placed emergency work order during inspection.
4/25/2019	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	An irreversible registering temperature indicator is not provided for the high-temperature dish machine.
4/25/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed one handwashing sink faucet (on the middle school serving line handwashing sink) is missing a piece which is causing water to flow in many directions causing heavy splash at the sink area. Observed the faucet on the handwashing sink near the dish machine has slow, steady drip (leaky faucet).

### Phillips

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/27/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
4/24/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Phoebus

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/24/2018	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	One of the dumpsters is missing a drain plug.
5/21/2019	Risk Factor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Wiping cloth bucket stored in hand sink at serving line 2

### Smith

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/30/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/6/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Spratley

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/20/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/20/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Syms

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/27/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/8/2019	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Milk (50°F) cold holding at improper temperatures

### Tarrant Facility

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/16/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/9/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Tarrant School

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/16/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Maintain physical facilities in good repair. Poor repair and maintenance compromises the functionality of the physical facilities.
10/16/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The ceiling in the walk-in refrigerator (refrigerator #1) noted in need of cleaning.
4/22/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Tucker-Capps

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
10/25/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/6/2019	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No violation found

### Tyler

<u>Date</u>	<u>Inspection Type</u>	<u>Priority</u>	<u>Repeat</u>	<u>Violation</u>
11/5/2018	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found
5/8/2019	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No violation found