

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Full Gospel Pentecostal Church	Facility Type Food Service Establishment	
Licensee Name Full Gospel Pentecostal Church	Facility Telephone # 304 267-4071	
Facility Address 36 laing Drive Martinsburg , WV	Licensee Address 36 Laing Drive Martinsburg , WV 25404	
Inspection Information		
Inspection Type Routine	Inspection Date 05/14/2018	Total Time Spent 0.98

Equipment Temperatures	
Description	Temperature (Fahrenheit)
refrigerator	41
pantry refrig	36

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 3 Repeated # 1</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: ice scoop storage pitcher needs cleaned inside</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: slicer needs cleaned thoroughly-food debris beneath blade</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: mixer stored not clean</p>

Observed Non-Critical Violations

Total # 9

Repeated # 1

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

OBSERVATION: flour container needs to be labeled and relabel sugar container

4-204.112 - TEMPERATURE MEASURING DEVICES – LOCATION, EASILY READABLE

OBSERVATION: (CORRECTED DURING INSPECTION): thermometer needed in kitchen refrigerator-scan of 41

4-301.12 - MANUAL WAREWASHING, SINK COMPARTMENT REQUIREMENTS

OBSERVATION: 3rd sink stopper needed for 3 bay sink

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: freezers need to be defrosted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: clean and cover unused equipment(warmer on shelving by oven and pots/pans)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: back refrigerator shelving needs cleaned

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: invert baking pans when storing

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: restroom toilet seats need tightened.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION restrooms need cleaned.

Inspection Outcome

Comments

Water sample taken
Pest Control-May 2018

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards