

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Dollar General Store #2536	Facility Type Retail Food Store	
Licensee Name Dollar General Store #2536	Facility Telephone # 304	
Facility Address 3790 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 02/05/2019	Total Time Spent 2.25

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Milk Cooler	38
starbucks cooler	40
coke cooler	38
gatorade cooler	41
pepsi cooler	36

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 3</b> <b>Repeated # 1</b></p> <p><b>3-202.15 - PACKAGE INTEGRITY</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Multiple dented cans found</p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Shelves of dairy cooler need cleaned, mold</p> <p><b>6-501.111 - CONTROLLING PESTS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Mouse droppings found in mens restroom</p>

**Observed Non-Critical Violations**

**Total # 6**

**Repeated # 1**

**5-501.10 - INDOOR STORAGE AREA**

**OBSERVATION:** Garbage bags stored on floor in back room, leaking onto floor

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Ceiling tile in mop sink room needs replaced

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Garbage leaking onto floor needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Mop sink needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Lights near coolers need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Package of jello spilled on shelves in dessert aisle needs cleaned

**Inspection Outcome**


**Comments**

Disclaimer

Person in Charge



Sanitarian



**Luke Hartley**