

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Green Frog	Facility Type Food Service Establishment	
Licensee Name Green Frog LLC	Facility Telephone # 304 229-2999	
Facility Address 7113 Winchester Ave Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/08/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Frigidaire 1	40
Milk	38
Beer cooler 1	40
Frigidaire 2	38
Beer Cooler 2	39
Small White Refrigerator	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay3-BaySinkBar	ChemicalChemical		100	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 5

Repeated # 1

3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Undated foods in Milk/Frigidaire refrigerators

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: Soda wand nozzles need cleaned

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: Inside of ice machine needs cleaned (mold)

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Clean dishes stored not clean

7-202.11 - RESTRICTION

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Clorox toilet bowl cleaner stored with powdered lemonade in cabinet beside ice machine

Observed Non-Critical Violations

Total # 11

Repeated # 1

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: Thermometers needed in both Frigidaire refrigerators

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting board needs cleaned/bleached/re-surfaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of Milk Refrigerator needs cleaned (especially gaskets on door)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving above prep table needs cleaned and organized

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Bottom of beer cooler needs cleaned

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Utensils need to be stored handle up

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor in pool table area needs repaired/replaced (cracked tiles)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Oven handle needs repaired/replaced

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under dry stock area needs cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: CoolMaster floor fan needs cleaned

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: Hood vents need cleaned.

Inspection Outcome

Comments

Disclaimer

Person in Charge



Kevin Duvall

Sanitarian



Keith Allison