

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Foodlion- Falling waters-Deli/Bakery	Facility Type Food Service Establishment	
Licensee Name Shop N Save East, LLC	Facility Telephone # 304 271-8800	
Facility Address 78 Worchester Drive Falling Waters , WV	Licensee Address Roaring Lion , WV	
Inspection Information		
Inspection Type Routine	Inspection Date 12/04/2018	Total Time Spent 0.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Deli case	30
Deli walk in	38
Cheese case	38
Front meat case	30
Chicken hot hold	176
Fresh food case	38
Pizza case	39
Cake cooler	-12

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkDelislicer spraybottle	chem		200		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations

Total # 7

Repeated # 0

4-201.11 - EQUIPMENT AND UTENSILS

OBSERVATION: (CORRECTED DURING INSPECTION): Meats and cheese stored on not easily cleanable surface (plastic soda storage container)

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Mold observed on pipe in bottom of meat coolers in deli

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Shelf where bread trays are stored needs cleaned

5-205.11 - USING A HANDWASHING SINK

OBSERVATION: Handsink being used for washing knife during inspection and is unavailable for proper handwashing.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor of walk in freezer for deli/bakery needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Plastic flaps on door of walk in cooler need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Fans in meat coolers need cleaned, dust

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Jessica Weigle



Luke Hartley