

West Virginia Department of Health & Human Resources Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Mt. Ridge Intermediate	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 229-6791
Facility Address 2691 Gerrardstown Rd Gerrardstown, WV	Licensee Address

Inspection Information		
Inspection Type Routine	Inspection Date April 09, 2019	Total Time Spent 1.25


Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In	38
Traulsen Hot Hold 1	148
Traulsen Refrigerator	38
Traulsen Hot Hold 2	158
Milk Right	40
Milk Left	40
Steam Table Right	158
Steam Table Left	148

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket	chemical				
Dishmachine		160	300	Quat heat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 2
Repeated # 0
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: Drain pipe under dish machine leaking and needs repaired



6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vents and walls beside vents need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge


Kathy parsons

Sanitarian


Keith Allison