

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Dairy Queen- WInchester Ave	Facility Type Food Service Establishment	
Licensee Name D & D, LLC	Facility Telephone # 304 267-4791	
Facility Address 822 Winchester Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/04/2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Topping cooler	39
Front milk cooler	39
Blizzard cooler	38
True cooler	38
Walk in cooler	39
Hot fry hold	162
Hoshizaki cooler	39
Cooler drawers	40
Milk cooler	39
Fridge 1	38
Fridge 2	39
Front cooler	40

Food Temperatures	
Description	Temperature (Fahrenheit)
Hot hold foods	140
Front chili	136
Hot cheese	135

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
KitchensanitizerbucketKitchenbucket3baysink	chemchem		+400	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 4

Repeated # 0

4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER

This is a critical violation

OBSERVATION: Sanitizer +400 ppm

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Walk in cooler shelves need cleaned, mold

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Customer ice machine needs cleaned, mold

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Shelf above the topping cooler needs cleaned, old food stuffs hanging off the racks

Observed Non-Critical Violations

Total # 5

Repeated # 0

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Kitchen topping cabinet needs gasket repaired, torn

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Plastic containers in the back area for lids and other equipment need cleaned inside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Drink lid holders in the drive thru area needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Upper shelves and top hard to reach areas of the ice cream machine needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor needs cleaned in the walk in cooler

Inspection Outcome

Comments

Disclaimer

Person in Charge



Zachary Newcome

Sanitarian



Glenn GCO Ondick