

REVISION DATE
NOVEMBER 1,
2011

WALLS & BASES

PRICE LIST USA

EFFECTIVE
DATE

JULY 1, 2011



MAAX®

Enjoy the experience

Table of Contents

● = NEW PRODUCT

ENJOY THE EXPERIENCE	4
HOW TO USE THIS BOOK	6

WALLS & BASES

REFERENCE GUIDE: WALLS & BASES	14
SUMMARY: WALLS & BASES	15
WALLS & BASES SYSTEMS	16

ALCOVE SHOWER BASES

● B3Square 4832 (Single threshold, center drain)	105715	18
Rectangular base 4234 (single threshold, center drain)	105535, 102001	21
Rectangular base 4236 (single threshold, center drain)	105061, 105718	23
Rectangular base 4832 (single threshold, center drain)	105060, 101433	26
Rectangular base 4834 (single threshold, center drain)	105534, 102002	31
Rectangular base 4836 (single threshold, center drain)	105059, 105717	34
Rectangular base 6030 (single threshold, right or left drain)	105055, 105707	39
Rectangular base 6032 (single threshold, right or left drain)	105056, 105706	44
Rectangular base 6034 (single threshold, center drain)	105533, 102003	49
Rectangular base 6036 (single threshold, right or left drain)	105666	53
Rectangular base 6036 (single threshold, center drain)	105057, 105664	58
Rectangular base 6042 (single threshold, center drain)	105058, 105716	63
Square base 32 (single threshold)	105050, 105663	68
Square base 36 (single threshold)	105051, 101430	72
Square base 42 (single threshold)	105052, 105714	75

CORNER SHOWER BASES

● B3Square 4832 (Double threshold, center drain)	105708	78
Neo-angle base 36	105042, 101422	80
Neo-angle base 38	105043, 101423	84
Neo-angle base 40	105044, 101424	88
Neo-angle base 42	105045, 101425	92
Neo-round base 32	105046, 101426	94
Neo-round base 36	105047, 101427	97
Neo-round base 40	105048, 101428	101
Rectangular base 6036 (double threshold, right or left drain)	105594	105
Round base 36	105049, 101429	107
Square base 32 (double threshold)	105053, 101431	110
Square base 36 (double threshold)	105054, 101432	113

GENERAL INFORMATION

COLOR CHART	116
TERMS, CONDITIONS AND WARRANTIES	117
TECHNICAL SERVICES	119
RG/DA REQUEST FORM	121
NUMERIC INDEX	126

DIGITAL VERSION ONLY

Click on the product name or code to go directly to the selected page.

Click on this symbol  at the top of every page in order to get back to the Table of Contents.

ENJOY THE EXPERIENCE

Ease, pleasure and style.

That is what the MAAX brand represents to the people who enjoy our bath products' trendsetting designs, innovative features and lasting quality in their homes.

That is also what MAAX means to you – the builders and developers, the plumbers and the contractors, the showroom owners and interior designers.

MAAX offers more than an extensive and award-winning line of bathtubs, showers and shower doors that fill desires from the most simple to the simply luxurious. MAAX gives you the best-in-class service, support and systems you need to make your job easier and your time more productive.

That is why we say when you choose MAAX, you will "Enjoy the Experience."

"Enjoy the Experience" means MAAX puts everything we have, every consideration, into ensuring you not only enjoy the therapeutic and functional benefits our products provide but also the entire experience, from product selection to ordering to delivery to installation.

MAAX is strong yet flexible.

We start with more than 40 years of experience that has taught us that making business better for our customers makes all of us succeed.

Our 8 manufacturing plants and an expansive showroom and distribution network – the largest in the industry in North America – gives us the production and logistical capability to meet needs coast-to-coast and according to your schedule. Our state-of-the-art facilities utilize world-class operational systems with leading robotic and electronic technology that ensures consistent quality and cost-effectiveness, benefits that we seamlessly pass on to you.



MAAX simplifies your work.

So many households enjoy MAAX's wide range of distinctive bath products not just because of their quality but because we make the job of selling, ordering and servicing easier for you.

Our dedicated customer training team offers world-class programs at our facilities and yours to educate you on our latest products, innovations and marketing techniques. We provide tools, printed and digital, that make our products' benefits clear and maintain a dedicated sales force of 300+ people that serve your needs. Three North American-based customer care centers ensure you always receive the inside and after sales support you need with best-in-industry response times and service.

MAAX improves continually.

Just as consumers' tastes change, so do your businesses' needs. That is why MAAX never stops listening.

We seek and gather your input regularly then propose and act on ideas aimed at helping us better tailor products and programs to each of our customer segments. Our ongoing research and customer satisfaction surveying inspires us to regularly develop new ways to enhance every aspect of our business for you.


MAAX innovates constantly.

Staying ahead of the curve is almost second nature to us.

MAAX has two research and development centers in North America tasked with furthering our industry lead in product design, whether the desired effect is strength, simplicity or sophistication. To date, MAAX has more than 80 innovation patents that have not only made our products more pleasurable for consumers, but easier and less costly for you to stock, delivery and install.

By choosing MAAX, you get more than a superior bath product. You get an experience.

An experience we know you will enjoy.



HOW TO USE THIS BOOK

The MAAX Walls and Bases price list is here to help you understand our products and easily order them. Inside, you will find information on models, systems, pricing, summary tables, warranties and handy customer care forms. To help you navigate through the price list, follow these guidelines to use this book to its full potential. Do not hesitate to contact your MAAX representative or a Customer Care agent if you have any questions.

We are dedicated to providing you with the best tools possible.

WALLS & BASES

This unique program is sorted by installation (alcove or corner), and by shape (round, neo-round, neo-angle, square and rectangular).

Bases, available in two different threshold heights, 3 inches and 5

Refer to Color Chart at end of book for colors.

Standard colors: White (001), Bone (004), Biscuit (007)


Non-Standard colors: Sterling Silver Gray (005), Platinum Gray (009), Almond (013), Black (015), Ice Gray (016), Fawn Beige (054), Innocent Blush (066), Sandbar (143)



Intuition™ Door with Neo-Angle Base

PRICE LIST CODES: WHAT DO THEY MEAN?

NEW



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105042-000-XXX	Neo-angle base 36, 5 in.	36 1/8 X 36 1/8 X 5	8.93 ft³	36 lb	\$ 459	\$ 579
101422-000-XXX	Neo-angle base 36, 3 in. low threshold	36 1/8 X 36 1/8 X 3	8.93 ft³	38 lb	\$ 459	\$ 579



HOW TO USE THIS BOOK

DIMENSIONS

The dimensions at the top of the product page are approximated. For exact dimensions, please see the pricing table or the technical drawing. Structure measurements must be verified against the unit to ensure proper fit. MAAX is not responsible for units that do not fit into their intended locations. To download specifications, go to the product page at www.maax.com.

NEW

FOOTNOTES

When you see a number in superscript above a description or model, look to the bottom of that page for that number and an important note. Often these notes are essential to understanding how to order.

RESOURCES

Summary Table:

A summary table of the Walls and Bases program, at the beginning of the product section, presents all the sizes by type, and a selection of doors that fit on each base. This easy-to-use table displays product features with just a glance to quickly help you choose the product that best suits your needs.

System Page:

Ever wonder how many jets come with the IES (Integrated Energizing System)? Look at the beginning of the product section for details.

Warranty:

For any questions regarding MAAX warranties, simply flip to the back of this book for all detailed warranty information.

NEW

Numerical Index

A whole new way to quickly find a price, by product code.

NEW

Recommended doors

The selection of recommended doors is now separate for tile walls and acrylic walls.


NEW MAAX 3" SHOWER BASES

Attuned to the latest trends and market needs, MAAX innovates with new 3 in. shower bases.

The new shower bases are offered in square and rectangular units. Square bases are available in **32 in., 36 in. and 42 in.** whereas rectangular bases are available in **42 x 34 in., 42 x 36 in., 48 x 32 in., 48 x 36 in., 60 x 30 in., 60 x 32 in., 60 x 34 in., 60 x 36 in. and 60 x 42 in.** Perfect for alcove installations, these new bases can be coupled with a wide array of MAAX shower doors.



32" and 42"
Square base



42" X 34", 48" X 34" and 60" X 34"
Rectangular bases
Centre drain



60" X 30", 60" X 32" and 60" X 36"
Rectangular base
Left or right drain



**60" X 36", 60" X 42", 48" X 36",
48" X 32" and 42" X 36"**
Rectangular base
Centre drain



Kleara® Door with Rectangular Wall and Base

Please see product pages for a complete list of doors available.

Features and Benefits

Take advantage of the comfort and sturdiness of MAAX acrylic showers. All MAAX Shower Walls and Bases are made with a sheet of high-quality acrylic, and reinforced with a wood fiberglass overlay to enhance their solidity and resistance.

- Elegant look that fits in with any type of decor
- Walls and bases designed to be easier to clean
- Textured bottom for safe movement inside the shower
- Front installation
- Bases can be purchased separately for ceramic wall installation

SNAP CLIP SYSTEM



Easy one person, front installation; reinforced strength and stability with new snap clip system.

CORNER SHELVES



Large corner shelves and footrest to optimize storage space.

DEFLECTING STRIP




Deflecting strip at the joint prevents water penetration behind the shower.

INTEGRATED ENERGIZING SYSTEM (IES)



MAAX IES 1/2 system is available on every wall and base kit.

GROOVES



Grooves to facilitate effective application of silicone between walls and improve watertightness of wall and base unit.

Walls & Bases Model Number Cross-Reference: 2010 vs 2011

	CODES IN 2010 PRICE BOOKS			CODES IN 2011 PRICE BOOK
	DOORS AND WALLS & BASES	COLLECTION	PROFESSIONAL	MAAX WALLS & BASES
BASE NEO ANGLE 36 - (5" HEIGHT)	102827	102947	105042	105042
BASE NEO-ANGLE 36 - (3" HEIGHT)	105644	101422		101422
BASE NEO ANGLE 38 - (5" HEIGHT)	102828	102948	105043	105043
BASE NEO-ANGLE 38 - (3" HEIGHT)	105645	101423		101423
BASE NEO ANGLE 40 - (5" HEIGHT)	102829	102949	105044	105044
BASE NEO-ANGLE 40 - (3" HEIGHT)	105646	101424		101424
BASE NEO ANGLE 42 - (5" HEIGHT)	102830	102950	105045	105045
BASE NEO-ANGLE 42 - (3" HEIGHT)	105647	101425		101425
BASE NEO ROUND 32 - (5" HEIGHT)	102831	102951	105046	105046
BASE NEO-ROUND 32 - (3" HEIGHT)	105648	101426		101426
BASE NEO ROUND 36 - (5" HEIGHT)	102832	102952	105047	105047
BASE NEO-ROUND 36 - (3" HEIGHT)	105649	101427		101427
BASE NEO ROUND 40 - (5" HEIGHT)	102833	102953	105048	105048
BASE NEO-ROUND 40 - (3" HEIGHT)	105650	101428		101428
BASE ROUND 36 - (5" HEIGHT)	102834	102954	105049	105049
BASE ROUND 36 - (3" HEIGHT)	105651	101429		101429
BASE SQUARE 32 Single Threshold - (5" HEIGHT)	102835	102955	105050	105050
BASE SQUARE 32 Single Threshold - (3" HEIGHT)		105663		105663
BASE SQUARE 36 Single Threshold - (5" HEIGHT)	102836	102956	105051	105051
BASE SQUARE 36 Single Threshold - (3" HEIGHT)	105652	101430		101430
BASE SQUARE 36 Double Threshold - (3" HEIGHT)	105654	101432		101432
BASE SQUARE 42 Single Threshold - (5" HEIGHT)	102837	102957	105052	105052
BASE SQUARE 42 Single Threshold - (3" HEIGHT)		105714		105714
BASE SQUARE 32 Double Threshold - (5" HEIGHT)	102838	102958	105053	105053
BASE SQUARE 32 Double Threshold - (3" HEIGHT)	105653	101431		101431
BASE SQUARE 36 Double Threshold - (5" HEIGHT)	102839	102959	105054	105054
BASE RECT. 42 X 34 Single Threshold - (5" HEIGHT)	105658	105532	105535	105535
BASE RECT. 42 X 34 Single Threshold - (3" HEIGHT)		102001		102001
BASE RECT. 42 X 36 Single Threshold - (5" HEIGHT)	102846	102966	105061	105061
BASE RECT. 42 X 36 Single Threshold - (3" HEIGHT)		105718		105718
BASE RECT. 48 X 32 Single Threshold - (5" HEIGHT)	102845	102965	105060	105060
BASE RECT. 48 X 32 Single Threshold - (3" HEIGHT)	105655	101433		101433

Walls & Bases Model Number Cross-Reference: 2010 vs 2011 (cont'd)

	CODES IN 2010 PRICE BOOKS			CODES IN 2011 PRICE BOOK
	DOORS AND WALLS & BASES	COLLECTION	PROFESSIONAL	MAAX WALLS & BASES
BASE RECT. 48 X 34 Single Threshold - (5" HEIGHT)	105657	105531	105534	105534
BASE RECT. 48 X 34 Single Threshold - (3" HEIGHT)		102002		102002
BASE RECT. 48 X 36 Single Threshold - (5" HEIGHT)	102844	102964	105059	105059
BASE RECT. 48 x 36 Single Threshold - (3" HEIGHT)		105717		105717
BASE RECT. 60 X 30 Single Threshold L/R - (5" HEIGHT)	102840	102960	105055	105055
BASE RECT. 60 X 30 Single Threshold L/R - (3" HEIGHT)		105707		105707
BASE RECT. 60 X 32 Single Threshold L/R - (5" HEIGHT)	102841	102961	105056	105056
BASE RECT. 60 X 32 Single Threshold L/R - (3" HEIGHT)		105706		105706
BASE RECT. 60 X 34 Single Threshold - (5" HEIGHT)	105656	105530	105533	105533
BASE RECT. 60 X 34 Single Threshold - (3" HEIGHT)		102003		102003
BASE RECT. 60 X 36 Single Threshold - (5" HEIGHT)	102842	102962	105057	105057
BASE RECT. 60 X 36 Single Threshold - (3" HEIGHT)		105664		105664
BASE RECT. 60 X 36 Single Threshold L/R - (3" HEIGHT)		105666		105666
BASE RECT. 60 X 36 Double Threshold - (3" HEIGHT)		105594		105594
BASE RECT. 60 X 42 Single Threshold - (5" HEIGHT)	102843	102963	105058	105058
BASE RECT. 60 X 42 Single Threshold - (3" HEIGHT)		105716		105716
WALL 30	102847	102967	105062	105062
WALL 32	102848	102968	105063	105063
WALL 36	102849	102969	105064	105064
WALL 38	102850	102970	105065	105065
WALL 40	102851	102971	105066	105066
WALL 42	102852	102972	105067	105067
BACKWALL 32	102853	102973	105068	105068
BACKWALL 36	102854	102974	105069	105069
BACKWALL 42	102855	102975	105070	105070
BACKWALL 48	102856	102976	105071	105071
BACKWALL 60	102857	102977	105072	105072

WALLS & BASES

WALLS AND BASES



Kleara® Door with Rectangular wall and base

MAAX[®]
Enjoy the experience

Reference Guide: Walls & Bases

ALCOVE SHOWER BASES

**B3SQUARE BASE
(SINGLE THRESHOLD,
CENTER DRAIN)**



NEW

CENTER3"48 x 32 x 3

**RECTANGULAR
(SINGLE THRESHOLD,
CENTER DRAIN) - BASE**



CENTER5" & 3"42 x 34 x 5 or 3
48 x 34 x 5 or 3
60 x 34 x 5 or 3

**RECTANGULAR
(SINGLE THRESHOLD,
CENTER DRAIN)**



IES 1/2

CENTER5" & 3"42 x 36 x 5 or 3
48 x 32 x 5 or 3
48 x 36 x 5 or 3
60 x 36 x 5 or 3
60 x 42 x 5 or 3

**RECTANGULAR
(SINGLE THRESHOLD)**



IES 1/2

L, R3" 5" & 3"60 x 30 x 5 or 3
60 x 32 x 5 or 3
60 x 36 x 3

**SQUARE
(SINGLE THRESHOLD)**



IES 1/2

CENTER5" & 3"32 X 32 x 5 or 3
36 X 36 x 5 or 3
42 X 42 x 5 or 3

**SYSTEMS
(ALCOVE SHOWER BASES)**

IES 1/2

MAAX IES 1/2

p.16

CORNER SHOWER BASES

**B3SQUARE BASE
(DOUBLE THRESHOLD,
CENTER DRAIN)**



NEW

CENTER3"48 x 32 x 3

NEO-ANGLE



IES 1/2

OFF-CENTER5" & 3"36 X 36 x 5 or 3
38 X 38 x 5 or 3
40 X 40 x 5 or 3
42 X 42 x 5 or 3

NEO-ROUND



IES 1/2

OFF-CENTER5" & 3"32 X 32 x 5 or 3
36 X 36 x 5 or 3
40 X 40 x 5 or 3

**RECTANGULAR
(DOUBLE THRESHOLD,
R/L DRAIN) - BASE**



L, R3"60 x 36 x 3

ROUND



IES 1/2

OFF-CENTER5" & 3"36 X 36 x 5 or 3

**SQUARE
(DOUBLE THRESHOLD)**



IES 1/2

OFF-CENTER5" & 3"32 X 32 x 5 or 3
36 X 36 x 5 or 3

**SYSTEMS
(CORNER SHOWER BASES)**

IES 1/2

MAAX IES 1/2

p.16

14 - WALLS & BASES

USA - EFFECTIVE DATE 07/01/11

MAAX
Enjoy the experience

Summary: Walls & Bases

● = NEW PRODUCT

NAME	MODEL	BASE DIMENSIONS	THRESHOLD	WALL SET	FOOTREST	SYSTEM	DRAIN LOCATION	INTEGRATED SHELVES	PAGE
ALCOVE SHOWER BASES									
● B3SQUARE 4832 (SINGLE THRESHOLD, CENTER DRAIN)	105715	48 x 32 x 3	3"				Center		18
RECTANGULAR BASE 4234 (SINGLE THRESHOLD, CENTER DRAIN)	105535, 102001	41 3/4 x 34 1/8 x 5	5" & 3"				Center		21
RECTANGULAR BASE 4236 (SINGLE THRESHOLD, CENTER DRAIN)	105061, 105718	41 3/4 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	23
RECTANGULAR BASE 4832 (SINGLE THRESHOLD, CENTER DRAIN)	105060, 101433	47 3/4 x 32 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	26
RECTANGULAR BASE 4834 (SINGLE THRESHOLD, CENTER DRAIN)	105534, 102002	47 3/4 x 34 1/8 x 5	5" & 3"				Center		31
RECTANGULAR BASE 4836 (SINGLE THRESHOLD, CENTER DRAIN)	105059, 105717	47 3/4 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	34
RECTANGULAR BASE 6030 (SINGLE THRESHOLD, RIGHT OR LEFT DRAIN)	105055, 105707	59 3/4 x 30 1/8 x 5	5" & 3"	Opt.	●	IES	L, R	6	39
RECTANGULAR BASE 6032 (SINGLE THRESHOLD, RIGHT OR LEFT DRAIN)	105056, 105706	59 3/4 x 32 1/8 x 5	5" & 3"	Opt.	●	IES	L, R	6	44
RECTANGULAR BASE 6034 (SINGLE THRESHOLD, CENTER DRAIN)	105533, 102003	59 3/4 x 34 1/8 x 5	5" & 3"				Center		49
RECTANGULAR BASE 6036 (SINGLE THRESHOLD, RIGHT OR LEFT DRAIN)	105666	59 3/4 x 36 1/4 x 3	3"	Opt.	●	IES	L, R	6	53
RECTANGULAR BASE 6036 (SINGLE THRESHOLD, CENTER DRAIN)	105057, 105664	59 3/4 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	58
RECTANGULAR BASE 6042 (SINGLE THRESHOLD, CENTER DRAIN)	105058, 105716	59 3/4 x 42 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	63
SQUARE BASE 32 (SINGLE THRESHOLD)	105050, 105663	31 3/4 x 32 1/8 x 5	5" & 3"	Opt.	●	IES	Center	4	68
SQUARE BASE 36 (SINGLE THRESHOLD)	105051, 101430	35 3/4 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	72
SQUARE BASE 42 (SINGLE THRESHOLD)	105052, 105714	41 3/4 x 42 1/8 x 5	5" & 3"	Opt.	●	IES	Center	6	75
CORNER SHOWER BASES									
● B3SQUARE 4832 (DOUBLE THRESHOLD, CENTER DRAIN)	105708	48 x 32 x 3	3"				Center		78
NEO-ANGLE BASE 36	105042, 101422	36 1/8 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	80
NEO-ANGLE BASE 38	105043, 101423	38 1/8 x 38 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	84
NEO-ANGLE BASE 40	105044, 101424	40 1/8 x 40 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	88
NEO-ANGLE BASE 42	105045, 101425	42 1/8 x 42 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	92
NEO-ROUND BASE 32	105046, 101426	32 1/8 x 32 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	94
NEO-ROUND BASE 36	105047, 101427	36 1/8 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	97
NEO-ROUND BASE 40	105048, 101428	40 1/8 x 40 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	101
RECTANGULAR BASE 6036 (DOUBLE THRESHOLD, RIGHT OR LEFT DRAIN)	105594	59 3/4 x 36 x 3	3"				L, R		105
ROUND BASE 36	105049, 101429	36 1/8 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	107
SQUARE BASE 32 (DOUBLE THRESHOLD)	105053, 101431	32 1/8 x 32 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	110
SQUARE BASE 36 (DOUBLE THRESHOLD)	105054, 101432	36 1/8 x 36 1/8 x 5	5" & 3"	Opt.	●	IES	Off-center	3	113

SYSTEMS LEGEND

IES	MAAX IES 1/2	p.16
-----	--------------	------

IES | MAAX IES® 1/2



Developed with the help of massage therapists, the MAAX IES (Integrated Energizing System) is designed to deliver a truly energizing shower experience. All of its plumbing components, including the body jets, come factory installed, ensuring optimum configuration and operation, plus easy installation.



BODYMAX

The Bodymax body jets are strategically positioned to target key zones of your back: the upper back, midback and lumbar areas. The trapezius muscles in the shoulders enjoy a misting, lower-pressure massage from two soft water jets, while four stronger pulsating jets provide the remaining parts of your back with deeper, more penetrating massage action. Bodymax is just what you need to stay energized all day long.

Standard Features

- 6 adjustable body jets
(2 misting gentle-massage and 4 pulsating)
- Solid-brass jets



THERMOSTATIC VALVE

The thermostatic valve guarantees ideal water temperature at all times. It is also equipped with a safety-lock button to ensure the water temperature remains below 100°F (38°C). For a shower experience that's fully energizing, and safe too.

Standard Features	Regulates water volume and maintains water temperature
	Safety lock keeps temperature below 100°F (38°C)
	Two handles = One to adjust the temperature and one to select the options (with one diverter), namely the Bodymax system as well as the back jets, hand shower and water tester.



HAND SHOWER

All MAAX IES factory-assembled showers include a practical, state-of-the-art hand shower with flexible hose, self-cleaning spouts and three jet settings. The hand shower is height-adjustable, making it easy for the whole family to enjoy.

Standard Features	3 modes: Rain, Aqua Soft, Aqua Massage
	27-in. adjustable rail
	69-in. flexible hose
	Self-cleaning spouts
	Extra hand shower holder



WATER TESTER

This practical little accessory lets you safely check the water temperature before you activate the hand shower unit. It is also handy for washing your feet or cleaning the shower floor.



PRE-PLUMBED INSTALLATION

Installation is simple, requiring only hot- and cold-water hookup. The new MAAX IES is compliant with IAPMO standards.

The minimum static pressure required to operate the IES system efficiently is 50 lbs/in².



Hot and cold water hookup

B3Square 4832 (Single threshold, center drain)

Base: 48" x 32" x 3" - Acrylic

- Square stainless steel drain cover
- Acrylic rectangular base
- Smooth and non-porous floor
- 3" threshold base
- Alcove installation

NEW



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105715-000-XXX	Rectangular shower base with square drain (single threshold, center drain)	48 X 32 X 3	6.7 ft ³	41 lb	\$ 649	\$ 769


RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 45 1/2 - 48 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136454-900-084	Central	Chrome	2 ft ³	83 lb	\$ 663
136454-900-105	Central	Nickel	2 ft ³	83 lb	\$ 683
136454-981-084	Central	Chrome	2 ft ³	83 lb	\$ 689
136454-981-105	Central	Nickel	2 ft ³	83 lb	\$ 709

Radius: N/A
Width: minimum: 45 1/2 in. maximum: 48 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Chrome	3.24 ft ³	71.6 lb	\$ 441

Radius: N/A
Width: minimum: 44 in. maximum: 48 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Chrome	6.33 ft ³	113 lb	\$ 736
138375-922-171	Lateral	Satin Nickel	6.33 ft ³	113 lb	\$ 786

Radius: N/A
Width: minimum: 42 in. maximum: 47 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

B3Square 4832 (Single threshold, center drain) (cont'd)

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Chrome	6.33 ft ³	113 lb	\$ 670
138370-900-171	Lateral	Satin Nickel	6.33 ft ³	113 lb	\$ 712

Radius: N/A
 Width: minimum: 42 in. maximum: 47 1/2 in.
 Standard Height: 71 1/4 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls


SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Chrome	3.62 ft ³	86 lb	\$ 538
105414-900-171	Lateral	Satin Nickel	3.62 ft ³	86 lb	\$ 585
105414-900-172	Lateral	Dark Bronze	3.62 ft ³	86 lb	\$ 585

Radius: N/A
 Width: minimum: 42 in. maximum: 47 1/2 in.
 Standard Height: 71 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

B3Square 4832 (Single threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 4234 (single threshold, center drain)

Base: 42 x 34 x 5 or 3 - Acrylic

- Available in 5 or low 3 inch height
- Ideal for the creation of a shower with ceramic walls
- Textured bottom for safe movement inside the shower
- Alcove installation



WALLS & BASES MODEL


No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105535-000-XXX	Rectangular base 4234 (single threshold, center drain) 5 in.	41 3/4 X 34 1/8 X 5	9.6 ft ³	48 lb	\$ 582	\$ 702
102001-000-XXX	Rectangular base 4234 (single threshold, center drain) 3 in.	41 3/4 X 34 1/8 X 3	9.6 ft ³	48 lb	\$ 582	\$ 702

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 39 1/2 - 42 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136452-900-084	Central	Chrome	2 ft ³	74 lb	\$ 587
136452-900-105	Central	Nickel	2 ft ³	74 lb	\$ 607
136452-981-084	Central	Chrome	2 ft ³	74 lb	\$ 612
136452-981-105	Central	Nickel	2 ft ³	74 lb	\$ 627

Radius: N/A
Width: minimum: 39 1/2 in. maximum: 42 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.







ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 38 - 42 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138906-900-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 424
138906-949-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 435

Radius: N/A
Width: minimum: 38 in. maximum: 42 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

Rectangular base 4234 (single threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 4236 (single threshold, center drain)

Base: 42 x 36 x 5 or 3 - Acrylic

IES†

- Available in 5 and low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105061-000-XXX	Rectangular base 4236 (single threshold, center drain) 5 in.	41 3/4 X 36 1/8 X 5	9.6 ft³	48 lb	\$ 595	\$ 715
105718-000-XXX	Rectangular base 4236 (single threshold, center drain) 3 in.	41 3/4 X 36 1/8 X 3	9.6 ft³	48 lb	\$ 595	\$ 715
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft³	64 lb	\$ 752	\$ 992
105070-000-XXX	Back wall	42 X 72 X 1 1/2	14 ft³	42 lb	\$ 529	\$ 769

MAAX IES SYSTEM


No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 36 1/2 - 39 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136451-900-084	Central	Chrome	2 ft³	70 lb	\$ 561
136451-900-105	Central	Nickel	2 ft³	70 lb	\$ 581
136451-981-084	Central	Chrome	2 ft³	70 lb	\$ 587
136451-981-105	Central	Nickel	2 ft³	70 lb	\$ 607

Radius: N/A
 Width: minimum: 36 1/2 in. maximum: 39 1/2 in.
 Standard Height: 69 in.
 Access: N/A
 Door Opening: Central
 Adjustment: 3 in.

Rectangular base 4236 (single threshold, center drain) (cont'd)

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 38 - 42 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138906-900-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 424
138906-949-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 435
Radius: N/A Width: minimum: 38 in. maximum: 42 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					


RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 39 1/2 - 42 1/2 IN., 6 MM





No	Door Opening	Finish	Pkg	Approx. weight	List Price
136452-900-084	Central	Chrome	2 ft ³	74 lb	\$ 587
136452-900-105	Central	Nickel	2 ft ³	74 lb	\$ 607
136452-981-084	Central	Chrome	2 ft ³	74 lb	\$ 612
136452-981-105	Central	Nickel	2 ft ³	74 lb	\$ 627
Radius: N/A Width: minimum: 39 1/2 in. maximum: 42 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 38 - 42 IN., 5 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
138906-900-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 424
138906-949-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 435
Radius: N/A Width: minimum: 38 in. maximum: 42 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					


Rectangular base 4236 (single threshold, center drain) (cont'd)



Wall A



Wall C



Wall B

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 4832 (single threshold, center drain)

Base: 48 x 32 x 5 or 3 - Acrylic

- Available in 5 or low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105060-000-XXX	Rectangular base 4832 (single threshold, center drain) 5 in.	47 3/4 X 32 1/8 X 5	9.6 ft ³	50 lb	\$ 595	\$ 715
101433-000-XXX	Rectangular base 4832 (single threshold, center drain) 3 in.	47 3/4 X 32 1/8 X 3	9.6 ft ³	52 lb	\$ 595	\$ 715
105063-000-XXX	Wall set (2 walls) ¹	32 X 72 X 1 1/2	17 ft ³	57 lb	\$ 724	\$ 964
105071-000-XXX	Back wall	48 X 72 X 1 1/2	18 ft ³	48 lb	\$ 641	\$ 881

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912


RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 42 1/2 - 45 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136453-900-084	Central	Chrome	2 ft ³	79 lb	\$ 638
136453-900-105	Central	Nickel	2 ft ³	79 lb	\$ 658
136453-981-084	Central	Chrome	2 ft ³	79 lb	\$ 663
136453-981-105	Central	Nickel	2 ft ³	79 lb	\$ 678

Radius: N/A
 Width: minimum: 42 1/2 in. maximum: 45 1/2 in.
 Standard Height: 69 in.
 Access: N/A
 Door Opening: Central
 Adjustment: 3 in.

Rectangular base 4832 (single threshold, center drain) (cont'd)

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Chrome	3.24 ft ³	71.6 lb	\$ 441
Radius: N/A Width: minimum: 44 in. maximum: 48 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Chrome	6.33 ft ³	113 lb	\$ 736
138375-922-171	Lateral	Satin Nickel	6.33 ft ³	113 lb	\$ 786
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Chrome	6.33 ft ³	113 lb	\$ 670
138370-900-171	Lateral	Satin Nickel	6.33 ft ³	113 lb	\$ 712
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Chrome	3.62 ft ³	86 lb	\$ 538
105414-900-171	Lateral	Satin Nickel	3.62 ft ³	86 lb	\$ 585
105414-900-172	Lateral	Dark Bronze	3.62 ft ³	86 lb	\$ 585
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105490-900-084	Lateral	Chrome	3.62 ft ³	86 lb	\$ 510
105490-900-171	Lateral	Satin Nickel	3.62 ft ³	86 lb	\$ 552
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105493-900-084	Lateral	Chrome	3.62 ft ³	143 lb	\$ 835
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					


Rectangular base 4832 (single threshold, center drain) (cont'd)

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 45 1/2 - 48 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136454-900-084	Central	Chrome	2 ft³	83 lb	\$ 663
136454-900-105	Central	Nickel	2 ft³	83 lb	\$ 683
136454-981-084	Central	Chrome	2 ft³	83 lb	\$ 689
136454-981-105	Central	Nickel	2 ft³	83 lb	\$ 709
Radius: N/A Width: minimum: 45 1/2 in. maximum: 48 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Chrome	3.24 ft³	71.6 lb	\$ 441
Radius: N/A Width: minimum: 44 in. maximum: 48 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Chrome	6.33 ft³	113 lb	\$ 736
138375-922-171	Lateral	Satin Nickel	6.33 ft³	113 lb	\$ 786
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Chrome	6.33 ft³	113 lb	\$ 670
138370-900-171	Lateral	Satin Nickel	6.33 ft³	113 lb	\$ 712
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Chrome	3.62 ft³	86 lb	\$ 538
105414-900-171	Lateral	Satin Nickel	3.62 ft³	86 lb	\$ 585
105414-900-172	Lateral	Dark Bronze	3.62 ft³	86 lb	\$ 585
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105490-900-084	Lateral	Chrome	3.62 ft³	86 lb	\$ 510
105490-900-171	Lateral	Satin Nickel	3.62 ft³	86 lb	\$ 552
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 4832 (single threshold, center drain) (cont'd)

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 10 MM





No	Door Opening	Finish	Pkg	Approx. weight	List Price
105493-900-084	Lateral	Chrome	3.62 ft³	143 lb	\$ 835
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

WHAT'S THE "IES" SYSTEM?


Developed with the help of massage therapists, the **MAAX IES (Integrated Energizing System)** is designed to deliver a truly energizing showering experience. All of its plumbing components, including the body jets, come factory-installed, ensuring optimum configuration and operation with ease of installation.




Rectangular base 4832 (single threshold, center drain) (cont'd)




Important
Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details



Wall A



Wall C



Wall B

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

FOOTNOTES - BEFORE ORDERING, PLEASE SPECIFY:

1. Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details.

Rectangular base 4834 (single threshold, center drain)

Base: 48 x 34 x 5 or 3 - Acrylic

- Available in 5 or low 3 inch height
- Ideal for the creation of a shower with ceramic walls
- Textured bottom for safe movement inside the shower
- Alcove installation



WALLS & BASES MODEL


No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105534-000-XXX	Rectangular base 4834 (single threshold, center drain) 5 in.	47 3/4 X 34 1/8 X 5	9.6 ft ³	52 lb	\$ 609	\$ 729
102002-000-XXX	Rectangular base 4834 (single threshold, center drain) 3 in.	47 3/4 X 34 X 3	9.6 ft ³	52 lb	\$ 609	\$ 729

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 45 1/2 - 48 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136454-900-084	Central	Chrome	2 ft ³	83 lb	\$ 663
136454-900-105	Central	Nickel	2 ft ³	83 lb	\$ 683
136454-981-084	Central	Chrome	2 ft ³	83 lb	\$ 689
136454-981-105	Central	Nickel	2 ft ³	83 lb	\$ 709

Radius: N/A
Width: minimum: 45 1/2 in. maximum: 48 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Chrome	3.24 ft ³	71.6 lb	\$ 441

Radius: N/A
Width: minimum: 44 in. maximum: 48 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Chrome	6.33 ft ³	113 lb	\$ 736
138375-922-171	Lateral	Satin Nickel	6.33 ft ³	113 lb	\$ 786

Radius: N/A
Width: minimum: 42 in. maximum: 47 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

Rectangular base 4834 (single threshold, center drain) (cont'd)

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Chrome	6.33 ft ³	113 lb	\$ 670
138370-900-171	Lateral	Satin Nickel	6.33 ft ³	113 lb	\$ 712

Radius: N/A
 Width: minimum: 42 in. maximum: 47 1/2 in.
 Standard Height: 71 1/4 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls


SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Chrome	3.62 ft ³	86 lb	\$ 538
105414-900-171	Lateral	Satin Nickel	3.62 ft ³	86 lb	\$ 585
105414-900-172	Lateral	Dark Bronze	3.62 ft ³	86 lb	\$ 585

Radius: N/A
 Width: minimum: 42 in. maximum: 47 1/2 in.
 Standard Height: 71 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105490-900-084	Lateral	Chrome	3.62 ft ³	86 lb	\$ 510
105490-900-171	Lateral	Satin Nickel	3.62 ft ³	86 lb	\$ 552

Radius: N/A
 Width: minimum: 42 in. maximum: 47 1/2 in.
 Standard Height: 71 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls


GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105493-900-084	Lateral	Chrome	3.62 ft ³	143 lb	\$ 835

Radius: N/A
 Width: minimum: 42 in. maximum: 47 1/2 in.
 Standard Height: 71 1/4 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

Rectangular base 4834 (single threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 4836 (single threshold, center drain)

Base: 48 x 36 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105059-000-XXX	Rectangular base 4836 (single threshold, center drain) 5 in.	47 3/4 X 36 1/8 X 5	9.6 ft ³	52 lb	\$ 622	\$ 742
105717-000-XXX	Rectangular base 4836 (single threshold, center drain) 3 in.	47 3/4 X 36 1/8 X 3	9.6 ft ³	52 lb	\$ 622	\$ 742
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft ³	64 lb	\$ 752	\$ 992
105071-000-XXX	Back wall	48 X 72 X 1 1/2	18 ft ³	48 lb	\$ 641	\$ 881

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 42 1/2 - 45 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136453-900-084	Central	Chrome	2 ft ³	79 lb	\$ 638
136453-900-105	Central	Nickel	2 ft ³	79 lb	\$ 658
136453-981-084	Central	Chrome	2 ft ³	79 lb	\$ 663
136453-981-105	Central	Nickel	2 ft ³	79 lb	\$ 678

Radius: N/A

Width: minimum: 42 1/2 in. maximum: 45 1/2 in.

Standard Height: 69 in.

Access: N/A

Door Opening: Central

Adjustment: 3 in.

Rectangular base 4836 (single threshold, center drain) (cont'd)

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Chrome	3.24 ft³	71.6 lb	\$ 441
Radius: N/A Width: minimum: 44 in. maximum: 48 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Chrome	6.33 ft³	113 lb	\$ 736
138375-922-171	Lateral	Satin Nickel	6.33 ft³	113 lb	\$ 786
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Chrome	6.33 ft³	113 lb	\$ 670
138370-900-171	Lateral	Satin Nickel	6.33 ft³	113 lb	\$ 712
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Chrome	3.62 ft³	86 lb	\$ 538
105414-900-171	Lateral	Satin Nickel	3.62 ft³	86 lb	\$ 585
105414-900-172	Lateral	Dark Bronze	3.62 ft³	86 lb	\$ 585
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105490-900-084	Lateral	Chrome	3.62 ft³	86 lb	\$ 510
105490-900-171	Lateral	Satin Nickel	3.62 ft³	86 lb	\$ 552
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105493-900-084	Lateral	Chrome	3.62 ft³	143 lb	\$ 835
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					


Rectangular base 4836 (single threshold, center drain) (cont'd)

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 45 1/2 - 48 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136454-900-084	Central	Chrome	2 ft³	83 lb	\$ 663
136454-900-105	Central	Nickel	2 ft³	83 lb	\$ 683
136454-981-084	Central	Chrome	2 ft³	83 lb	\$ 689
136454-981-105	Central	Nickel	2 ft³	83 lb	\$ 709
Radius: N/A Width: minimum: 45 1/2 in. maximum: 48 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 44 - 48 IN., 5 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
138907-900-084	Lateral	Chrome	3.24 ft³	71.6 lb	\$ 441
Radius: N/A Width: minimum: 44 in. maximum: 48 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138375-922-084	Lateral	Chrome	6.33 ft³	113 lb	\$ 736
138375-922-171	Lateral	Satin Nickel	6.33 ft³	113 lb	\$ 786
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138370-900-084	Lateral	Chrome	6.33 ft³	113 lb	\$ 670
138370-900-171	Lateral	Satin Nickel	6.33 ft³	113 lb	\$ 712
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105414-900-084	Lateral	Chrome	3.62 ft³	86 lb	\$ 538
105414-900-171	Lateral	Satin Nickel	3.62 ft³	86 lb	\$ 585
105414-900-172	Lateral	Dark Bronze	3.62 ft³	86 lb	\$ 585
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105490-900-084	Lateral	Chrome	3.62 ft³	86 lb	\$ 510
105490-900-171	Lateral	Satin Nickel	3.62 ft³	86 lb	\$ 552
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 4836 (single threshold, center drain) (cont'd)


GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 42 - 47 1/2 IN., 10 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105493-900-084	Lateral	Chrome	3.62 ft³	143 lb	\$ 835
Radius: N/A Width: minimum: 42 in. maximum: 47 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

CHOOSING THE RIGHT PRODUCT ENSURING THE RIGHT FIT

A B C	Always take measurements from finished wall to finished wall.
	Take measurements at top, middle and bottom widths. Walls are often out-of-square. Determine how much adjustability you need.
	Measure from the centreline of the base for best results.



Rectangular base 4836 (single threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 6030 (single threshold, right or left drain)

Base: 60 x 30 x 5 or 3 - Acrylic

IES†

- Available in 5 and low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105055-R-000-XXX	Rectangular base 6030 (single threshold) 5 in. Right drain	59 3/4 X 30 1/8 X 5	12 ft³	53 lb	\$ 703	\$ 823
105055-L-000-XXX	Rectangular base 6030 (single threshold) 5 in. Left drain	59 3/4 X 30 1/8 X 5	12 ft³	53 lb	\$ 703	\$ 823
105707-R-000-XXX	Rectangular base 6030 (single threshold) 3 in. Right drain	59 3/4 X 30 1/8 X 3	12 ft³	53 lb	\$ 703	\$ 823
105707-L-000-XXX	Rectangular base 6030 (single threshold) 3 in. Left drain	59 3/4 X 30 1/8 X 3	12 ft³	53 lb	\$ 703	\$ 823
105062-000-XXX	Wall set (2 walls)¹	30 X 72 X 1 1/2	17 ft³	53 lb	\$ 696	\$ 936
105072-000-XXX	Back wall	60 X 72 X 1 1/2	23 ft³	52 lb	\$ 696	\$ 936

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
 The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
 We recommend to calculate these measurements prior to making any final selection.

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 58 X 66 IN.




No	Door Opening	Finish	Pkg	Approx. weight	List Price
138315-970-084	Lateral	Chrome	2.85 ft³	65 lb	\$ 582
138315-970-105	Lateral	Nickel	2.85 ft³	65 lb	\$ 625

Radius: N/A
 Width: maximum: 58 in.
 Standard Height: 66 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

Rectangular base 6030 (single threshold, right or left drain) (cont'd)

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 54 1/2 - 57 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136457-900-084	Central	Chrome	3 ft³	96 lb	\$ 740
136457-900-105	Central	Nickel	3 ft³	96 lb	\$ 765
136457-981-084	Central	Chrome	3 ft³	96 lb	\$ 791
136457-981-105	Central	Nickel	3 ft³	96 lb	\$ 785

Radius: N/A
Width: minimum: 54 1/2 in. maximum: 57 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft³	140 lb	\$ 808

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft³	140 lb	\$ 733

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 606

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 609

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 583

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls


Rectangular base 6030 (single threshold, right or left drain) (cont'd)

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 57 1/2 - 60 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136458-900-084	Central	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084	Central	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105	Central	Nickel	3 ft ³	101 lb	\$ 811
Radius: N/A Width: minimum: 57 1/2 in. maximum: 60 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6030 (single threshold, right or left drain) (cont'd)

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6030 (single threshold, right or left drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

FOOTNOTES - BEFORE ORDERING, PLEASE SPECIFY:

1. Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the suppliers' instructions for more details.

Rectangular base 6032 (single threshold, right or left drain)

Base: 60 x 32 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105056-R-000-XXX	Rectangular base 6032 (single threshold) 5 in. Right drain	59 3/4 X 32 1/8 X 5	12 ft ³	55 lb	\$ 703	\$ 823
105056-L-000-XXX	Rectangular base 6032 (single threshold) 5 in. Left drain	59 3/4 X 32 1/8 X 5	12 ft ³	55 lb	\$ 703	\$ 823
105706-R-000-XXX	Rectangular base 6032 (single threshold) 3 in. Right drain	59 3/4 X 32 1/8 X 3	12 ft ³	24.95 lb	\$ 703	\$ 823
105706-L-000-XXX	Rectangular base 6032 (single threshold) 3 in. Left drain	59 3/4 X 32 1/8 X 3	12 ft ³	24.95 lb	\$ 703	\$ 823
105063-000-XXX	Wall set (2 walls) ¹	32 X 72 X 1 1/2	17 ft ³	57 lb	\$ 724	\$ 964
105072-000-XXX	Back wall	60 X 72 X 1 1/2	23 ft ³	52 lb	\$ 696	\$ 936

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 58 X 66 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138315-970-084	Lateral	Chrome	2.85 ft ³	65 lb	\$ 582
138315-970-105	Lateral	Nickel	2.85 ft ³	65 lb	\$ 625
Radius: N/A Width: maximum: 58 in. Standard Height: 66 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6032 (single threshold, right or left drain) (cont'd)

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 54 1/2 - 57 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136457-900-084	Central	Chrome	3 ft ³	96 lb	\$ 740
136457-900-105	Central	Nickel	3 ft ³	96 lb	\$ 765
136457-981-084	Central	Chrome	3 ft ³	96 lb	\$ 791
136457-981-105	Central	Nickel	3 ft ³	96 lb	\$ 785
Radius: N/A Width: minimum: 54 1/2 in. maximum: 57 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6032 (single threshold, right or left drain) (cont'd)

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					


RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 57 1/2 - 60 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136458-900-084	Central	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084	Central	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105	Central	Nickel	3 ft ³	101 lb	\$ 811
Radius: N/A Width: minimum: 57 1/2 in. maximum: 60 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6032 (single threshold, right or left drain) (cont'd)

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6032 (single threshold, right or left drain) (cont'd)



Important
Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

FOOTNOTES - BEFORE ORDERING, PLEASE SPECIFY:

1. Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details.

Rectangular base 6034 (single threshold, center drain)

Base: 60 x 34 x 5 or 3 - Acrylic

- Available in 5 or low 3 inch height
- Ideal for the creation of a shower with ceramic walls
- Textured bottom for safe movement inside the shower
- Alcove installation



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105533-000-XXX	Rectangular base 6034 (single threshold, center drain) 5 in.	59 3/4 X 34 1/8 X 5	12 ft ³	58 lb	\$ 724	\$ 844
102003-000-XXX	Rectangular base 6034 (single threshold, center drain) 3 in.	59 3/4 X 34 1/8 X 3	12 ft ³	58 lb	\$ 724	\$ 844

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 57 1/2 - 60 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136458-900-084	Central	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084	Central	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105	Central	Nickel	3 ft ³	101 lb	\$ 811

Radius: N/A
Width: minimum: 57 1/2 in. maximum: 60 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

Rectangular base 6034 (single threshold, center drain) (cont'd)

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					







Rectangular base 6034 (single threshold, center drain) (cont'd)

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6034 (single threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 6036 (single threshold, right or left drain)

Base: 60 x 36 x 3 - Acrylic

IES†

- Available in low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105666-R-000-XXX	Rectangular base 6036 (single threshold) 3 in. Right drain	59 3/4 X 36 1/4 X 3	12 ft³	58 lb	\$ 757	\$ 877
105666-L-000-XXX	Rectangular base 6036 (single threshold) 3 in. Left drain	59 3/4 X 36 1/4 X 3	12 ft³	58 lb	\$ 757	\$ 877
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft³	64 lb	\$ 752	\$ 992
105072-000-XXX	Back wall	60 X 72 X 1 1/2	23 ft³	52 lb	\$ 752	\$ 992

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 58 X 66 IN.




No	Door Opening	Finish	Pkg	Approx. weight	List Price
138315-970-084	Lateral	Chrome	2.85 ft³	65 lb	\$ 582
138315-970-105	Lateral	Nickel	2.85 ft³	65 lb	\$ 625

Radius: N/A
 Width: maximum: 58 in.
 Standard Height: 66 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

Rectangular base 6036 (single threshold, right or left drain) (cont'd)

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 54 1/2 - 57 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136457-900-084	Central	Chrome	3 ft ³	96 lb	\$ 740
136457-900-105	Central	Nickel	3 ft ³	96 lb	\$ 765
136457-981-084	Central	Chrome	3 ft ³	96 lb	\$ 791
136457-981-105	Central	Nickel	3 ft ³	96 lb	\$ 785

Radius: N/A
Width: minimum: 54 1/2 in. maximum: 57 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls


Rectangular base 6036 (single threshold, right or left drain) (cont'd)

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 57 1/2 - 60 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136458-900-084	Central	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084	Central	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105	Central	Nickel	3 ft ³	101 lb	\$ 811
Radius: N/A Width: minimum: 57 1/2 in. maximum: 60 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6036 (single threshold, right or left drain) (cont'd)

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6036 (single threshold, right or left drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 6036 (single threshold, center drain)

Base: 60 x 36 x 5 or 3 - Acrylic

- Available in 5 or low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105057-000-XXX	Rectangular base 6036 (single threshold, center drain) 5 in.	59 3/4 X 36 1/8 X 5	12 ft ³	58 lb	\$ 757	\$ 877
105664-000-XXX	Rectangular base 6036 (single threshold, center drain) 3 in.	59 3/4 X 36 1/8 X 3	12 ft ³	58 lb	\$ 757	\$ 877
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft ³	64 lb	\$ 752	\$ 992
105072-000-XXX	Back wall	60 X 72 X 1 1/2	23 ft ³	52 lb	\$ 696	\$ 936

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 58 X 66 IN.




No	Door Opening	Finish	Pkg	Approx. weight	List Price
138315-970-084	Lateral	Chrome	2.85 ft ³	65 lb	\$ 582
138315-970-105	Lateral	Nickel	2.85 ft ³	65 lb	\$ 625

Radius: N/A
 Width: maximum: 58 in.
 Standard Height: 66 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

Rectangular base 6036 (single threshold, center drain) (cont'd)

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 54 1/2 - 57 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136457-900-084	Central	Chrome	3 ft ³	96 lb	\$ 740
136457-900-105	Central	Nickel	3 ft ³	96 lb	\$ 765
136457-981-084	Central	Chrome	3 ft ³	96 lb	\$ 791
136457-981-105	Central	Nickel	3 ft ³	96 lb	\$ 785
Radius: N/A Width: minimum: 54 1/2 in. maximum: 57 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6036 (single threshold, center drain) (cont'd)

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					


RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 57 1/2 - 60 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136458-900-084	Central	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084	Central	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105	Central	Nickel	3 ft ³	101 lb	\$ 811
Radius: N/A Width: minimum: 57 1/2 in. maximum: 60 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6036 (single threshold, center drain) (cont'd)

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM





No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6036 (single threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 6042 (single threshold, center drain)

Base: 60 x 42 x 5 or 3 - Acrylic

IES†

- Available in 5 and low 3 inch height; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation



ALCOVE SHOWER BASES

WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105058-000-XXX	Rectangular base 6042 (single threshold, center drain) 5 in.	59 3/4 X 42 1/8 X 5	14 ft³	60 lb	\$ 790	\$ 910
105716-000-XXX	Rectangular Base 6042 (single threshold, center drain) 3 in.	59 3/4 X 42 1/8 X 3	14 ft³	60 lb	\$ 790	\$ 910
105067-000-XXX	Wall set (2 walls)	42 X 72 X 1 1/2	20 ft³	75 lb	\$ 808	\$ 1,048
105072-000-XXX	Back wall	60 X 72 X 1 1/2	23 ft³	52 lb	\$ 696	\$ 936

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

TRIPLE PLUS - THREE-PANEL SLIDING DOOR 58 X 66 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138315-970-084	Lateral	Chrome	2.85 ft³	65 lb	\$ 582
138315-970-105	Lateral	Nickel	2.85 ft³	65 lb	\$ 625

Radius: N/A
 Width: maximum: 58 in.
 Standard Height: 66 in.
 Access: N/A
 Door Opening: Lateral
 Adjustment: for out-of-square walls

Rectangular base 6042 (single threshold, center drain) (cont'd)

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 54 1/2 - 57 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136457-900-084	Central	Chrome	3 ft ³	96 lb	\$ 740
136457-900-105	Central	Nickel	3 ft ³	96 lb	\$ 765
136457-981-084	Central	Chrome	3 ft ³	96 lb	\$ 791
136457-981-105	Central	Nickel	3 ft ³	96 lb	\$ 785

Radius: N/A
Width: minimum: 54 1/2 in. maximum: 57 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 1/4 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583

Radius: N/A
Width: minimum: 54 in. maximum: 59 1/2 in.
Standard Height: 71 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

Rectangular base 6042 (single threshold, center drain) (cont'd)

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 57 1/2 - 60 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136458-900-084	Central	Chrome	3 ft ³	101 lb	\$ 765
136458-900-105	Central	Nickel	3 ft ³	101 lb	\$ 785
136458-981-084	Central	Chrome	3 ft ³	101 lb	\$ 791
136458-981-105	Central	Nickel	3 ft ³	101 lb	\$ 811
Radius: N/A Width: minimum: 57 1/2 in. maximum: 60 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

COTTAGE GATE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138385-922-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 758
138385-922-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 808
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SKY - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 8 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138380-900-084	Lateral	Chrome	6.33 ft ³	140 lb	\$ 693
138380-900-171	Lateral	Satin Nickel	6.33 ft ³	140 lb	\$ 733
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

Rectangular base 6042 (single threshold, center drain) (cont'd)

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105415-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 559
105415-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

VINE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105496-961-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105496-961-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 594
105496-964-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 557
105496-964-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 609
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

FILIGREE - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105491-900-084	Lateral	Chrome	3.99 ft ³	106 lb	\$ 541
105491-900-171	Lateral	Satin Nickel	3.99 ft ³	106 lb	\$ 583
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

GONDOLA - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105494-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 894
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

LUMINOUS - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 10 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105489-900-084	Lateral	Chrome	3.88 ft ³	176 lb	\$ 851
105489-900-171	Lateral	Satin Nickel	3.88 ft ³	176 lb	\$ 899
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 1/4 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

SESSION - TWO-PANEL FRAMELESS SLIDING DOOR 54 - 59 1/2 IN., 6MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105488-900-172	Lateral	Dark Bronze	3.99 ft ³	106 lb	\$ 606
Radius: N/A Width: minimum: 54 in. maximum: 59 1/2 in. Standard Height: 71 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

ALCOVE SHOWER BASES



Square base 32 (single threshold)

Base: 32 X 32 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105050-000-XXX	Square base 32 (single threshold) 5 in.	31 3/4 X 32 1/8 X 5	6 ft ³	30 lb	\$ 444	\$ 564
105663-000-XXX	Square base 32 (single threshold) 3 in.	31 3/4 X 32 1/8 X 3	6 ft ³	29 lb	\$ 444	\$ 564
105063-000-XXX	Wall set (2 walls) ¹	32 X 72 X 1 1/2	17 ft ³	57 lb	\$ 724	\$ 964
105068-000-XXX	Back wall	32 X 72 X 1 1/2	14 ft ³	38 lb	\$ 446	\$ 686

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 27 1/2 - 29 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136447-900-084	Left and right	Chrome	3 ft ³	48 lb	\$ 398
136447-900-105	Left and right	Nickel	3 ft ³	48 lb	\$ 418
136447-981-084	Left and right	Chrome	3 ft ³	48 lb	\$ 423
136447-981-105	Left and right	Nickel	3 ft ³	48 lb	\$ 444

Radius: N/A
 Width: minimum: 27 1/2 in. maximum: 29 1/2 in.
 Standard Height: 69 in.
 Access: N/A
 Door Opening: Left and right
 Adjustment: 2 in.

PIVOLOK DELUXE - ONE-PANEL PIVOT DOOR 28 - 32 1/2 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136425-949-001	Left and right	White	3.26 ft ³	39.5 lb	\$ 386
136425-949-084	Left and right	Chrome	3.26 ft ³	39.5 lb	\$ 386
136425-965-001	Left and right	White	3.26 ft ³	39.5 lb	\$ 375
136425-965-084	Left and right	Chrome	3.26 ft ³	39.5 lb	\$ 375

Radius: N/A
 Width: minimum: 28 in. maximum: 32 1/2 in.
 Standard Height: 64 1/2 in.
 Access: N/A
 Door Opening: Left and right
 Adjustment: 4 1/2 in.

Square base 32 (single threshold) (cont'd)

PIVOLOK - ONE-PANEL PIVOT DOOR 27 - 28 3/4 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136635-900-001	Left and right	White	2.97 ft ³	32.45 lb	\$ 300
136635-900-084	Left and right	Chrome	2.97 ft ³	32.45 lb	\$ 300
136635-949-001	Left and right	White	2.97 ft ³	32.45 lb	\$ 310
136635-949-084	Left and right	Chrome	2.97 ft ³	32.45 lb	\$ 310
136635-970-001	Left and right	White	2.97 ft ³	32.45 lb	\$ 300
136635-970-084	Left and right	Chrome	2.97 ft ³	32.45 lb	\$ 300

Radius: N/A
Width: minimum: 27 in. maximum: 28 3/4 in.
Standard Height: 64 1/2 in.
Access: N/A
Door Opening: Left and right
Adjustment: 1 3/4 in.

MADONO - FRAMELESS PIVOT DOOR 28 1/2 - 30 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105416-900-084	Left and right	Chrome	3.62 ft ³	32 lb	\$ 368

Radius: N/A
Width: minimum: 28 1/2 in. maximum: 30 1/2 in.
Standard Height: 67 in.
Access: N/A
Door Opening: Left and right
Adjustment: for out-of-square walls

ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 28 1/2 - 30 1/2 IN., 10 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105484-900-084	Left and right	Chrome	2.81 ft ³	58 lb	\$ 473

Radius: N/A
Width: minimum: 28 1/2 in. maximum: 30 1/2 in.
Standard Height: 67 in.
Access: N/A
Door Opening: Left and right
Adjustment: for out-of-square walls

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
We recommend to calculate these measurements prior to making any final selection.

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 29 1/2 - 31 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136448-900-084	Left and right	Chrome	3 ft ³	51 lb	\$ 418
136448-900-105	Left and right	Nickel	3 ft ³	51 lb	\$ 439
136448-981-084	Left and right	Chrome	3 ft ³	51 lb	\$ 444
136448-981-105	Left and right	Nickel	3 ft ³	51 lb	\$ 464

Radius: N/A
Width: minimum: 29 1/2 in. maximum: 31 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Left and right
Adjustment: 2 in.

PIVOLOK DELUXE - ONE-PANEL PIVOT DOOR 28 - 32 1/2 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136425-949-001	Left and right	White	3.26 ft ³	39.5 lb	\$ 386
136425-949-084	Left and right	Chrome	3.26 ft ³	39.5 lb	\$ 386
136425-965-001	Left and right	White	3.26 ft ³	39.5 lb	\$ 375
136425-965-084	Left and right	Chrome	3.26 ft ³	39.5 lb	\$ 375

Radius: N/A
Width: minimum: 28 in. maximum: 32 1/2 in.
Standard Height: 64 1/2 in.
Access: N/A
Door Opening: Left and right
Adjustment: 4 1/2 in.

PIVOLOK - ONE-PANEL PIVOT DOOR 29 - 30 3/4 IN.




No	Door Opening	Finish	Pkg	Approx. weight	List Price
136645-900-084	Left and right	Chrome	3.23 ft ³	34.65 lb	\$ 310
136645-970-084	Left and right	Chrome	3.23 ft ³	34.65 lb	\$ 310


Radius: N/A
Width: minimum: 29 in. maximum: 30 3/4 in.
Standard Height: 64 1/2 in.
Access: N/A
Door Opening: Left and right
Adjustment: 1 3/4 in.

Square base 32 (single threshold) (cont'd)

MADONO - FRAMELESS PIVOT DOOR 28 1/2 - 30 1/2 IN., 6 MM

	No	Door Opening	Finish	Pkg	Approx. weight	List Price
	105416-900-084	Left and right	Chrome	3.62 ft³	32 lb	\$ 368
Radius: N/A Width: minimum: 28 1/2 in. maximum: 30 1/2 in. Standard Height: 67 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls						

ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 28 1/2 - 30 1/2 IN., 10 MM



	No	Door Opening	Finish	Pkg	Approx. weight	List Price
	105484-900-084	Left and right	Chrome	2.81 ft³	58 lb	\$ 473
Radius: N/A Width: minimum: 28 1/2 in. maximum: 30 1/2 in. Standard Height: 67 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls						

WHAT’S THE “IES” SYSTEM?


Developed with the help of massage therapists, the **MAAX IES (Integrated Energizing System)** is designed to deliver a truly energizing showering experience. All of its plumbing components, including the body jets, come factory-installed, ensuring optimum configuration and operation with ease of installation.




Square base 32 (single threshold) (cont'd)




Important
Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details



Wall A



Wall C



Wall B

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

FOOTNOTES - BEFORE ORDERING, PLEASE SPECIFY:

1. Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details.

Square base 36 (single threshold)

Base: 36 X 36 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105051-000-XXX	Square base 36 (single threshold) 5 in.	35 3/4 X 36 1/8 X 5	8.93 ft³	40 lb	\$ 497	\$ 617
101430-000-XXX	Square base 36 (single threshold) 3 in.	35 3/4 X 36 1/8 X 3	8.93 ft³	42 lb	\$ 497	\$ 617
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft³	64 lb	\$ 752	\$ 992
105069-000-XXX	Back wall	36 X 72 X 1 1/2	14 ft³	42 lb	\$ 473	\$ 713

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

KLEARA - ONE-PANEL FRAMELESS PIVOT DOOR 31 1/2 - 33 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136449-900-084	Left and right	Chrome	3 ft³	54 lb	\$ 439
136449-900-105	Left and right	Nickel	3 ft³	54 lb	\$ 459
136449-981-084	Left and right	Chrome	3 ft³	54 lb	\$ 464
136449-981-105	Left and right	Nickel	3 ft³	54 lb	\$ 485

Radius: N/A
 Width: minimum: 31 1/2 in. maximum: 33 1/2 in.
 Standard Height: 69 in.
 Access: N/A
 Door Opening: Left and right
 Adjustment: 2 in.

PIVOLOK DELUXE - ONE-PANEL PIVOT DOOR 32 1/2 - 37 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136435-900-001	Left and right	White	3.48 ft³	43 lb	\$ 408
136435-900-084	Left and right	Chrome	3.48 ft³	43 lb	\$ 408
136435-949-084	Left and right	Chrome	3.48 ft³	43 lb	\$ 418
136435-965-084	Left and right	Chrome	3.48 ft³	43 lb	\$ 408

Radius: N/A
 Width: minimum: 32 1/2 in. maximum: 37 in.
 Standard Height: 64 1/2 in.
 Access: N/A
 Door Opening: Left and right
 Adjustment: 4 1/2 in.

Square base 36 (single threshold) (cont'd)

PIVOLOK - ONE-PANEL PIVOT DOOR 31 - 32 3/4 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136655-900-084	Left and right	Chrome	3.24 ft ³	36.7 lb	\$ 310
136655-970-084	Left and right	Chrome	3.24 ft ³	36.7 lb	\$ 310
Radius: N/A Width: minimum: 31 in. maximum: 32 3/4 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 1 3/4 in.					

MADONO - FRAMELESS PIVOT DOOR 31 1/2 - 33 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
105417-900-084	Left and right	Chrome	3.99 ft ³	34 lb	\$ 394
Radius: N/A Width: minimum: 31 1/2 in. maximum: 33 1/2 in. Standard Height: 67 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls					

ALEXA - ONE-PANEL FRAMELESS PIVOT DOOR 31 1/2 - 33 1/2 IN., 10 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
105485-900-084	Left and right	Chrome	3.24 ft ³	67 lb	\$ 494
Radius: N/A Width: minimum: 31 1/2 in. maximum: 33 1/2 in. Standard Height: 67 in. Access: N/A Door Opening: Left and right Adjustment: for out-of-square walls					

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
 The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
 We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 33 1/2 - 36 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136450-900-084	Central	Chrome	2 ft ³	65 lb	\$ 536
136450-900-105	Central	Nickel	2 ft ³	65 lb	\$ 561
136450-981-084	Central	Chrome	2 ft ³	65 lb	\$ 561
136450-981-105	Central	Nickel	2 ft ³	65 lb	\$ 612
Radius: N/A Width: minimum: 33 1/2 in. maximum: 36 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					

PIVOLOK DELUXE - ONE-PANEL PIVOT DOOR 32 1/2 - 37 IN.




No	Door Opening	Finish	Pkg	Approx. weight	List Price
136435-900-001	Left and right	White	3.48 ft ³	43 lb	\$ 408
136435-900-084	Left and right	Chrome	3.48 ft ³	43 lb	\$ 408
136435-949-084	Left and right	Chrome	3.48 ft ³	43 lb	\$ 418
136435-965-084	Left and right	Chrome	3.48 ft ³	43 lb	\$ 408
Radius: N/A Width: minimum: 32 1/2 in. maximum: 37 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 4 1/2 in.					

PIVOLOK - ONE-PANEL PIVOT DOOR 33 - 34 3/4 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136656-900-084	Left and right	Chrome	3.35 ft ³	38.1 lb	\$ 320
136656-970-084	Left and right	Chrome	3.35 ft ³	38.1 lb	\$ 320
Radius: N/A Width: minimum: 33 in. maximum: 34 3/4 in. Standard Height: 64 1/2 in. Access: N/A Door Opening: Left and right Adjustment: 1 3/4 in.					

Square base 36 (single threshold) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Square base 42 (single threshold)

Base: 42 X 42 x 5 or 3 - Acrylic

IES 1/2

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Alcove installation



ALCOVE SHOWER BASES

WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105052-000-XXX	Square base 42 (single threshold) 5 in.	41 3/4 X 42 1/8 X 5	9.9 ft ³	42 lb	\$ 627	\$ 747
105714-000-XXX	Square base 42 (single threshold) 3 in.	41 3/4 X 42 1/8 X 3	9.9 ft ³	42 lb	\$ 627	\$ 747
105067-000-XXX	Wall set (2 walls)	42 X 72 X 1 1/2	20 ft ³	75 lb	\$ 808	\$ 1,048
105070-000-XXX	Back wall	42 X 72 X 1 1/2	14 ft ³	42 lb	\$ 529	\$ 769

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall). We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 36 1/2 - 39 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136451-900-084	Central	Chrome	2 ft ³	70 lb	\$ 561
136451-900-105	Central	Nickel	2 ft ³	70 lb	\$ 581
136451-981-084	Central	Chrome	2 ft ³	70 lb	\$ 587
136451-981-105	Central	Nickel	2 ft ³	70 lb	\$ 607

Radius: N/A
Width: minimum: 36 1/2 in. maximum: 39 1/2 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Central
Adjustment: 3 in.

ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 38 - 42 IN., 5 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
138906-900-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 424
138906-949-084	Lateral	Chrome	2.8 ft ³	65 lb	\$ 435

Radius: N/A
Width: minimum: 38 in. maximum: 42 in.
Standard Height: 69 in.
Access: N/A
Door Opening: Lateral
Adjustment: for out-of-square walls

Square base 42 (single threshold) (cont'd)

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
We recommend to calculate these measurements prior to making any final selection.

KLEARA - TWO-PANEL FRAMELESS PIVOT DOOR 39 1/2 - 42 1/2 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
136452-900-084	Central	Chrome	2 ft³	74 lb	\$ 587
136452-900-105	Central	Nickel	2 ft³	74 lb	\$ 607
136452-981-084	Central	Chrome	2 ft³	74 lb	\$ 612
136452-981-105	Central	Nickel	2 ft³	74 lb	\$ 627
Radius: N/A Width: minimum: 39 1/2 in. maximum: 42 1/2 in. Standard Height: 69 in. Access: N/A Door Opening: Central Adjustment: 3 in.					


ULTIMA PLUS - TWO-PANEL FRAMELESS SLIDING DOOR 38 - 42 IN., 5 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
138906-900-084	Lateral	Chrome	2.8 ft³	65 lb	\$ 424
138906-949-084	Lateral	Chrome	2.8 ft³	65 lb	\$ 435
Radius: N/A Width: minimum: 38 in. maximum: 42 in. Standard Height: 69 in. Access: N/A Door Opening: Lateral Adjustment: for out-of-square walls					

CHOOSING THE RIGHT PRODUCT ENSURING THE RIGHT FIT

A B C	Always take measurements from finished wall to finished wall.
	Take measurements at top, middle and bottom widths. Walls are often out-of-square. Determine how much adjustability you need.
	Measure from the centreline of the base for best results.



Square base 42 (single threshold) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

B3Square 4832 (Double threshold, center drain)

Base: 48" x 32" x 3" - Acrylic


- Square stainless steel drain
- Acrylic rectangular base
- Smooth and non-porous floor
- 3" threshold base
- Left or right corner installation



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105708-R-000-XXX	Rectangular shower base with square drain (double threshold, center drain) Right-hand tiling flange	48 X 32 X 3	6.7 ft³	41 lb	\$ 649	\$ 769
105708-L-000-XXX	Rectangular shower base with square drain (double threshold, center drain) Left-hand tiling flange	48 X 32 X 3	6.7 ft³	41 lb	\$ 649	\$ 769

B3Square 4832 (Double threshold, center drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Neo-angle base 36

Base: 36 X 36 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105042-000-XXX	Neo-angle base 36, 5 in.	36 1/8 X 36 1/8 X 5	8.93 ft³	36 lb	\$ 459	\$ 579
101422-000-XXX	Neo-angle base 36, 3 in.	36 1/8 X 36 1/8 X 3	8.93 ft³	38 lb	\$ 459	\$ 579
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft³	64 lb	\$ 752	\$ 992

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137240-900-084	Central	Chrome	6.5 ft³	93 lb	\$ 804
137240-900-105	Central	Nickel	6.5 ft³	93 lb	\$ 851
137240-981-084	Central	Chrome	6.5 ft³	93 lb	\$ 827
137240-981-105	Central	Nickel	6.5 ft³	93 lb	\$ 874

Radius: N/A
 Panel: minimum: 15 7/16 in. maximum: 16 1/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137630-900-001	Central	White	3.75 ft³	67.95 lb	\$ 717
137630-900-084	Central	Chrome	3.75 ft³	67.95 lb	\$ 717
137630-970-001	Central	White	3.75 ft³	67.95 lb	\$ 717
137630-970-084	Central	Chrome	3.75 ft³	67.95 lb	\$ 717

Radius: N/A
 Panel: minimum: 15 7/8 in. maximum: 16 7/8 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

Neo-angle base 36 (cont'd)

SILHOUETTE - NEO-ANGLE PIVOT DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137904-900-001	Left and right	White	5.44 ft ³	74 lb	\$ 661
137904-900-084	Left and right	Chrome	5.44 ft ³	74 lb	\$ 661
137904-953-001	Left and right	White	5.44 ft ³	74 lb	\$ 683
137904-953-084	Left and right	Chrome	5.44 ft ³	74 lb	\$ 683
137904-970-001	Left and right	White	5.44 ft ³	74 lb	\$ 661
137904-970-084	Left and right	Chrome	5.44 ft ³	74 lb	\$ 661

Radius: N/A
 Panel: minimum: 15 11/16 in. maximum: 16 11/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Left and right
 Adjustment: 1 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137720-900-084	Left and right	Chrome	5.55 ft ³	72.25 lb	\$ 576
137720-965-084	Left and right	Chrome	5.55 ft ³	72.25 lb	\$ 576

Radius: N/A
 Panel: minimum: 15 3/4 in. maximum: 17 in.
 Standard Height: 70 in.
 Access: 25 1/2 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
 The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
 We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137240-900-084	Central	Chrome	6.5 ft ³	93 lb	\$ 804
137240-900-105	Central	Nickel	6.5 ft ³	93 lb	\$ 851
137240-981-084	Central	Chrome	6.5 ft ³	93 lb	\$ 827
137240-981-105	Central	Nickel	6.5 ft ³	93 lb	\$ 874

Radius: N/A
 Panel: minimum: 15 7/16 in. maximum: 16 1/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137630-900-001	Central	White	3.75 ft ³	67.95 lb	\$ 717
137630-900-084	Central	Chrome	3.75 ft ³	67.95 lb	\$ 717
137630-970-001	Central	White	3.75 ft ³	67.95 lb	\$ 717
137630-970-084	Central	Chrome	3.75 ft ³	67.95 lb	\$ 717

Radius: N/A
 Panel: minimum: 15 7/8 in. maximum: 16 7/8 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

SILHOUETTE - NEO-ANGLE PIVOT DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137904-900-001	Left and right	White	5.44 ft ³	74 lb	\$ 661
137904-900-084	Left and right	Chrome	5.44 ft ³	74 lb	\$ 661
137904-953-001	Left and right	White	5.44 ft ³	74 lb	\$ 683
137904-953-084	Left and right	Chrome	5.44 ft ³	74 lb	\$ 683
137904-970-001	Left and right	White	5.44 ft ³	74 lb	\$ 661
137904-970-084	Left and right	Chrome	5.44 ft ³	74 lb	\$ 661

Radius: N/A
 Panel: minimum: 15 11/16 in. maximum: 16 11/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Left and right
 Adjustment: 1 in.

Neo-angle base 36 (cont'd)


SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137720-900-084	Left and right	Chrome	5.55 ft ³	72.25 lb	\$ 576
137720-965-084	Left and right	Chrome	5.55 ft ³	72.25 lb	\$ 576

Radius: N/A
Panel: minimum: 15 3/4 in. maximum: 17 in.
Standard Height: 70 in.
Access: 25 1/2 in.
Door Opening: Left and right
Adjustment: 1 1/2 in.

CORNER SHOWER BASES



Neo-angle base 38

Base: 38 X 38 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105043-000-XXX	Neo-angle base 38, 5 in.	38 1/8 X 38 1/8 X 5	8.93 ft³	38 lb	\$ 471	\$ 591
101423-000-XXX	Neo-angle base 38, 3 in.	38 1/8 X 38 1/8 X 3	8.93 ft³	40 lb	\$ 471	\$ 591
105065-000-XXX	Wall set (2 walls)	38 X 72 X 1 1/2	20 ft³	68 lb	\$ 769	\$ 1,009

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 38 X 38 IN., 6 MM

No	Door Opening	Finish	Pkg	Approx. weight	List Price
137250-900-084	Central	Chrome	6.5 ft³	99 lb	\$ 815
137250-900-105	Central	Nickel	6.5 ft³	99 lb	\$ 862
137250-981-084	Central	Chrome	6.5 ft³	99 lb	\$ 838
137250-981-105	Central	Nickel	6.5 ft³	99 lb	\$ 885

Radius: N/A
Panel: minimum: 17 7/16 in. maximum: 18 1/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 38 X 38 IN.

No	Door Opening	Finish	Pkg	Approx. weight	List Price
137610-900-001	Central	White	3.75 ft³	71.95 lb	\$ 728
137610-900-084	Central	Chrome	3.75 ft³	71.95 lb	\$ 728
137610-970-001	Central	White	3.75 ft³	71.95 lb	\$ 728
137610-970-084	Central	Chrome	3.75 ft³	71.95 lb	\$ 728

Radius: N/A
Panel: minimum: 17 11/16 in. maximum: 18 11/16 in.
Standard Height: 70 in.
Access: 25 1/4 in.
Door Opening: Central
Adjustment: 1 in.

Neo-angle base 38 (cont'd)

SILHOUETTE - NEO-ANGLE PIVOT DOOR 38 X 38 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137901-900-001	Left and right	White	5.76 ft ³	77 lb	\$ 653
137901-900-084	Left and right	Chrome	5.76 ft ³	77 lb	\$ 653
137901-953-001	Left and right	White	5.76 ft ³	77 lb	\$ 685
137901-953-084	Left and right	Chrome	5.76 ft ³	77 lb	\$ 685
137901-970-001	Left and right	White	5.76 ft ³	77 lb	\$ 653
137901-970-084	Left and right	Chrome	5.76 ft ³	77 lb	\$ 653

Radius: N/A
 Panel: minimum: 17 11/16 in. maximum: 18 11/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Left and right
 Adjustment: 1 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137710-900-084	Left and right	Chrome	5.39 ft ³	73.35 lb	\$ 576
137710-965-084	Left and right	Chrome	5.39 ft ³	73.35 lb	\$ 576

Radius: N/A
 Panel: minimum: 18 in. maximum: 19 1/4 in.
 Standard Height: 70 in.
 Access: 24 3/4 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137730-900-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-949-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 608
137730-965-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-970-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588

Radius: N/A
 Panel: minimum: 18 in. maximum: 19 1/4 in.
 Standard Height: 70 in.
 Access: 25 1/2 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
 The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
 We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 38 X 38 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137250-900-084	Central	Chrome	6.5 ft ³	99 lb	\$ 815
137250-900-105	Central	Nickel	6.5 ft ³	99 lb	\$ 862
137250-981-084	Central	Chrome	6.5 ft ³	99 lb	\$ 838
137250-981-105	Central	Nickel	6.5 ft ³	99 lb	\$ 885

Radius: N/A
 Panel: minimum: 17 7/16 in. maximum: 18 1/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 38 X 38 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137610-900-001	Central	White	3.75 ft ³	71.95 lb	\$ 728
137610-900-084	Central	Chrome	3.75 ft ³	71.95 lb	\$ 728
137610-970-001	Central	White	3.75 ft ³	71.95 lb	\$ 728
137610-970-084	Central	Chrome	3.75 ft ³	71.95 lb	\$ 728

Radius: N/A
 Panel: minimum: 17 11/16 in. maximum: 18 11/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

Neo-angle base 38 (cont'd)

SILHOUETTE - NEO-ANGLE PIVOT DOOR 38 X 38 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137901-900-001	Left and right	White	5.76 ft ³	77 lb	\$ 653
137901-900-084	Left and right	Chrome	5.76 ft ³	77 lb	\$ 653
137901-953-001	Left and right	White	5.76 ft ³	77 lb	\$ 685
137901-953-084	Left and right	Chrome	5.76 ft ³	77 lb	\$ 685
137901-970-001	Left and right	White	5.76 ft ³	77 lb	\$ 653
137901-970-084	Left and right	Chrome	5.76 ft ³	77 lb	\$ 653

Radius: N/A
 Panel: minimum: 17 11/16 in. maximum: 18 11/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Left and right
 Adjustment: 1 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137710-900-084	Left and right	Chrome	5.39 ft ³	73.35 lb	\$ 576
137710-965-084	Left and right	Chrome	5.39 ft ³	73.35 lb	\$ 576

Radius: N/A
 Panel: minimum: 18 in. maximum: 19 1/4 in.
 Standard Height: 70 in.
 Access: 24 3/4 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.






SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137730-900-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-949-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 608
137730-965-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-970-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588

Radius: N/A
 Panel: minimum: 18 in. maximum: 19 1/4 in.
 Standard Height: 70 in.
 Access: 25 1/2 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.

Neo-angle base 38 (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Neo-angle base 40

Base: 40 X 40 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105044-000-XXX	Neo-angle base 40, 5 in.	40 1/8 X 40 1/8 X 5	9.9 ft ³	38 lb	\$ 497	\$ 617
101424-000-XXX	Neo-angle base 40, 3 in.	40 1/8 X 40 1/8 X 3	9.9 ft ³	40 lb	\$ 497	\$ 617
105066-000-XXX	Wall set (2 walls)	40 X 72 X 1 1/2	20 ft ³	71 lb	\$ 780	\$ 1,020

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137260-900-084	Central	Chrome	6.5 ft ³	105 lb	\$ 899
137260-900-105	Central	Nickel	6.5 ft ³	105 lb	\$ 950
137260-981-084	Central	Chrome	6.5 ft ³	105 lb	\$ 924
137260-981-105	Central	Nickel	6.5 ft ³	105 lb	\$ 975

Radius: N/A

Panel: minimum: 19 7/16 in. maximum: 20 1/16 in.

Standard Height: 70 in.

Access: 25 1/4 in.

Door Opening: Central

Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137650-900-001	Central	White	3.75 ft ³	74.45 lb	\$ 740
137650-900-084	Central	Chrome	3.75 ft ³	74.45 lb	\$ 740
137650-970-001	Central	White	3.75 ft ³	74.45 lb	\$ 740
137650-970-084	Central	Chrome	3.75 ft ³	74.45 lb	\$ 740

Radius: N/A

Panel: minimum: 18 7/8 in. maximum: 19 7/8 in.

Standard Height: 70 in.

Access: 25 1/4 in.

Door Opening: Central

Adjustment: 1 in.

Neo-angle base 40 (cont'd)

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137730-900-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-949-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 608
137730-965-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-970-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588

Radius: N/A
 Panel: minimum: 18 in. maximum: 19 1/4 in.
 Standard Height: 70 in.
 Access: 25 1/2 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
 The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
 We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ANGLE FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137260-900-084	Central	Chrome	6.5 ft ³	105 lb	\$ 899
137260-900-105	Central	Nickel	6.5 ft ³	105 lb	\$ 950
137260-981-084	Central	Chrome	6.5 ft ³	105 lb	\$ 924
137260-981-105	Central	Nickel	6.5 ft ³	105 lb	\$ 975

Radius: N/A
 Panel: minimum: 19 7/16 in. maximum: 20 1/16 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

ILLUSION - NEO-ANGLE SLIDING DOOR 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137650-900-001	Central	White	3.75 ft ³	74.45 lb	\$ 740
137650-900-084	Central	Chrome	3.75 ft ³	74.45 lb	\$ 740
137650-970-001	Central	White	3.75 ft ³	74.45 lb	\$ 740
137650-970-084	Central	Chrome	3.75 ft ³	74.45 lb	\$ 740

Radius: N/A
 Panel: minimum: 18 7/8 in. maximum: 19 7/8 in.
 Standard Height: 70 in.
 Access: 25 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

SILHOUETTE PLUS - NEO-ANGLE PIVOT DOOR 38 X 38 / 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137730-900-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-949-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 608
137730-965-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588
137730-970-084	Left and right	Chrome	5.42 ft ³	71 lb	\$ 588

Radius: N/A
 Panel: minimum: 18 in. maximum: 19 1/4 in.
 Standard Height: 70 in.
 Access: 25 1/2 in.
 Door Opening: Left and right
 Adjustment: 1 1/2 in.


Neo-angle base 40 (cont'd)

WHAT'S THE "IES" SYSTEM?

Developed with the help of massage therapists, the **MAAX IES (Integrated Energizing System)** is designed to deliver a truly energizing showering experience. All of its plumbing components, including the body jets, come factory-installed, ensuring optimum configuration and operation with ease of installation.



CORNER SHOWER BASES



Neo-angle base 42

Base: 42 X 42 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105045-000-XXX	Neo-angle base 42, 5 in.	42 1/8 X 42 1/8 X 5	9.9 ft ³	40 lb	\$ 606	\$ 726
101425-000-XXX	Neo-angle base 42, 3 in.	42 1/8 X 42 1/8 X 3	9.9 ft ³	42 lb	\$ 606	\$ 726
105067-000-XXX	Wall set (2 walls)	42 X 72 X 1 1/2	20 ft ³	75 lb	\$ 808	\$ 1,048

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).





We recommend to calculate these measurements prior to making any final selection.

ILLUSION - NEO-ANGLE SLIDING DOOR 42 X 42 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137660-900-084	Central	Chrome	3.75 ft ³	80 lb	\$ 750
Radius: 27 1/4 in. Panel: Standard Height: 70 in. Access: N/A Door Opening: Central Adjustment: 1 in.					

Neo-angle base 42 (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Neo-round base 32

Base: 32 X 32 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105046-000-XXX	Neo-round base 32, 5 in.	32 1/8 X 32 1/8 X 5	6 ft ³	30 lb	\$ 444	\$ 564
101426-000-XXX	Neo-round base 32, 3 in.	32 1/8 X 32 1/8 X 3	6 ft ³	32 lb	\$ 444	\$ 564
105063-000-XXX	Wall set (2 walls) ¹	32 X 72 X 1 1/2	17 ft ³	57 lb	\$ 724	\$ 964

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 32 X 32 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137200-900-084	Central	Chrome	6.5 ft ³	85 lb	\$ 836
137200-900-105	Central	Nickel	6.5 ft ³	85 lb	\$ 904
137200-981-084	Central	Chrome	6.5 ft ³	85 lb	\$ 848
137200-981-105	Central	Nickel	6.5 ft ³	85 lb	\$ 920

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 19 in.
Door Opening: Central
Adjustment: 1 in.

Neo-round base 32 (cont'd)

CONTOURA - NEO-ROUND SLIDING DOOR 32 X 32 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137523-900-001	Central	White	3.75 ft ³	70.50 lb	\$ 782
137523-900-084	Central	Chrome	3.75 ft ³	70.50 lb	\$ 782
137523-900-105	Central	Nickel	3.75 ft ³	70.50 lb	\$ 848
137523-970-001	Central	White	3.75 ft ³	70.50 lb	\$ 782
137523-970-084	Central	Chrome	3.75 ft ³	70.50 lb	\$ 782
137523-970-105	Central	Nickel	3.75 ft ³	70.50 lb	\$ 848

Radius: N/A
 Panel: minimum: 13 1/2 in. maximum: 14 1/2 in.
 Standard Height: 70 in.
 Access: 20 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
 The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
 We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 32 X 32 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137200-900-084	Central	Chrome	6.5 ft ³	85 lb	\$ 836
137200-900-105	Central	Nickel	6.5 ft ³	85 lb	\$ 904
137200-981-084	Central	Chrome	6.5 ft ³	85 lb	\$ 848
137200-981-105	Central	Nickel	6.5 ft ³	85 lb	\$ 920

Radius: N/A
 Panel: Standard Height: 70 in.
 Access: 19 in.
 Door Opening: Central
 Adjustment: 1 in.


CONTOURA - NEO-ROUND SLIDING DOOR 32 X 32 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137523-900-001	Central	White	3.75 ft ³	70.50 lb	\$ 782
137523-900-084	Central	Chrome	3.75 ft ³	70.50 lb	\$ 782
137523-900-105	Central	Nickel	3.75 ft ³	70.50 lb	\$ 848
137523-970-001	Central	White	3.75 ft ³	70.50 lb	\$ 782
137523-970-084	Central	Chrome	3.75 ft ³	70.50 lb	\$ 782
137523-970-105	Central	Nickel	3.75 ft ³	70.50 lb	\$ 848

Radius: N/A
 Panel: minimum: 13 1/2 in. maximum: 14 1/2 in.
 Standard Height: 70 in.
 Access: 20 1/4 in.
 Door Opening: Central
 Adjustment: 1 in.

Neo-round base 32 (cont'd)



Important
Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

FOOTNOTES - BEFORE ORDERING, PLEASE SPECIFY:

1. Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details.

Neo-round base 36

Base: 36 X 36 x 5 or 3 - Acrylic

IES

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation



CORNER SHOWER BASES

WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105047-000-XXX	Neo-round base 36, 5 in.	36 1/8 X 36 1/8 X 5	8.93 ft ³	36 lb	\$ 459	\$ 579
101427-000-XXX	Neo-round base 36, 3 in.	36 1/8 X 36 1/8 X 3	8.93 ft ³	38 lb	\$ 459	\$ 579
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft ³	64 lb	\$ 752	\$ 992

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137210-900-084	Central	Chrome	6.5 ft ³	97 lb	\$ 881
137210-900-105	Central	Nickel	6.5 ft ³	97 lb	\$ 954
137210-981-084	Central	Chrome	6.5 ft ³	97 lb	\$ 893
137210-981-105	Central	Nickel	6.5 ft ³	97 lb	\$ 965

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 22 in.
Door Opening: Central
Adjustment: 1 in.

Neo-round base 36 (cont'd)

TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137593-900-084	Central	Chrome	7 ft ³	114.64 lb	\$ 946
137593-900-105	Central	Nickel	7 ft ³	114.64 lb	\$ 946
137593-986-084	Central	Chrome	7 ft ³	114.64 lb	\$ 999
137593-986-105	Central	Nickel	7 ft ³	114.64 lb	\$ 999
Radius: N/A Panel: Standard Height: 70 in. Access: 18 in. Door Opening: Central Adjustment: 1 in.					

CONTOURA - NEO-ROUND SLIDING DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137524-900-001	Central	White	4.05 ft ³	75.50 lb	\$ 827
137524-900-084	Central	Chrome	4.05 ft ³	75.50 lb	\$ 827
137524-900-105	Central	Nickel	4.05 ft ³	75.50 lb	\$ 891
137524-970-001	Central	White	4.05 ft ³	75.50 lb	\$ 827
137524-970-084	Central	Chrome	4.05 ft ³	75.50 lb	\$ 827
137524-970-105	Central	Nickel	4.05 ft ³	75.50 lb	\$ 891
Radius: N/A Panel: minimum: 12 5/8 in. maximum: 13 5/8 in. Standard Height: 70 in. Access: 23 7/8 in. Door Opening: Central Adjustment: 1 in.					

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137210-900-084	Central	Chrome	6.5 ft ³	97 lb	\$ 881
137210-900-105	Central	Nickel	6.5 ft ³	97 lb	\$ 954
137210-981-084	Central	Chrome	6.5 ft ³	97 lb	\$ 893
137210-981-105	Central	Nickel	6.5 ft ³	97 lb	\$ 965
Radius: N/A Panel: Standard Height: 70 in. Access: 22 in. Door Opening: Central Adjustment: 1 in.					

TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137593-900-084	Central	Chrome	7 ft ³	114.64 lb	\$ 946
137593-900-105	Central	Nickel	7 ft ³	114.64 lb	\$ 946
137593-986-084	Central	Chrome	7 ft ³	114.64 lb	\$ 999
137593-986-105	Central	Nickel	7 ft ³	114.64 lb	\$ 999
Radius: N/A Panel: Standard Height: 70 in. Access: 18 in. Door Opening: Central Adjustment: 1 in.					

Neo-round base 36 (cont'd)




CONTOURA - NEO-ROUND SLIDING DOOR 36 X 36 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137524-900-001	Central	White	4.05 ft ³	75.50 lb	\$ 827
137524-900-084	Central	Chrome	4.05 ft ³	75.50 lb	\$ 827
137524-900-105	Central	Nickel	4.05 ft ³	75.50 lb	\$ 891
137524-970-001	Central	White	4.05 ft ³	75.50 lb	\$ 827
137524-970-084	Central	Chrome	4.05 ft ³	75.50 lb	\$ 827
137524-970-105	Central	Nickel	4.05 ft ³	75.50 lb	\$ 891

Radius: N/A
 Panel: minimum: 12 5/8 in. maximum: 13 5/8 in.
 Standard Height: 70 in.
 Access: 23 7/8 in.
 Door Opening: Central
 Adjustment: 1 in.


Neo-round base 36 (cont'd)



Wall A

Wall B

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.



Wall A

Neo-round base 40

Base: 40 X 40 x 5 or 3 - Acrylic

IES

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation



CORNER SHOWER BASES

WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105048-000-XXX	Neo-round base 40, 5 in.	40 1/8 X 40 1/8 X 5	8.93 ft ³	38 lb	\$ 497	\$ 617
101428-000-XXX	Neo-round base 40, 3 in.	40 1/8 X 40 1/8 X 3	8.93 ft ³	40 lb	\$ 497	\$ 617
105066-000-XXX	Wall set (2 walls)	40 X 72 X 1 1/2	20 ft ³	71 lb	\$ 780	\$ 1,020

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137220-900-084	Central	Chrome	6.5 ft ³	107 lb	\$ 920
137220-900-105	Central	Nickel	6.5 ft ³	107 lb	\$ 987
137220-981-084	Central	Chrome	6.5 ft ³	107 lb	\$ 931
137220-981-105	Central	Nickel	6.5 ft ³	107 lb	\$ 999

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 24 in.
Door Opening: Central
Adjustment: 1 in.

Neo-round base 40 (cont'd)

TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137594-900-084	Central	Chrome	7 ft ³	123.46 lb	\$ 1,051
137594-900-105	Central	Nickel	7 ft ³	123.46 lb	\$ 1,051
137594-986-084	Central	Chrome	7 ft ³	123.46 lb	\$ 1,104
137594-986-105	Central	Nickel	7 ft ³	123.46 lb	\$ 1,104
Radius: N/A Panel: Standard Height: 70 in. Access: 19 in. Door Opening: Central Adjustment: 1 in.					

CONTOURA - NEO-ROUND SLIDING DOOR 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137540-900-001	Central	White	4.06 ft ³	83.95 lb	\$ 860
137540-900-084	Central	Chrome	4.06 ft ³	83.95 lb	\$ 860
137540-900-105	Central	Nickel	4.06 ft ³	83.95 lb	\$ 924
137540-970-001	Central	White	4.06 ft ³	83.95 lb	\$ 860
137540-970-084	Central	Chrome	4.06 ft ³	83.95 lb	\$ 860
137540-970-105	Central	Nickel	4.06 ft ³	83.95 lb	\$ 924
Radius: N/A Panel: minimum: 16 1/2 in. maximum: 17 1/2 in. Standard Height: 70 in. Access: 27 7/8 in. Door Opening: Central Adjustment: 1 in.					

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

INTUITION - NEO-ROUND FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137220-900-084	Central	Chrome	6.5 ft ³	107 lb	\$ 920
137220-900-105	Central	Nickel	6.5 ft ³	107 lb	\$ 987
137220-981-084	Central	Chrome	6.5 ft ³	107 lb	\$ 931
137220-981-105	Central	Nickel	6.5 ft ³	107 lb	\$ 999
Radius: N/A Panel: Standard Height: 70 in. Access: 24 in. Door Opening: Central Adjustment: 1 in.					

TALEN - NEO-ROUND FRAMELESS SLIDING DOOR 40 X 40 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137594-900-084	Central	Chrome	7 ft ³	123.46 lb	\$ 1,051
137594-900-105	Central	Nickel	7 ft ³	123.46 lb	\$ 1,051
137594-986-084	Central	Chrome	7 ft ³	123.46 lb	\$ 1,104
137594-986-105	Central	Nickel	7 ft ³	123.46 lb	\$ 1,104
Radius: N/A Panel: Standard Height: 70 in. Access: 19 in. Door Opening: Central Adjustment: 1 in.					

Neo-round base 40 (cont'd)

CONTOURA - NEO-ROUND SLIDING DOOR 40 X 40 IN.



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137540-900-001	Central	White	4.06 ft ³	83.95 lb	\$ 860
137540-900-084	Central	Chrome	4.06 ft ³	83.95 lb	\$ 860
137540-900-105	Central	Nickel	4.06 ft ³	83.95 lb	\$ 924
137540-970-001	Central	White	4.06 ft ³	83.95 lb	\$ 860
137540-970-084	Central	Chrome	4.06 ft ³	83.95 lb	\$ 860
137540-970-105	Central	Nickel	4.06 ft ³	83.95 lb	\$ 924


Radius: N/A
 Panel: minimum: 16 1/2 in. maximum: 17 1/2 in.
 Standard Height: 70 in.
 Access: 27 7/8 in.
 Door Opening: Central
 Adjustment: 1 in.

WHAT'S THE "IES" SYSTEM?

Developed with the help of massage therapists, the **MAAX IES (Integrated Energizing System)** is designed to deliver a truly energizing showering experience. All of its plumbing components, including the body jets, come factory-installed, ensuring optimum configuration and operation with ease of installation.



Neo-round base 40 (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Rectangular base 6036 (double threshold, right or left drain)

Base: 60 x 36 x 3


- Available in low 3 inch height
- Ideal for the creation of a shower with ceramic walls
- Textured bottom for safe movement inside the shower
- Corner installation



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105594-R-000-XXX	Rectangular 6036 (double threshold) 3 in. Right drain	59 3/4 X 36 X 3	N/A	58 lb	\$ 757	\$ 877
105594-L-000-XXX	Rectangular 6036 (double threshold) 3 in. Left drain	59 3/4 X 36 X 3	N/A	58 lb	\$ 757	\$ 877

Rectangular base 6036 (double threshold, right or left drain) (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Round base 36

Base: 36 X 36 x 5 or 3 - Acrylic

IES 1/2

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation



CORNER SHOWER BASES

WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105049-000-XXX	Round base 36, 5 in.	36 1/8 X 36 1/8 X 5	8.93 ft ³	36 lb	\$ 595	\$ 715
101429-000-XXX	Round base 36, 3 in.	36 1/8 X 36 1/8 X 3	8.93 ft ³	38 lb	\$ 595	\$ 715
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft ³	64 lb	\$ 752	\$ 992

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

TULLY - ROUND SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137595-900-084	Lateral	Chrome	11.63 ft ³	121.25 lb	\$ 946
137595-900-105	Lateral	Nickel	11.63 ft ³	121.25 lb	\$ 1,009

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 20 1/4 in.
Door Opening: Lateral
Adjustment: 1 in.

TULLY - ROUND SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137596-900-084	Central	Chrome	11.63 ft ³	121.25 lb	\$ 1,051
137596-900-105	Central	Nickel	11.63 ft ³	121.25 lb	\$ 1,114


Radius: N/A
Panel:
Standard Height: 70 in.
Access: 20 1/2 in.
Door Opening: Central
Adjustment: 1 in.

Round base 36 (cont'd)


RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
We recommend to calculate these measurements prior to making any final selection.






TULLY - ROUND SLIDING DOOR 36 X 36 IN., 6 MM

	No	Door Opening	Finish	Pkg	Approx. weight	List Price
	137595-900-084	Lateral	Chrome	11.63 ft³	121.25 lb	\$ 946
	137595-900-105	Lateral	Nickel	11.63 ft³	121.25 lb	\$ 1,009
	Radius: N/A Panel: Standard Height: 70 in. Access: 20 1/4 in. Door Opening: Lateral Adjustment: 1 in.					

TULLY - ROUND SLIDING DOOR 36 X 36 IN., 6 MM

	No	Door Opening	Finish	Pkg	Approx. weight	List Price
	137596-900-084	Central	Chrome	11.63 ft³	121.25 lb	\$ 1,051
	137596-900-105	Central	Nickel	11.63 ft³	121.25 lb	\$ 1,114
	Radius: N/A Panel: Standard Height: 70 in. Access: 20 1/2 in. Door Opening: Central Adjustment: 1 in.					

Round base 36 (cont'd)



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Square base 32 (double threshold)

Base: 32 X 32 x 5 or 3 - Acrylic

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation

IES



WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105053-000-XXX	Square base 32 (double threshold) 5 in.	32 1/8 X 32 1/8 X 5	6 ft ³	30 lb	\$ 444	\$ 564
101431-000-XXX	Square base 32 (double threshold), 3 in.	32 1/8 X 32 1/8 X 3	6 ft ³	32 lb	\$ 444	\$ 564
105063-000-XXX	Wall set (2 walls) ¹	32 X 72 X 1 1/2	17 ft ³	57 lb	\$ 724	\$ 964

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose - Water tester *Please specify MAAX IES positioning (right or left)	Chrome	\$ 1,746
OPT 10079-105		Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

CENTRIC - SQUARE FRAMELESS SLIDING DOOR 32 X 32 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137561-900-084	Central	Chrome	5.44 ft ³	88 lb	\$ 782
137561-900-105	Central	Nickel	5.44 ft ³	88 lb	\$ 782
137561-986-084	Central	Chrome	5.44 ft ³	88 lb	\$ 805
137561-986-105	Central	Nickel	5.44 ft ³	88 lb	\$ 805
Radius: N/A Panel: Standard Height: 70 in. Access: 14 in. Door Opening: Central Adjustment: 1 in.					

Square base 32 (double threshold) (cont'd)

RECOMMENDED DOORS (FOR TILE WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.
The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
We recommend to calculate these measurements prior to making any final selection.

CENTRIC - SQUARE FRAMELESS SLIDING DOOR 32 X 32 IN., 6 MM




No	Door Opening	Finish	Pkg	Approx. weight	List Price
137561-900-084	Central	Chrome	5.44 ft³	88 lb	\$ 782
137561-900-105	Central	Nickel	5.44 ft³	88 lb	\$ 782
137561-986-084	Central	Chrome	5.44 ft³	88 lb	\$ 805
137561-986-105	Central	Nickel	5.44 ft³	88 lb	\$ 805
Radius: N/A Panel: Standard Height: 70 in. Access: 14 in. Door Opening: Central Adjustment: 1 in.					

WHAT'S THE "IES" SYSTEM?

Developed with the help of massage therapists, the **MAAX IES (Integrated Energizing System)** is designed to deliver a truly energizing showering experience. All of its plumbing components, including the body jets, come factory-installed, ensuring optimum configuration and operation with ease of installation.



Square base 32 (double threshold) (cont'd)



Important
Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

FOOTNOTES - BEFORE ORDERING, PLEASE SPECIFY:

1. Center your plumbing in the highlighted area. Exact plumbing position may vary upon model specifications, please refer to the supplier's instructions for more details.

Square base 36 (double threshold)

Base: 36 X 36 x 5 or 3 - Acrylic

IES

- Available in 5 and low 3 inch height; center drain; textured bottom
- Walls with convenient foot rest, designed to be easier to clean
- Easy front installation of the walls with snap clips
- Deflecting strip preventing water penetration behind the shower
- Corner installation



CORNER SHOWER BASES

WALLS & BASES MODEL

No	Model	Dimensions	Pkg	Approx. weight	Std Color(s)	Non-std Colors
105054-000-XXX	Square base 36 (double threshold) 5 in.	36 1/8 X 36 1/8 X 5	8.93 ft ³	40 lb	\$ 497	\$ 617
101432-000-XXX	Square base 36 (double threshold) 3 in.	36 1/8 X 36 1/8 X 3	8.93 ft ³	42 lb	\$ 497	\$ 617
105064-000-XXX	Wall set (2 walls)	36 X 72 X 1 1/2	17 ft ³	64 lb	\$ 752	\$ 992

MAAX IES SYSTEM

No	Model	Finish	List Price
OPT 10079-084	MAAX IES 1/2 (factory installed) - 1/2 in. thermostatic valve with 3-function diverter - 6 adjustable body jets (2 soft massage and 4 pulsating jets) - Rail bar kit including 3-function hand shower with 69-in. hose	Chrome	\$ 1,746
OPT 10079-105	- Water tester *Please specify MAAX IES positioning (right or left)	Brushed Nickel	\$ 2,912

RECOMMENDED DOORS (FOR ACRYLIC WALLS):

Please note the door opening dimensions will differ for ceramic or acrylic walls.

The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).

We recommend to calculate these measurements prior to making any final selection.

CENTRIC - SQUARE FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137562-900-084	Central	Chrome	5.44 ft ³	99 lb	\$ 805
137562-900-105	Central	Nickel	5.44 ft ³	99 lb	\$ 805
137562-986-084	Central	Chrome	5.44 ft ³	99 lb	\$ 827
137562-986-105	Central	Nickel	5.44 ft ³	99 lb	\$ 827

Radius: N/A
Panel:
Standard Height: 70 in.
Access: 16 1/2 in.
Door Opening: Central
Adjustment: 1 in.

Square base 36 (double threshold) (cont'd)

RECOMMENDED DOORS (FOR TILE WALLS):


Please note the door opening dimensions will differ for ceramic or acrylic walls.
The door opening dimensions should be calculated as following: stud to stud measurements minus the thickness of each wall (1 1/2 in. per acrylic wall or a minimum of 3/4 in. per ceramic wall).
We recommend to calculate these measurements prior to making any final selection.

CENTRIC - SQUARE FRAMELESS SLIDING DOOR 36 X 36 IN., 6 MM



No	Door Opening	Finish	Pkg	Approx. weight	List Price
137562-900-084	Central	Chrome	5.44 ft³	99 lb	\$ 805
137562-900-105	Central	Nickel	5.44 ft³	99 lb	\$ 805
137562-986-084	Central	Chrome	5.44 ft³	99 lb	\$ 827
137562-986-105	Central	Nickel	5.44 ft³	99 lb	\$ 827
Radius: N/A Panel: Standard Height: 70 in. Access: 16 1/2 in. Door Opening: Central Adjustment: 1 in.					









CORNER SHOWER BASES














Color Chart

ACRYLIC FINISHES

STANDARD COLORS (AVAILABLE FOR ALL PRODUCTS)

AMERICAN STANDARD	KOHLER	ELJER
 White (001)	 White (001)	 White (001)
 Bone (Natural) (004)	 Biscuit (007)	 Bone (Natural) (004)
 Biscuit (Linen) (007)		 Biscuit (Silk) (007)

NON-STANDARD COLORS (AVAILABLE FOR BASE)

AMERICAN STANDARD	KOHLER	ELJER	CRANE
 Sterling Silver (Gray) (005)	 Almond (013)	 Platinum Gray (009)	 Platinum Gray (009)
 Black (015)	 Black (015)	 Black (015)	
 Fawn Beige (054)	 Ice Gray (016)		
	 Innocent Blush (066)		
	 Sandbar (143)		

IMPORTANT: No returns or order cancellations will be accepted for non-standard units and colors other than White.

Terms, Conditions and Warranties

Price

Orders are accepted subject to prices in effect at the time of shipment of this price list and prices are subject to change without notice. The published pricing schedule shows suggested list prices and is subject to a trade discount as determined by MAAX Bath Inc. (hereafter "MAAX"). Orders will be invoiced at the price in effect at the time the orders are placed. Selling prices may be readjusted without notice during the year, for instance if transportation costs increase due to fuel surcharges.

Conditions of acceptance

The acceptance, shipment or delivery of any order is conditional upon approval of MAAX's credit department and upon these sales terms and conditions applying to the order and not any others, unless specifically agreed to in writing by MAAX. MAAX reserves the right to require satisfactory security for performance of the purchaser obligations prior to making shipment on any order. Any sold merchandise remains the property of MAAX until full payment is received, in accordance with applicable laws, such as the Uniform Commercial Code — Sales in the United States.

Terms of payment

General payment terms are net 30 days. A rate of 2% monthly (26.82% per annum, compounded monthly) will apply on overdue accounts. No goods will be delivered to customers not complying with our sales and payment conditions.

Taxes

All prices published are exclusive of applicable taxes.

Lost merchandise

If, upon receipt, the recipient notices that certain products are missing, he must immediately notify our customer service department. The recipient must then indicate which products are missing on the delivery slip and countersign it. The enclosed bill of lading allows you to verify shipped and received merchandise.

Shipping damage

Damage occurring in transit is the responsibility of the carrier. MAAX will not be held responsible for shipping damage. The product should be carefully examined by the user or installer at time of receipt to ensure it is damage free. If any damage is discovered, it should be noted on the freight bill, and a claim should be filed against the carrier as soon as possible. Inspection of the unit prior to installation is the responsibility of the installer or building contractor who acts on behalf of the user, or the user himself. They are responsible for ensuring that the unit is free of defect or damage. In the event of a problem, the unit must not be installed. MAAX is not responsible for failures, costs, damages or claims that could have been discovered, repaired or avoided by proper inspection and testing prior to installation.

Return Policy

MAAX provides a selective and conditional merchandise return program. Product may be returned to MAAX under the following conditions:

- Product is in original, new condition – not previously installed or used as display;
- Product has been in the customer's possession for less than 6 months;
- Product is still available in the most current price list (not discontinued) or has not been announced for discontinuation;
- Product is in a standard colour or finish, as indicated in the most current price list;
- Any stock product may be returned. To know if a product is a stock unit, please contact the customer care department; and
- Product was received in error, does not represent what the customer ordered or has a manufacturing defect.

Products are not eligible for return to MAAX under the following conditions:

- Product has been previously installed, drilled, permanently marked, spray painted, or in any other way altered from its original condition; Product is "weathered"; degraded due to storage outside or exposure to the elements resulting in discolouration;
- Product is defective due to negligent storage; or
- Product is equipped with any accessories or options.

Prior to returning merchandise a MAAX customer must complete and submit the RGA Request Form supplying general and specific information about the unit(s) for return. MAAX must then authorize and approve the return in writing by issuing an RGA number.

All products are subject to inspection prior to credit reimbursement, and MAAX reserves its right to reduce such reimbursement as follows:

- MAAX will apply a 25% restocking fee against the reimbursement credit for all returns for any reason other than manufacturing defect or MAAX error.
- A repair cost will be applied against the credit reimbursement for any repair required to bring a product back to 100% resalable condition. In these circumstances the customer will be notified.
- Any unit returned via common carrier must have the freight prepaid by the customer.
- For any product returned that does not qualify for return as specified above or does not match the RGA form, MAAX will charge a \$25 per unit handling fee. MAAX will notify customers in such instances and the customer will be requested to either take the unit back with freight prepaid and charged or notify MAAX in writing of their desire that it be scrapped.

Door Return policy

MAAX provides a selective and conditional merchandise return program. Product may be returned to MAAX under the following conditions:

- Product is in original, new condition – not previously installed or used as display;
- Product has been in the customer's possession for less than 12 months;
- Product is still available in the most current price list (not discontinued) or has not been announced for discontinuation;

- Product is in a standard colour or finish, as indicated in the most current price list;
- Any stock product may be returned. To know if a product is a stock unit, please contact the customer care department; and
- Product was received in error does not represent what the customer ordered or has a manufacturing defect.

Products are not eligible for return to MAAX under the following conditions:

- Product has been previously installed, drilled, permanently marked, spray painted, or in any other way altered from its original condition;
- Product is "weathered"; degraded due to storage outside or exposure to the elements resulting in discolouration;
- Product is defective due to negligent storage; or
- Product is equipped with any accessories or options.

Prior to returning merchandise a MAAX customer must complete and submit the RGA Request Form supplying general and specific information about the unit(s) for return. MAAX must then authorize and approve the return in writing by issuing an RGA number. All products are subject to inspection prior to credit reimbursement and MAAX reserves the right to reduce such reimbursement as follows:

- MAAX will apply a 25% restocking fee against the reimbursement credit for all returns for any reason other than manufacturing defect or MAAX error.
- A repair cost will be applied against the credit reimbursement for any repair required to bring a product back to 100% resalable condition. In these circumstances the customer will be notified.
- Any unit returned via common carrier must have the freight prepaid by the customer to the closest participating plant. Contact customer service to locate closest participating plant.

Cancellation

Orders must be cancelled with in 24 hours of receipt of MAAX's confirmation. All cancellation requests must be made by fax and be confirmed by MAAX.

Design and dimensions

MAAX reserves the right to discontinue products at any time or change specifications and/or design without notice and without incurring obligation. All dimensions are approximate and subject to change without notice. **CLIENT SHALL INFORM OWNER/END-USER ABOUT THE FOLLOWING CONDITIONS AND WARRANTIES**

Colour variations

MAAX shall not be responsible for variations in granite colour, wood grain, or colour shades in the natural wood used; or for slight differences in colour or texture of the material delivered in relation to the sample shown or provided to the purchaser. The purchaser may not use such differences to obtain a price discount or to cancel the order.

Maintenance

Regular disinfection provides an effective defense against various types of bacteria that can develop in the deposits building up over time in all bathtubs and showers. For daily maintenance cleaning, use a moist cloth and gentle liquid detergent. For acrylic surfaces, occasional use of a special acrylic surface cleaner such as Lumashine or Lumacream will add luster and protect the finish.

Certain types of therapeutic products when added to bath water, or if applied non-diluted directly in the bath, may damage the unit finish. Test the product on a small inconspicuous surface prior to use.

Do not use abrasive cleaners, scrapers, metal brushes, or any items or products that could scratch or dull the surface. Mirror should be cleaned with non-ammonia based cleaner only.

Limited warranty

MAAX offers the following express limited warranties on its products. These warranties extend only to the original owner/end-user for personal household use and start from the manufacturing date of the unit. For commercial uses, additional limitations apply.

MAAX warrants **acrylic units** to be free from defects in workmanship and materials under normal use and service for a period of twenty five (25) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **fibreglass units** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **ABS** to be free from defects in workmanship and materials under normal use and service for a period of three (3) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **polystyrene** shower kits, tub wall kits, utility tubs and accessories to be free from defects in workmanship and materials under normal use and service for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **whirlpool motors/pumps** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **blowers** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

Terms, Conditions and Warranties (cont'd)

MAAX warrants **whirlpool and air systems** (except perimeter air system check valves that have a 25 years warranty – see below) to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **perimeter air system check valves** to be free from defects in workmanship and materials under normal use and service for a period of twenty five (25) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **shower doors** to be free from defects in workmanship and materials under normal use and service for a period of ten (10) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **grab bars** to be free of all material or workmanship defects under normal use and service for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **ceramic cartridges** for faucets against any leaks resulting from normal use by the owner/end-user, contractor or builder for a limited lifetime period.

MAAX warrants **thermostatic polysulfone cartridges** to be free from defects in workmanship and materials under normal use and service for a lifetime warranty from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **shower massage systems** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **steam systems** its to be free from defects in workmanship and materials under normal use and service for a period of five (5) years, **steam nozzles and steam generator electronic control** for two (2) years, from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **Chrome, Polished Brass and Brushed Nickel, faucet finishes** to be free from defects in workmanship and materials under normal use and service by the owner/end-user, contractor or builder for lifetime warranty from the initial date of purchase.

MAAX warrants **medicine cabinets** to be free from defects in workmanship and materials under normal use and service for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **storage modules** and vanities to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **glass mirrors** to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants **electrical components**, including chromotherapy systems, to be free from defects in workmanship and materials under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

MAAX warrants the **factory treated wood parts** to be free of all material or workmanship defects under normal use and service for a period of two (2) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

Any product reported to the authorized dealer or to MAAX as being defective within the warranty period will be repaired or replaced (with a product of equal value) at the option of MAAX. Costs for freight associated with shipping of replacement product/parts might be charged to customer. In no event will MAAX be liable for the cost of repair or replacement of any installation materials, including but not limited to, tiles, marble, etc. This warranty extends to the original owner/end-user and is not transferable to a subsequent owner.

Neither the distributor, authorized MAAX dealer nor any other person has been authorized to make any affirmation, representation or warranty other than those contained in this warranty; any affirmation, representation or warranty other than those contained in this warranty shall not be enforceable against MAAX or any other person.

MAAX reserves the right to modify this warranty at any time, it being understood that such modification will not alter the warranty conditions applicable at the time of the sale of the products in question.

Limitations

This warranty shall not apply following incorrect operating procedures, breakage or damages caused by normal wear and tear, fault, carelessness, abuse, misuse, misapplication, improper maintenance, alteration or modification of the unit, as well as chemical or natural corrosion, accident, fire, flood, act of God or any other casualty. This warranty shall not apply to stain or malfunction caused by ferrous water, hard water or salty water.

The owner/end-user of the product covered by this warranty is entirely responsible for its proper installation and electrical wiring. This warranty is void if unit is not tested prior to final enclosure as per the installation instructions. MAAX neither installs nor supervises the installation, nor hires a contractor for this purpose, and consequently cannot be held responsible for any defect, breakage or damage caused thereby or resulting thereof, either directly or indirectly. The owner/end-user must provide access to the components of the product as described in the installation guide, so that MAAX can execute the warranty specified herein.

If such access is not available, all expenses to provide said access will be the responsibility of the owner/end-user.

This warranty does not apply to products or equipment not installed or operated in accordance with instructions supplied by MAAX and all applicable rules, regulations and legislation pertaining to such installations.

MAAX strongly recommends that its products—for example, but without limitation, shower doors and other items—be installed by professionals with experience in bathroom products. Installation of shower doors by an inexperienced person may result in glass breakage and, consequently, cause personal injury or death.

MAAX is not liable for any costs, damages or claims resulting from the purchase of products that do not fit through openings or existing structures. MAAX is not liable for any costs, damages or claims resulting from defects that could have been discovered, repaired or avoided by inspection and testing prior to installation.

MAAX is not liable for personal injuries or death to any person or for any direct, special, incidental or consequential damage, loss of use, loss of time, loss of profits, inconvenience, incidental expenses, labour or material charges, or any other costs resulting from the use of its products or pertaining to the application of the present warranty, or resulting from the removal or replacement of any product or element or part covered by this warranty.

EXCEPT AS OTHERWISE PROVIDED ABOVE, MAAX MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE OR COMPLIANCE WITH ANY CODE.

In any case, MAAX cannot be liable for any amount over and above the purchase price paid for the product by the owner/end-user, contractor or builder.

All options that are not sold separately as accessories must be factory installed. Otherwise, warranty does not apply.

This warranty gives the owner/end-user specific legal rights. The owner/end-user may also have other rights which vary from one state and/or province to another.

Commercial Limitations

In addition to the above conditions and limitations, the warranty period for products installed for commercial applications or used in commercial ventures is of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer. If the product is sold by MAAX as a display, MAAX standard warranty applies.

Warranty Service

In order to obtain service provided under this warranty during regular business hours, contact the dealer or distributor who sold the unit, or MAAX directly. MAAX will provide the warranty service described above when the following conditions have been met:

- (1) the failure is of the nature or type covered by the warranty;
- (2) the user has informed an authorized MAAX Agent or Warranty Service Department representative, of the nature of the problem during the warranty period;
- (3) conclusive evidence (e.g., serial number or proof of purchase) is provided to the foregoing by the user proving that the failure occurred or was discovered within the warranty period; and
- (4) an authorized independent service person or company representative has been permitted to inspect the product during regular business hours within a reasonable time after the problem was reported by the user.

MAAX's warranty obligation shall be discharged upon tender of replacement or repair. The purchaser refusal to accept the tender terminates MAAX's warranty obligation. Any product replaced or repaired during the warranty period will be covered during the remaining period of the original warranty.

MAAX products are certified by one or more of the following certification agencies: UL, IAPMO, INTERTEK (ETL) and WARNOCK HERSEY. Certain models are pending certification approval. Certification may be ended by MAAX or certification agencies without notice.



The symbol ® / R indicates a registered trademark of MAAX Bath Inc. or an affiliated company. The symbol TM indicates a trademark of MAAX Bath Inc. or an affiliated company.

© MAAX Bath Inc., 2011

TECHNICAL SERVICES

DATE: _____

STORE: _____

CITY: _____

CONTACT: _____

TEL.: _____

FAX: _____

CUSTOMER

Name: _____

Other: _____

Address: _____

Contact: _____

City: _____

Address: _____

Postal Code: _____

Tel. Home: _____

Tel.: _____

Tel. Office: _____

Cell.: _____

Model Name: _____

Problem: _____

Model #: _____

Color: _____

Side: _____

Plumber/Contractor/Electrician: _____

Is Unit Installed Y _____ N _____

Contact: _____

Tel.: _____

Cell: _____

Fax: _____

Original PO Number: _____

Serial Number on Unit:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(Mandatory for store) Serial # consists of 13 digits (numerical) only

Date of Purchase: _____

Please fax proof of purchase. Thank you.

Remarks: _____

TECHNICAL SERVICE
Bathtubs, tub showers and showers
TEL.: 1-888-957-7816
FAX: 1-800-201-8308

TECHNICAL SERVICE
Doors and medicine cabinets
TEL.: 1-877-361-2044
FAX: 1-888-361-2045

RGA/DA REQUEST FORM

DATE :	MAAX REPRESENTATIVE :
--------	-----------------------

MAAX maintains the privilege of inspecting all units before making a final decision on returning product. This is to be carried out by a MAAX representative of our choice. Any unit found to be repairable will be so at the discretion of the MAAX representative.

CUSTOMER INFORMATION	
CONTACT	BUSINESS NAME
PHONE	PICK UP ADDRESS (LOCATION)
FAX	

Prior to shipping, the damage/defect must be indicated on the unit in grease pencil. If the product arrives in our distribution centre with damage other than that indicated in grease pencil, it will be repaired or returned and the cost charged back to the returning customer.

PRODUCT INFORMATION

All fields in this section are REQUIRED. This section must be filled out in full before an RGA or credit can be issued.

QTY	MODEL	ORIGINAL PO NUMBER	SERIAL NUMBER (where available)
DESCRIPTION / REASON FOR RETURN / DESCRIPTION OF DEFECT, IF APPLICABLE			Invoice
DESCRIPTION / REASON FOR RETURN / DESCRIPTION OF DEFECT, IF APPLICABLE			Invoice
DESCRIPTION / REASON FOR RETURN / DESCRIPTION OF DEFECT, IF APPLICABLE			Invoice

TERMS AND CONDITIONS

RETURN UNIT - IN 100% RESELLABLE CONDITION - Doors, cabinets, and kits must be in the original **sealed** package
Returns or destructions of multiple units will be subject to additional levels of MAAX approval

RETURN UNIT – MANUFACTURING DEFECT – Plant manager must be advised of 3 or more units returned for the same reason

DESTROY ON SITE All destructions must be performed by a MAAX representative or authorized alternative

DEBIT NOTE (if applicable) _____

- All products being returned for any reason other than manufacturing defects will be subject to a 25% restocking fee. This fee does not include transportation.
- All returned merchandise will be considered the property of the customer until an evaluation concerning the condition and potential fitness of the merchandise can be completed, and the account notified regarding the results.
- All products are subject to inspection prior to credit reimbursement
- A repair cost will be applied against the credit reimbursement for any repair required to bring a product back to 100% resalable condition. In these circumstances the customer will be notified.

Client Signature	Date	MAAX Rep. Initials
------------------	------	-----------------------

Please sign above acknowledging that all of the information given is correct and that all the terms/conditions have been read, are understood and accepted by the client.

This authorization is valid for 45 days from the date at the top of the form. A confirmation of receipt of this request with a MAAX authorization number will be sent to you within 1 business day.

Please include a copy of the confirmation in the packing slip envelope of the returned article to identify the product at the MAAX warehouse upon arrival.

Numeric Index

WALLS & BASES

MODEL NUMBER	LIST PRICE	PAGE
105042-000-XXX	\$ 459	80
101422-000-XXX	\$ 459	80
105064-000-XXX	\$ 752	80
105043-000-XXX	\$ 471	84
101423-000-XXX	\$ 471	84
105065-000-XXX	\$ 769	84
105044-000-XXX	\$ 497	88
101424-000-XXX	\$ 497	88
105066-000-XXX	\$ 780	88
105045-000-XXX	\$ 606	92
101425-000-XXX	\$ 606	92
105067-000-XXX	\$ 808	92
105046-000-XXX	\$ 444	94
101426-000-XXX	\$ 444	94
105063-000-XXX	\$ 724	94
105047-000-XXX	\$ 459	97
101427-000-XXX	\$ 459	97
105064-000-XXX	\$ 752	97
105048-000-XXX	\$ 497	101
101428-000-XXX	\$ 497	101
105066-000-XXX	\$ 780	101
105049-000-XXX	\$ 595	107
101429-000-XXX	\$ 595	107
105064-000-XXX	\$ 752	107
105050-000-XXX	\$ 444	68
105663-000-XXX	\$ 444	68
105063-000-XXX	\$ 724	68
105068-000-XXX	\$ 446	68
105051-000-XXX	\$ 497	72
101430-000-XXX	\$ 497	72
105064-000-XXX	\$ 752	72
105069-000-XXX	\$ 473	72
105052-000-XXX	\$ 627	75
105714-000-XXX	\$ 627	75
105067-000-XXX	\$ 808	75
105070-000-XXX	\$ 529	75
105053-000-XXX	\$ 444	110
101431-000-XXX	\$ 444	110
105063-000-XXX	\$ 724	110
105054-000-XXX	\$ 497	113
101432-000-XXX	\$ 497	113
105064-000-XXX	\$ 752	113
105055-R-000-XXX	\$ 703	39
105055-L-000-XXX	\$ 703	39
105707-R-000-XXX	\$ 703	39
105707-L-000-XXX	\$ 703	39
105062-000-XXX	\$ 696	39
105072-000-XXX	\$ 696	39
105056-R-000-XXX	\$ 703	44
105056-L-000-XXX	\$ 703	44
105706-R-000-XXX	\$ 703	44
105706-L-000-XXX	\$ 703	44
105063-000-XXX	\$ 724	44
105072-000-XXX	\$ 696	44
105057-000-XXX	\$ 757	58
105664-000-XXX	\$ 757	58
105064-000-XXX	\$ 752	58
105072-000-XXX	\$ 696	58
105058-000-XXX	\$ 790	63
105716-000-XXX	\$ 790	63
105067-000-XXX	\$ 808	63
105072-000-XXX	\$ 696	63
105059-000-XXX	\$ 622	34
105717-000-XXX	\$ 622	34
105064-000-XXX	\$ 752	34
105071-000-XXX	\$ 641	34
105060-000-XXX	\$ 595	26
101433-000-XXX	\$ 595	26
105063-000-XXX	\$ 724	26

WALLS & BASES (cont'd)

MODEL NUMBER	LIST PRICE	PAGE
105071-000-XXX	\$ 641	26
105061-000-XXX	\$ 595	23
105718-000-XXX	\$ 595	23
105064-000-XXX	\$ 752	23
105070-000-XXX	\$ 529	23
105533-000-XXX	\$ 724	49
102003-000-XXX	\$ 724	49
105534-000-XXX	\$ 609	31
102002-000-XXX	\$ 609	31
105535-000-XXX	\$ 582	21
102001-000-XXX	\$ 582	21
105594-R-000-XXX	\$ 757	105
105594-L-000-XXX	\$ 757	105
105666-R-000-XXX	\$ 757	53
105666-L-000-XXX	\$ 757	53
105064-000-XXX	\$ 752	53
105072-000-XXX	\$ 752	53
105708-R-000	\$ 699	78
105708-L-000	\$ 699	78
105715-000	\$ 699	18

MAAX[®]

Enjoy the experience

For any questions or comments, please contact info@maax.com

Customer Service

Tel: 1-800-328-2531

Fax: 1-800-944-9808

Technical Services

Tel: 1-888-957-7816

Fax: 1-800-201-8308

www.maax.com