

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Martinsburg Childrens Shelter	Facility Type Food Service Establishment	
Licensee Name Children's Home Society of West Virginia	Facility Telephone # 304 263-5014	
Facility Address 301 Compassion Drive Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 05/22/2018	Total Time Spent 0.50
<i>Equipment Temperatures</i>		
Description	Temperature (Fahrenheit)	
Frigidaire	38	
LG	39	
<p>OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).</p>		
<i>Observed Critical Violations</i>		
<p>Total # 0 Repeated # 0</p>		
<i>Observed Non-Critical Violations</i>		
<p>Total # 2 Repeated # 0</p> <p>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Handle on Frigidaire freezer needs repaired (pulled off)</p> <p>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Water valve under sink needs repaired (leaking)</p>		
<i>Inspection Outcome</i>		
<i>Comments</i>		
Water 1.2 ppm chlorine		

Disclaimer

Person in Charge



Leia Rosenberger

Sanitarian



Keith Allison