

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Spring Mills High Baseball Concession	Facility Type Food Service Establishment	
Licensee Name Spring Mills High Baseball Concession	Facility Telephone # 304	
Facility Address 409 Campus Drive Martinsburg, WV	Licensee Address 409 S Queen S St Martinsburg, WV 25404	
Inspection Information		
Inspection Type Routine	Inspection Date 03/24/2017	Total Time Spent 0.62

Equipment Temperatures	
Description	Temperature (Fahrenheit)
soda cooler	44
refrigerator	36
back refrigerator	40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 0 3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING <i>This is a critical violation</i> OBSERVATION: bowl of meat/sauce(?) and bottle of ketchup(out of original bottle) not datemarked -Also hotdogs must be datemarked once opened</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS <i>This is a critical violation</i> OBSERVATION: inside both black crock pots need cleaned</p>

Observed Non-Critical Violations

Total # 10

Repeated # 0

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: probe thermometer -0 to 220 needed (have -40 to 180)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: ice machine not in working order (since opening)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: tops of all refrigerators and freezers need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: white kitchen refrigerator-gasket on freezer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: stove top drip pans need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: inside microwave needs cleaned

6-301.12 - HAND DRYING PROVISION

OBSERVATION: paper towels needed at handsink

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: mens restroom-urinals need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: area below sanitize sink and lower drawers to right of sink need cleaned inside

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: ceiling and vent over back freezer need cleaned

Inspection Outcome

Comments

Have: chlorine test strips, bleach, disposable gloves, hairnets, probe -40-180d

No one on site at time of inspection

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards