



MyFace350



MyFace350 - Face Time Attendance & Access Control



4.3 inch color screen
Hd screens, friendly interface
A new attendance
Cloud attendance

Cloud Hosting Attendance System





1. Real-time access records
2. Real-time cloud attendance
3. Real-time cloud management

Hd Screens, Friendly Interface



4.3 inch color screen

Screen resolution
480 * 272, 30 pixels



A New Attendance



The new facial recognition technology, Infrared identification. Dual cameras three-dimensional high-definition stereo imaging. Real recognize faces, put an end to generation card punch. Ensure the attendance of true and accurate.



Face Recognition Attendance



Fingerprint Attendance



Password Attendance

Product Superiority



high-definition color screen

4.3 -inch high-definition color screen, Touch screen control, Interface ran smoothly, humanized operation. It does not hurt your eye.

switch machine key

Long press 3 seconds to switch machine

Usb flash drive interface

Usb flash drive export data into the software can be used for viewing.




Infrared optical recognition

Dual cameras identify, High resolution infrared optical system. it also can accurately identify in the night

Fingerprint acquisition area

It is used for the latest optical technology, dry and wet fingers can identify.



Entrance guard links area

Used to control the opening and closing of access control system.

Software and Configuration

Employee Shift Assign **attendance report**

Employee, click make report analysis for updating creating new report


Select Make Report

13 August 2015


Save As EXCEL PrintView 13 August 2015 - 13 August 2015 Search Part



| No | EmpNo | Name | Date | Weekday | Shift | IN | OUT | Shoul Work | Actua | Abser | LateT | Late(s) | Es |
|----|------------|---------|----------|----------|-------|----|---------|------------|-------|-------|-------|---------|----|
| 1 | 0000000001 | yease | 2/2/2015 | Monday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 2 | 0000000001 | yease | 2/2/2015 | Monday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 3 | 0000000001 | yease | 2/3/2015 | Tuesday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 4 | 0000000001 | yease | 2/3/2015 | Tuesday | test | | 2:41 PM | 4 | 0 | 4 | 0 | 0 | 0 |
| 5 | 0000000001 | yease | 2/4/2015 | Wednesd. | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 6 | 0000000001 | yease | 2/4/2015 | Wednesd. | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 7 | 0000000001 | yease | 2/5/2015 | Thursday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 8 | 0000000001 | yease | 2/5/2015 | Thursday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 9 | 0000000001 | yease | 2/5/2015 | Friday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 10 | 0000000001 | yease | 2/6/2015 | Friday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 11 | 0000000002 | dfafdsa | 2/2/2015 | Monday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 12 | 0000000002 | dfafdsa | 2/2/2015 | Monday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 13 | 0000000002 | dfafdsa | 2/3/2015 | Tuesday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 14 | 0000000002 | dfafdsa | 2/3/2015 | Tuesday | test | | 2:41 PM | 4 | 0 | 4 | 0 | 0 | 0 |
| 15 | 0000000002 | dfafdsa | 2/4/2015 | Wednesd. | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 16 | 0000000002 | dfafdsa | 2/4/2015 | Wednesd. | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 17 | 0000000002 | dfafdsa | 2/5/2015 | Thursday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 18 | 0000000002 | dfafdsa | 2/5/2015 | Thursday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 19 | 0000000002 | dfafdsa | 2/6/2015 | Friday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |
| 20 | 0000000002 | dfafdsa | 2/6/2015 | Friday | test | | | 4 | 0 | 4 | 0 | 0 | 0 |

Work Standalone



Work in Network





Software and Configuration

Hanging installation

On the wall of the apart from the ground 1.15 meters installed side by side two standard M3 bolts. Two bolt center distance between 60-70 - mm, center line parallel to the ground. Install the machine on the back of the two bolt holes are aligned, will hang up machine

Desktop put to use

Attendance machine adopts the triangle three-dimensional appearance design, it can be placed in the front desk on the desktop or other platforms used directly, without additional installation

