

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Vixen's	Facility Type Food Service Establishment	
Licensee Name Rt. 11 Restaurant A, LLC	Facility Telephone # 304	
Facility Address 9557 Winchester Ave Bunker Hill , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 11/16/2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Employees Refrigerator	40
True 2-Door	38
Walk-In	39
Prep Unit	40
Cheese Machine	149
Bar Cooler (small)	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine	Chemical		50	Chlorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 3 Repeated # 0</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: Numerous undated containers of food in True 2-Door refrigerator</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation REPEAT OBSERVATION Inside of ice machine needs cleaned (mold)</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Old Bay seasoning container stored under paper towel dispenser (no lid)</p>

Observed Non-Critical Violations

Total # 16

Repeated # 0

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

OBSERVATION: Numerous foods out of original containers and not labeled

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Top of Frigidaire chest freezer needs repaired (dented)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Upright Roper freezer needs defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Left door gasket on Hobart 2-Door freezer needs replaced (torn)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Container storing sombreros needs replaced (cracked)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Small refrigerator at bar needs gasket repaired (not holding in groove)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Bottom of beer cooler needs repaired (rusting and water laying)

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting board needs cleaned/bleached/re-surfaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Fan cover in beer walk-in cooler needs cleaned (mold)

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: Utensils should be stored handle up.

6-301.12 - HAND DRYING PROVISION

OBSERVATION: (*CORRECTED DURING INSPECTION*): No paper towels available at handsink for hand drying.

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Water laying under/behind beer cooler (drain clogged??).

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Hand sink at bar leaking and needs repaired (cold water)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Grease catch for hood missing and needs replaced (grease dripping down wall and puddling on floor)

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: Grill hood vents need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Becky Hamman

Sanitarian



Keith Allison