

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Bob Evans	Facility Type Food Service Establishment	
Licensee Name Bob Evans	Facility Telephone # 304 263-7022	
Facility Address 999 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 02/28/2018	Total Time Spent 1.87

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
walkin	34
hot hold-lower(rolls)	144
salad prep unit 2	38
steamtable-server	156(soup)
salad prep 1	40
carry out case	36
dessert display	not on
KP salad prep	38
grill side 1 reachin	40.5
grill side 2 reach in	38
AltoSham	not in use
hot hold-upper	158

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
vegetable soup	169
drawers-food	36
salad case 1-tomatoes	38
sausage gravy	168
grill reach ini-ham cubes	35

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
sanitizerbucket-backprepprillsanitizerbucketdishmac hineserverbucket	chemicalchemical heat	160	200200400	quatquatheatquat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 6**

**Repeated # 2**

**2-401.11 - EATING, DRINKING, OR USING TOBACCO**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Employee cup in grill area-without lid and not in a designated area

**3-301.11 - PREVENTING CONTAMINATION FROM HANDS - NO BARE HAND CONTACT**

**This is a critical violation**

**OBSERVATION:** Employee went to work on grill line without washing gloves

**3-301.11 - PREVENTING CONTAMINATION FROM HANDS - NO BARE HAND CONTACT**

**This is a critical violation**

**OBSERVATION:** Employee not washing hands and changing gloves between tasks, also touching hat and face

**3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING**

**This is a critical violation**

**REPEAT OBSERVATION (CORRECTED DURING INSPECTION):** several pans of food in walkin past stamped date for discarding-Feb 26 and 27

**4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** can opener not used today-shavings on blade-also 1 ladle stored not clean

**4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** several mixer attachments stored not clean in drawer

**ObservedNon-CriticalViolations**

**Total # 17**

**Repeated # 2**

**3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD**

**OBSERVATION:** Sugar bins need labeled

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Nozzle at dish area needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Back of soda machine and levers need cleaned-sticky

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** cart cover in walkin and in kitchen need cleaned on outside

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** edges of stove and bumper of hot hold needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside of microwave needs cleaned (area not in use)

**4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED**

**OBSERVATION:** pans need to air dry before stacking

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Need caulk needed on toilets

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** storeroom walls need repaired/painted-soda connections removed

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** back handsink faucet continually dripping/running

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** ceiling grid outside of walkin broken-needs replaced.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** restroom-sink fixtures and base of toilets need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Front of equipment needs cleaned in grill area (knobs and hinges especially)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Need to clean floor under front cabinets-waiter/waitress area

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

REPEAT OBSERVATION floor needs cleaned in chemical room

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

REPEAT OBSERVATION floor needs cleaned in walkin and freezer

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**

**OBSERVATION:** Hood filters need cleaned-front and back

**Inspection Outcome**

**Comments**

Pest Control-Feb 10, 2018


\*Electronic labels not always clear-smear with moisture

Disclaimer

Person in Charge



Sanitarian



**Amy ARE Edwards**