

# Eye Protection

Ensuring employee safety is required! Training and proper fitting of protective eyewear is key in preventing eye injuries. Eyewear must be selected specifically for and best suited to the tasks.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Uvex Clear® Lens Cleaning Tissues

High-absorbency, non-abrasive tissues are specially formulated for anti-fog and scratch-resistant hardcoats. Tough enough to remove grit and grime from safety eyewear, but gentle enough not to leave abrasive marks. For best results, use with Uvex Clear cleaning solution. 60 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	UOM
S462	341533465	Lens cleaning tissues	500/Bx



S462



## Fog Eliminator® Cloths

Protect against the potentially dangerous temporary loss of vision that occurs when lenses fog up. Reusable and safe for all types of lenses and lens coatings. Each cloth provides 40 applications. Streak- and film-free, alcohol- and silicone-free, non-flammable and non-toxic. Individually wrapped. 8 Boxes/case.

S477

ITEM #	ORDER #	DESCRIPTION	UOM
◆ S477	341533515	Fog eliminator cloths	100/Bx



S501



## Eyewear Hang Cords

Provides convenient access to safety eyewear and encourages greater compliance. Universal cord fits all Uvex® spectacles. Black. 25/Bag.

ITEM #	ORDER #	DESCRIPTION	UOM
S501	341533571	Hang cord, universal series	25/Bg



## Uvex Clear® Disposable Lens Cleaning Station

Ideal for construction sites or remote locations where a permanent access location is not available. Includes everything needed to keep eyewear clean and in good condition: 16 oz. lens cleaning spray bottle and (500) tissues, packaged in a disposable box. 6/Case.

ITEM #	ORDER #	DESCRIPTION	UOM
S467	341533491	Disposable lens cleaning station	Ea
S468	341533505	Lens cleaning towelettes	Bx



S467



Honeywell  
UVEX

S461

## Uvex Clear® Permanent Lens Cleaning Station

Features easy-to-use and easy-to-install design. Refill capabilities eliminate replacing the entire system. Unit includes 16 oz. Uvex Clear cleaning solution, (4) boxes of (500) tissues, 3 1/2" x 4 1/2" mirror, screw mounts and adhesive foam for quick mounting. 1/Case.



S464



ITEM #	ORDER #	DESCRIPTION	UOM
S461	341533451	Permanent lens cleaning station	Ea
S463	341533471	Lens cleaning solution refill, 16 oz.	Ea
S464	341533481	Lens cleaning solution refill, 1 gal.	Ea

S463



LCS1



## Lens Cleaning Products

Towelettes are pre-moistened with anti-fog and anti-static cleaning solution. Each box contains (100) individually wrapped towelettes. Lens cleaning station contains (1) 8 oz. bottle of anti-fog, anti-static cleaning spray and (2) boxes of (300) tissues. Convenient, portable and ready to hang on the wall.

ITEM #	ORDER #	DESCRIPTION	UOM
LCT	331400105	Lens cleaning towelettes, 10 Bx/Cs	100/Bx
LCS1	331402351	Lens cleaning station, 6/Cs	Ea

LCT

Honeywell  
UVEX

## Uvex Stealth® OTG Goggles

Ideal for impact, dust/airborne particles, chemical splash and optical radiation. Can be worn over most Rx eyewear. Features low-profile, wraparound style, pivoting headband clip and wide adjustable-slide headband. High-quality elastomer body conforms and contours for secure fit. Dura-streme® dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

S3970D



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3970D	341558741	Stealth OTG	Navy	Clear, Dura-streme	Ea

Honeywell  
UVEX

## Uvex Stealth® Goggles with HydroShield™

Features lightweight, comfortable design and toric lenses for superior optics and peripheral vision. HydroShield anti-fog lens coating is permanently-bonded even after extended wear and repeated cleanings. Quick-adjust neoprene headband clips permit fast and easy fitting even on hard hats. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3960HS	314039601	Stealth w/ HydroShield	Gray/gray	Clear, HydroShield	Ea
S3961HS	314039611	Stealth w/ HydroShield	Gray/gray	Gray, HydroShield	Ea



S3961HS



## Honeywell UVEX Uvex Stealth® Goggles

Features lightweight, comfortable, low-profile design, and toric lenses for superior optics and peripheral vision. Uvextreme® lens coating provides fog protection. Quick-adjust headband clips permit fast and easy fitting even on hard hats. Rx insert available. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3960C	341533001	Stealth w/ neoprene headband	Gray/gray	Clear, Uvextreme	Ea
S39610C	341533021	Stealth w/ neoprene headband	Teal/Gray	Clear, Uvextreme	Ea



S3960C

## Honeywell UVEX Uvex Classic™ Goggles

Features PVC body, neoprene headband and impact-resistant polycarbonate lenses that absorb 99.9% of UV light and feature Uvextreme® anti-fog lens coating. Fit over most Rx eyewear. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S360	341532901	Classic, indirect vent	Clear	Clear, Uvextreme	Ea
S350	341532881	Classic, indirect hooded vent	Clear	Clear, Uvextreme	Ea



S360

## Honeywell UVEX Uvex Flex Seal® Goggles

Features low-profile frame, optically correct polycarbonate lens and indirect ventilation system. Pivoting clips allow for positioning on a hard hat or adjusting the headband above the ears. Offers Uvextreme® anti-fog lens coating. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3400X	341534001	Flex Seal, indirect vent w/ neoprene band	Navy	Clear, Uvextreme	Ea



S3400X

## Honeywell UVEX Uvex Futura™ Goggles

Features wraparound style which provides panoramic vision and Uvextreme® anti-fog coating on lenses. Fits over most Rx eyewear. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S345C	341532851	Futura w/ neoprene band	Frosted clear	Clear, Uvextreme	Ea



S345C

## Honeywell UVEX Uvex Strategy® Goggles

“Over-the-Glass” (OTG) goggles provide protection against impact, chemical splash, dust, sand and debris. Features TPE body and lenses that offer more than 99.9% UV protection. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Headband is available in fabric or neoprene for chemical applications. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3810	341532941	Strategy, indirect vent & neoprene headband	Gray	Clear, Uvextra	Ea



S3810

## Honeywell UVEX Uvex Carbonvision™ Goggles

Features flexible frame and body and convenient clip which makes it easy to remove headband before cleaning. Ideal for protection from impact, dust/airborne particles and chemical splash hazards. Dura-streme® dual lens coating combines Uvextreme® anti-fog coating on the interior and Ultra-dura® anti-scratch on the exterior. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 50/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S1650D	341563091	Carbonvision, neoprene headband	Black/gray	Clear, Dura-streme	Ea
S1651D	341562791	Carbonvision, neoprene headband	Black/gray	Gray, Dura-streme	Ea
S1650DF	341562731	Carbonvision, fabric headband	Black/gray	Clear, Dura-streme	Ea

S1651D



S1650D



## 3M 3M™ 334 Splash Goggles

Indirect vent goggles provide protection against liquid splash applications. Lightweight design features impact-resistant, clear polycarbonate lens that absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40660-00000-10	665574851	334 Splash goggles	Clear	Clear	Ea
40661-00000-10	665573051	334 Splash goggles	Clear	Clear, anti-fog	Ea



40660-00000-10

## 3M 3M™ Centurion™ Goggles

Features impact-resistance, wraparound lens and large lens opening which fits over most Rx eyewear. Polycarbonate lens with anti-fog coating provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40301-00000-10	665572951	Centurion impact goggles	Clear	Clear, anti-fog	Ea
40304-00000-10	665572961	Centurion splash goggles	Clear	Clear	Ea
40305-00000-10	665572971	Centurion splash goggles	Clear	Clear, anti-fog	Ea



40301-00000-10

16420-00000-10



16400-00000-10

## 3M 3M™ Fectoggles™

Wraparound design features adjustable lens angle and choice of elastic headband or adjustable length temples for custom fit. Offers foam flange seals and DX™ anti-fog hardcoat which helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	SIZES	UOM
16400-00000-10	665572031	Fectoggles, elastic headband	Black	Clear, anti-fog	M	Ea
16420-00000-10	665572591	Fectoggles, adjustable temple	Black	Clear, anti-fog	L	Ea

## 3M 3M™ Lexa™ Splash GoggleGear™

Features contoured design with soft PVC shroud, ellipsoidal lens and indirect ventilation which allows air to circulate and helps reduce fogging. Comes fully assembled with Lexa eyewear and headstrap. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Case.

ITEM #	ORDER #	FRAME	LENS	SIZES	UOM
16644-00000-10	665522731	Clear	Clear, anti-fog	M	Ea
16645-00000-10	665522741	Clear	Clear, anti-fog	L	Ea



16644-00000-10

### ⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



# 3M 3M™ Maxim™ 2 x 2 Goggles

Ideal when protection from dust, wind and the sun is needed. Features high-impact nylon frame construction, vented design to help reduce heat and fogging and interchangeable lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 10/Case.



40686-00000-10

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
40686-00000-10	665570271	Maxim 2 x 2 goggles w/ strap & temples	Black	Clear, anti-fog	Ea
◆ 40687-00000-10	665522401	Maxim 2 x 2 goggles w/ strap & temples	Black	Gray, anti-fog	Ea

5103-02



## Goggles™

Switch from glasses to goggles with a simple push, pull and snap. Foam padding forms a snug fit to keep out dust and airborne particles. Lenses provide 99.9% UV protection. Anti-fog, anti-scratch coating on lenses. Includes goggle strap and eyeglass temples for easy interchangeability. Meets current ANSI Z87.1-2015 standard. 12/Case.



5103-01



5103

ITEM #	ORDER #	FRAME	LENS	UOM
5103	G73551031	Black	Clear, anti-scratch, anti-fog	Ea
5103-01	G73551041	Black	Gray, anti-scratch, anti-fog	Ea
◆ 5103-02	G73551051	Black	Yellow, anti-scratch, anti-fog	Ea



2310AF



## Stryker™ Safety Goggles

Transparent PVC body works with most half-mask respirators and protects against impact and splash. Features wide lens for unobstructed field of vision and indirect vents for chemical splash protection. Lens treated with Duramass® AF4 anti-fog coating. Easy adjusting strap ensures personal fit. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2310AF	331404701	Stryker w/ rubber strap	Black	Clear, anti-fog	Ea



## Protective Safety Goggles

Provides an unobstructed field of vision and can be worn with most half-mask respirators. Features transparent PVC body and can be worn over Rx eyewear. Meets ANSI Z87.1+ High Impact standard. 36/Box.



2120



2230R

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
2120	331404551	Perforated goggles, small	Clear	Clear, anti-scratch	Ea
2220R	331479911	Perforated goggles w/ rubber strap	Clear	Clear, anti-scratch	Ea
2230R	331404681	Chemical splash goggles, indirect vent	Clear	Clear, anti-scratch	Ea
2235R	331422351	Chemical splash goggles, indirect vent	Clear	Clear, anti-scratch, anti-fog	Ea

### WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



## Hydroblast HB2 Goggles

Features solution-based protection, TPR seal and 7-point ratchet action. Offers vented and dielectric design with Max6™ anti-fog coating. Available with adjustable hook-and-loop elastic strap or adjustable rubber strap. Meets ANSI Z87+ standards.

HB1210PF



ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
◆ HB1210PF	331443241	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Clear, MAX6™	Ea
◆ HB1212PF	331443251	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Gray, MAX6™	Ea
◆ HB1220PF	331443261	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Clear, MAX6™	Ea
◆ HB1222PF	331443271	Hydroblast HB2 goggles, MAX6 anti-fog	Gun metal	Gray, MAX6™	Ea

## Gateway Swap® Safety Eyewear

Change from glasses to goggles quickly and easily meet your needs. Temples and adjustable head strap included, which can be switched out with the simple push of a button. Foam-lined frame helps block dust and debris, with venting channels to minimize fogging. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
21GB79	323321791	Swap	Black	Clear, anti-fog	Ea
21GB78	323321781	Swap	Black	Gray, anti-fog	Ea
◆ 21GB0F	323321601	Swap	Black	Clear I/O mirror, anti-fog	Ea
◆ 21GB9F	323327201	Swap	Black	Blue mirror, anti-fog	Ea



## Jackson Safety\* V80 Wildcat\* Goggle Protection



20525

Features splash and dust protection, pliable and compact frame and foam gasket. Offers extreme heat resistance and will not melt, drip, or ignite at 350°F for five minutes. Sliding side vents are adjustable to optimize airflow. Pivoting headband and metal-free design. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Meets the ANSI D3 requirements for protecting from liquid splashes or droplets. Meets the ANSI D4 requirements for dust protection. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
20525	C24120951	Black	Clear, anti-fog	Ea
20529	C24120991	Black	IRUV 5.0, anti-fog	Ea



## Jackson Safety\* V80 Monogoggle\* XTR\* OTG Goggle Protection

18624



Offers splash protection in sporty design with curved lens for enhanced field of vision. Indirect ventilation provides increased airflow and minimizes condensation and fogging, while protecting from splashes. Fits over most prescription eyewear. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Meets the ANSI D3 requirements for protecting from liquid splashes or droplets. 6/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
18624	C24120021	Blue	Clear, anti-fog	Ea



## Jackson Safety\* V90 Monoshield\* Goggle Protection

16671



Features face shield to provide full eye and face protection from liquids and particulates. Clear, see-through material allows for easy worker identification. Can be worn with most caps and disposable respirator. Fits over most prescription eyeglasses. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Meets the ANSI D3 requirements for protecting from liquid splashes or droplets. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
16671	C24150591	Green	Clear, anti-fog	Ea



## Jackson Safety\* V90 Shield Goggle Protection

18629



Features Monogoggle\* XTR\* with indirect ventilation and polycarbonate shield for full face protection. Curved polycarbonate faceshield conforms to the shape of face offering added protection. Shield detaches from goggle. Can be used over most Rx eyewear. Provides 99.9% UV protection. Meets ANSI Z87.1+10 standard. 6/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
18629	C24120111	Blue	Clear, anti-fog	Ea

◆ Non-stock item. Minimum quantity may apply.





## Honeywell UVEX Uvex Hypershock™ Safety Glasses

Delivers high-performance protection and aggressive sport-inspired styling. Full frame design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit. Lightweight, wraparound frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision. 100% Dielectric. Can be worn in environments where accidental exposure to electrical charge is possible. Available with Uvextreme Plus® anti-fog lens coating for superior, long-lasting fog-free vision that lasts up to 10X longer and provides 2X better scratch resistance than our next best coating. Also offered with scratch-resistant hardcoat lens coating for long-lasting protection from scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1+ 2015 standard. 10/Box. 200/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
◆ S2951XP	341597571	Matte black	SCT-Blue, Uvextreme Plus	Ea
S2960XP	341597581	Smoke brown	Clear, Uvextreme Plus	Ea
◆ S2961XP	341597591	Smoke brown	Espresso, Uvextreme Plus	Ea
◆ S2964	341597611	Smoke brown	Gold mirror, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S2969	341597621	Smoke brown	Espresso polarized, hardcoat	Ea
S2970XP	341597631	Clear ice	Clear, Uvextreme Plus	Ea
S2974	341597641	Clear ice	Red mirror, hardcoat	Ea
S2975	341597651	Clear ice	Blue mirror, hardcoat	Ea

## Honeywell UVEX Genesis® Safety Glasses with HydroShield™

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than our next best coating. Lifetime frame guarantee. Meets the ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
S3200HS	314032001	Genesis w/ HydroShield	Black	Clear, HydroShield	Ea
S3201HS	314032011	Genesis w/ HydroShield	Black	Espresso, HydroShield	Ea
◆ S6900HS	341569091	Genesis replacement lens		Clear, HydroShield	Ea

## Honeywell UVEX Genesis® Safety Glasses

Features dual 9-base curve, wraparound lenses for peripheral protection, flexible nosepiece fingers for reduced slippage, elastomer browguard for impact protection, and adjustable spatulite temples and lens inclination. Impact-resistant polycarbonate lenses block 99.9% of UV radiation. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance, Infra-dura® welding tint or HydroShield™ anti-fog coating. HydroShield is permanently-bonded and lasts up to 60X longer than other anti-fog lens coatings, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance than competitive anti-fog coated products. Lifetime frame guarantee. Meets the ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
S3200	341532271	Black	Clear, Ultra-dura	Ea
S3200X	341532281	Black	Clear, Uvextreme	Ea
S3201	341532291	Black	Espresso, Ultra-dura	Ea
S3201X	341532301	Black	Espresso, Uvextreme	Ea
S3202	341532311	Black	Amber, Ultra-dura	Ea
S3203	341532331	Black	Gold mirror, Ultra-dura	Ea
S3207	341532371	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea
S3208	341532381	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea
S3209	341532391	Black	SCT-Low IR, Ultra-dura	Ea
S3240	341532511	Vapor Blue	Clear, Ultra-dura	Ea
◆ S3240X	341532521	Vapor Blue	Clear, Uvextreme	Ea



S3200HS



S3201HS



S3202



S3240





### Spitfire® Safety Glasses

Features a dual 9-base, wraparound unilens design for superior optical clarity and peripheral protection. Frameless design uses flexible adjustments for temple length and spatulite temples for comfort. Impact-resistant, replaceable polycarbonate lenses absorb greater than 99.9% of UV rays. Lenses are available with Uvextreme® anti-fog lens coating or Ultra-dura® anti-scratch hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S1800X	341531031	Black	Clear, Uvextreme	Ea
S1801	341531041	Black	Espresso, Ultra-dura	Ea



### Uvex Astrospec 3000® Safety Glasses

Sport-styled, protective eyewear offers single, panoramic, polycarbonate lens with molded sideshields and browguard. Features adjustable temples, patented adjustable lens inclination, and universal nosebridge. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Clear lens tint meets the Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
<b>Astrospec 3000, Spatula Temple</b>				
S135	341530621	Black	Clear, Ultra-dura	Ea
S1112	341530471	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea
<b>Astrospec 3000, Duoflex Temple</b>				
S1359	341530641	Black	Clear, Ultra-dura	Ea
S1359C	341530651	Black	Clear, Uvextreme	Ea



### Uvex Astro OTG® 3001 Safety Glasses

“Over-the-Glass” style provides an economical alternative to prescription eyewear. Features soft Duoflex® cushioned temples, adjustable ratchet lens inclination, universal nosebridge, and single panoramic polycarbonate lens with molded sideshields and browguard. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2500	341531611	Black	Clear, Ultra-dura	Ea
S2500C	341531621	Black	Clear, Uvextreme	Ea
S2504	341531651	Black	Gray, Ultra-dura	Ea



ITEM #	ORDER #	FRAME	LENS	UOM
S2508	341531701	Black	Shade 3.0 Infra-dura, Ultra-dura	Ea
S2509	341531711	Black	Shade 5.0 Infra-dura, Ultra-dura	Ea



### Uvex Protégé® Safety Glasses with HydroShield™

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design, soft cushioned temple tip pads and soft nose pads. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance, even after extended wear and repeated cleanings, and provides 2X greater scratch resistance. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box. 200/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
S4200HS	314042001	Metallic black	Clear, HydroShield	Ea
S4201HS	314042011	Metallic black	Gray, HydroShield	Ea



### Uvex Protégé® Safety Glasses

Proprietary Floating Lens™ technology offers increased flexibility for a more comfortable fit. Includes standard 6-base curve lens. Features expandable wraparound brow, ultra-lightweight design, soft cushioned temple tip pads and soft nose pads. Lenses available with Uvextreme® anti-fog coating, Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Also meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S4200	341533181	Metallic black	Clear, Ultra-dura	Ea
S4200X	341533191	Metallic black	Clear, Uvextreme	Ea
S4201	341533221	Metallic black	Gray, Ultra-dura	Ea
S4201X	341533231	Metallic black	Gray, Uvextreme	Ea
◆ S4202	341533261	Metallic black	SCT-Reflect 50, Ultra-dura	Ea

◆ Non-stock item. Minimum quantity may apply.





**Honeywell Uvex Instinct™ Safety Glasses**

Provides high-performance protection with a sleek design and lightweight frame, featuring a variety of adjustability features for a comfortable, customized fit. Equipped with a dual, 7-base wraparound lens for uncompromised peripheral vision, fully integrated, cushioned browguard to comfortably diffuse and deflect impact energy. Ratcheting temples, flexible nosepiece and padded temple tips provide a tension-free fit. Lenses are available with Supra-Dura® advanced anti-scratch lens coating or Uvextreme® Plus anti-fog lens coating. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM	ITEM #	ORDER #	FRAME	LENS	UOM
S2820	341569701	Matte black	Clear, Supra-Dura	Ea	◆ S2822XP	341569751	Matte black	Amber, Uvextreme Plus	Ea
◆ S2820XP	341569711	Matte black	Clear, Uvextreme Plus	Ea	◆ S2823	341569761	Matte black	Blue mirror, Supra-Dura	Ea
S2821	341569721	Matte black	Gray, Supra-Dura	Ea	◆ S2824	341569771	Matte black	SCT-Reflect 50, Supra-Dura	Ea
◆ S2821XP	341569731	Matte black	Gray, Uvextreme Plus	Ea	◆ S2825XP	341569781	Matte black	SCT-Gray, Uvextreme Plus	Ea
◆ S2822	341569741	Matte black	Amber, Supra-Dura	Ea	◆ S2829XP	341569791	Matte black	SCT-Low IR, Uvextreme Plus	Ea



**Genesis XC® Safety Glasses with HydroShield™**

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer fog-free performance, even after extended wear and repeated cleanings. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
<b>Genesis XC with HydroShield</b>				
S3300HS	314033001	Black	Clear, HydroShield	Ea
◆ S3301HS	314033011	Black	Gray, HydroShield	Ea



**Genesis XC® Safety Glasses**

Features extended wraparound lens and soft, flexible nose fingers. Using Multi-Material Technology®, the frame cushions the points where eyewear contacts the face, brow, nose and ear. Adjustable temples and lens inclination for personal fit. Lenses available with Uvextreme® anti-fog coating and Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Lens tint meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S3300	341532621	Black	Clear, Ultra-dura	Ea
S3300X	341532631	Black	Clear, Uvextreme	Ea



**Honeywell**  
UVEX **Tomcat® Safety Glasses**

Sleek, sporty wraparound metal frame design is lightweight and durable. Includes adjustable saddle nosepads and flexible rubber temple grips. Dual, 10-base curve, impact-resistant polycarbonate lenses absorb greater than 99.9% of UVA and UVB. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Meets ANSI Z87.1+ 2015 High Impact standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2450	341531571	Gunmetal	Clear, hardcoat	Ea
S2451	341531581	Gunmetal	Gray, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
S2453	341531591	Gunmetal	Silver mirror, hardcoat	Ea
S2454	341531601	Gunmetal	SCT-Reflect 50, hardcoat	Ea



**Bandit™ Safety Glasses**

Features contemporary wraparound styling with molded-in sideshields and browguards. Adjustable spatulite temples ensure comfortable, custom fit. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Lens tints meet Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
S1600	341530791	Black	Clear, Ultra-dura	Ea
S1601	341530811	Black	Amber, Ultra-dura	Ea
S1603	341530821	Black	Espresso, Ultra-dura	Ea
S1604	341530841	Black	Gold mirror, Ultra-dura	Ea



**Uvex Ambient™ OTG Safety Glasses**

Features "Over-the-Glass" coverage to fit over a variety of Rx eyewear. Lightweight, wraparound, unilens design offers peripheral protection, cushioned nosepiece, bendable wire-core temples for flexibility and soft nasal fingers to minimize slippage. Ratcheting temples with 3-position lens inclination for custom fit. Lenses feature Ultra-dura® hardcoat that provides enhanced chemical and scratch resistance. Easy lens replacement. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S3150	341559561	Blue	Clear, Ultra-dura	Ea

◆ Non-stock item. Minimum quantity may apply.



**Honeywell**  
UVEX **Uvex Seismic® Sealed Eyewear**

Contemporary, flexible design can be worn with or without the removable temples. Includes flame-resistant, adjustable headband and cushioned subframe. Protects against impact, sun, wind, dust and airborne debris, making it ideal for dirty, high-particulate work environments. Includes soft nasal pads, face cushioning and padded temple tips. Wraparound 8-base dual-lens style for maximum peripheral coverage. Top and bottom indirect ventilation helps to minimize fogging. Meets ANSI Z87.1+ 2015 High Impact standard for use with and without cushion-lined frame. Certified to the requirements of the CSA Z94.3 2007 standard only with subframe in place. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0600	341560741	Black	Clear, hardcoat	Ea
S0600X	341558841	Black	Clear, Uvextra	Ea
S0604X	341559391	Black	SCT-Reflect 50, Uvextra	Ea
◆ S0620X	341539181	Metallic blue	Clear, Uvextra	Ea



S0600



S0620X



S2600HS

**Honeywell**  
UVEX

**Uvex Livewire™ Sealed Eyewear with HydroShield™**

Features streamlined, wraparound frame design that accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Foam-lined subframe is precision engineered to offer gap-free seal around the eyes. Padded temples are engineered to provide ideal tension and flex. Ratcheting temples adjust lens angle by up to 15°. HydroShield anti-fog lens coating is permanently-bonded and provides up to 60X longer lasting fog-free performance. Can be worn with a headband like a goggle or with temples like a spectacle. Includes adjustable, flame-resistant, latex-free cloth headband. Meets ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box. 200/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S2600HS	341568101	Matte black	Clear, HydroShield	Ea
◆ S2601HS	341568161	Matte black	Espresso, HydroShield	Ea

S2600XP



S2602XP



S2608XP



**Honeywell**  
UVEX

**Uvex Livewire™ Sealed Eyewear**

Features streamlined, wraparound frame design which accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs. Offers foam-lined subframe and padded, ratcheting temples that adjust 15°. Lenses have Uvextreme® Plus anti-fog lens coating. Can be worn with a headband like a goggle or with temples like a spectacle. Includes adjustable, flame-resistant, latex-free cloth headband. Prescription frame available in 6-base and 8-base lens configurations to accommodate almost any prescription. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2600XP	341563841	Matte black	Clear, Uvextreme Plus	Ea
S2601XP	341592641	Matte black	Espresso, Uvextreme Plus	Ea
S2602XP	341592651	Matte black	Amber, Uvextreme Plus	Ea
S2604XP	341592661	Matte black	SCT-Reflect 50, Uvextreme Plus	Ea
S2607XP	341592681	Matte black	Shade 3.0, Uvextreme Plus	Ea
S2608XP	341592691	Matte black	Shade 5.0, Uvextreme Plus	Ea
S2609XP	341592701	Matte black	SCT-Low IR, Uvextreme Plus	Ea



## Skyper® Safety Glasses

Polycarbonate unilens and wraparound sideshields provide peripheral vision. Includes simple lens replacement system and adjustable Duoflex® temples. Lifetime frame guarantee. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. Meets Military V<sub>0</sub> Ballistic Test for Impact. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S1900	341531091	Black	Clear, Ultra-dura	Ea



## Adaptec™ Safety Glasses

Features temple hinge that ratchets to seven positions for 30° of adjustability. Adjustable nosebridge centers eyes to reduce fatigue. Features vented, cushioned frame and adjustable nose pads. 4A Lens coating provides anti-fog, anti-scratch, anti-UV (99.9%) and anti-static protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	SIZES	UOM
T5900LTK	347690561	Black/red	Clear, 4A	Regular	Ea
T5900WTK	347690631	Black/red	Clear, 4A	Wide	Ea



## Uvex Tirade™ Sealed Eyewear

Features large unilens design for a wide field of unobstructed peripheral vision, and a soft foam subframe to ensure a gap-free fit. Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes. Quick-release hinge system converts easily from temples to headband. Removable temples and standard adjustable headband included; hypo-allergenic latex-free option available. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. 100% Non-conductive dielectric design. Can be worn in environments where accidental exposure to electrical charge is possible. Meets the ANSI Z87.1+ 2015 standard. Certified to the requirements of the CSA Z94.3 2007 standard (with and without foam subframe in place). Not for chemical splash applications. 10/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
<b>Tirade</b>				
S4040	341564881	Gloss black	Clear, Uvextra	Ea
S4041	341569801	Gloss black	Gray, Uvextra	Ea
◆ S4042	341569811	Gloss black	Amber, Uvextra	Ea
◆ S4043	341569821	Gloss black	Silver mirror, Uvextra	Ea
◆ S4044	341569831	Gloss black	SCT-Reflect 50, Uvextra	Ea
<b>Hypo-allergenic, Latex-free Fabric Headband</b>				
◆ S4049	341569841			Ea



## A400 Series Safety Glasses

Lightweight protection offers sporty, 1-piece, wraparound unilens made of 100% impact-resistant polycarbonate. Features durable frame with integrated side protection and universal nosebridge. Provides over 99.9% UV protection. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A400	341529321	Clear	Clear, hardcoat	Ea
A401	341529331	Gray	Gray, hardcoat	Ea
A403	341529351	Gray	Silver mirror, hardcoat	Ea





**Honeywell**  
UVEX

### A700 Series Safety Glasses

Features lightweight design, soft temple tip pads and molded universal nosebridge with 9-base polycarbonate lenses that provide 180° field of distortion-free vision and 99.9% UV protection. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A700	341529371	Clear	Clear, hardcoat	Ea
A701	341529381	Gray	TSR gray, hardcoat	Ea
A702	341529391	Amber	Amber, hardcoat	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
A703	341529401	Gray	Blue mirror, hardcoat	Ea
A704	341529411	Gray	Silver mirror, hardcoat	Ea
A705	341529421	Clear	Clear, Uvextra	Ea



A700

**Honeywell**  
UVEX

### A800 Series Safety Glasses

Features sports-styled temples, extra flexible, padded inserts and soft nosepiece for a non-slip fit. The 9-base curve, polycarbonate lens provides 180° field of distortion-free vision and 99.9% UV protection. Anti-scratch lens hardcoat protects against scuffing, scratching, and a variety of chemicals. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
A800	341529431	Clear	Clear, hardcoat	Ea
A801	341529441	Gray	TSR gray, hardcoat	Ea
A804	341529451	Gray	Silver mirror, hardcoat	Ea
A805	341529461	Clear	Clear, Uvextra	Ea



A801

More safety eyewear on Page 143.



**Honeywell**  
UVEX

### Ultra-spec® 2001 OTG Safety Glasses

Lightweight, "Over-the-Glass," unilens design fits over Rx eyewear. Features adjustable Duoflex® spatula temples to provide an added level of comfort and a wraparound design with browguards and sideshields. Offers Ultra-dura® anti-scratch hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0112	341529931	Clear	Clear, Ultra-dura	Ea



S0112

**Honeywell**  
UVEX

### Ultra-spec® 2000 Safety Glasses

Polycarbonate, wraparound, unilens design is lightweight and impact-resistant. Lenses are available with Uvextreme® anti-fog lens coating or Ultra-dura® anti-scratch hardcoat that provides enhanced chemical and scratch resistance. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S0250X	341529971	Clear	Clear, Uvextreme	Ea
S0300	341530001	Clear	Clear, Ultra-dura	Ea
S0360X	341530031	Orange	SCT-Orange, Uvextreme	Ea



S0250X



S0360X



### VX9™ Safety Glasses

Sporty wraparound frame design with non-slip rubber nose piece and temples. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5510-01	G73579871	Black	Clear, anti-scratch, anti-fog	Ea
5510-02	G73579891	Black	Gray, anti-scratch, anti-fog	Ea
5510-03	G73579901	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5510-04	G73579911	Black	Mirror, anti-scratch, anti-fog	Ea



### Spectro™ Safety Glasses

Sporty wraparound frame design with non-slip adjustable rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5511-01	G73579921	Black	Clear, anti-scratch, anti-fog	Ea
5511-02	G73579931	Black	Gray, anti-scratch, anti-fog	Ea
◆ 5511-03	G73579941	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5511-04	G73579951	Black	Mirror, anti-scratch, anti-fog	Ea



### Vulcan™ Safety Glasses

Features foam padded brow guard, detachable/adjustable elastic fabric strap, and non-slip rubber nose piece. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 5512-01	G73579961	Black	Clear, anti-scratch, anti-fog	Ea
◆ 5512-02	G73579971	Black	Gray, anti-scratch, anti-fog	Ea
◆ 5512-03	G73579981	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5512-04	G73579991	Black	Mirror, anti-scratch, anti-fog	Ea



### Zion X™ Safety Glasses

Features indirect-ventilated rubber seal and adjustable, elastic fabric, 1" head strap. High-impact polycarbonate lenses with anti-fog and scratch-resistant coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 5104-01	G73580001	Black	Clear, anti-scratch, anti-fog	Ea
5104-02	G73580011	Black	Gray, anti-scratch, anti-fog	Ea
5104-03	G73580021	Black	Yellow, anti-scratch, anti-fog	Ea
◆ 5104-04	G73580031	Black	Mirror, anti-scratch, anti-fog	Ea



◆ Non-stock item. Minimum quantity may apply.



540-0200



540-0203



### Diamondbacks™ Safety Glasses

Features wraparound design and non-slip nose piece and temples. High-impact polycarbonate lenses with scratch-resistant and anti-fog coatings. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
540-0200	G73502001	Black	Clear, anti-scratch, anti-fog	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
540-0203	G73502031	Black	Mirror, anti-scratch, anti-fog	Ea



5330



5331



5332



5333



5334



### NSX™ Turbo Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design and scratch-resistant coating. Provides 99.9% UV protection. Non-slip temples. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5330	G73553301	Clear	Clear, anti-scratch	Ea
5331	G73553311	Gray	Gray, anti-scratch	Ea
5332	G73553321	Yellow	Yellow, anti-scratch	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
5333	G73553331	Light blue	Light blue, anti-scratch	Ea
5334	G73553341	I/O mirror	I/O mirror, anti-scratch	Ea



5343



5344



5346



5342



5341



5340



### NSX™ Safety Glasses

Lightweight, high-impact polycarbonate lens with wraparound design. Anti-fog and scratch-resistant coating; except on econo style. Shade 5.0 is ideal for torch blazing, light gas welding, soldering and light to medium cutting. Provides 99.9% UV protection. Meets current ANSI Z87.1-2015 standard. 12/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
5340	G73553401	Black	Clear	Ea
5341	G73553411	Black	Yellow	Ea
5342	G73553421	Black	Orange	Ea
5343	G73553431	Black	Gray	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 5344	G73553441	Black	Gold mirror	Ea
5346	G73553461	Black	Shade 5.0	Ea

#### NSX Econo Visitor Spec

5347-00	G7358004	Black	Clear	100/Bx
---------	----------	-------	-------	--------



## Backdraft® Safety Glasses

Features frameless design, soft TPR internal sideshields and dielectric construction. Offers MAX6™ anti-fog coating. Dielectric break away cord included. Meets ANSI Z87+. 72 Pair/case. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BD110PF	331441891	Gun metal	Clear, MAX6™	Ea
◆ BD112PF	331442391	Gun metal	Gray, MAX6™	Ea



## Rubicon® Safety Glasses

Features curved, frameless lens design and resilient, spring-hinge temples. Curved lens offers 180° optically correct viewing area with a close orbital seal. Non-slip gel temple sleeves and secure gel nosepiece reduce slippage. Provides 99.9% UV protection. Includes carrying case and breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
T4110AF	331404131	Platinum	Clear, anti-scratch, anti-fog	Ea
T4112AF	331404141	Platinum	Gray, anti-scratch, anti-fog	Ea
T4113AF	331404151	Platinum	Light blue, anti-scratch, anti-fog	Ea
T411R	331404121	Platinum	Fire mirror, anti-scratch	Ea
T411G	331404111	Platinum	Emerald mirror, anti-scratch	Ea



## BearKat® Safety Glasses

Features frame-less design, 1-piece wraparound and polycarbonate lens. Offers flexible, bayonet temples and black, rubber temple sleeves for use with breakaway cords. Provide 99.9% UV protection. Treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BK110	331401111	Frost	Clear, anti-scratch	Ea
BK110AF	331400211	Frost	Clear, anti-scratch, anti-fog	Ea
BK112	331400221	Frost black	Gray, anti-scratch	Ea
BK112AF	331400231	Frost black	Gray, anti-scratch, anti-fog	Ea
BK113	331400241	Frost blue	Light blue, anti-scratch	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
BK114	331401141	Translucent yellow	Amber, anti-scratch	Ea
BK117	331411171	Frost black	Silver mirror, anti-scratch	Ea
BK118	331400251	Smoke	Blue mirror, anti-scratch	Ea
BK119	331411191	Frost	I/O clear mirror, anti-scratch	Ea



## Yukon® Visitor Glasses

Features wraparound style, increased angular coverage, improved peripheral vision, molded-in browguard and vented sideshields. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
9800	331405321	Clear	Clear, uncoated	Ea



9800





## CheckMate® Safety Glasses

Features nearly total eye-orbital seal, flexible bayonet temples and universal nosebridge. Strong, lightweight polycarbonate lens provides 99% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CK100	331400271	Clear	Clear, uncoated	Ea
CK110	331401101	Clear	Clear, anti-scratch	Ea
CK110AF	331400281	Clear	Clear, anti-scratch, anti-fog	Ea
CK112	331401121	Gray	Gray, anti-scratch	Ea



## CK2® Safety Glasses

Features nearly total eye-orbital seal, flexible bayonet temples, gel temple sleeves and universal gel nosebridge. Polycarbonate lens features single lens design with wraparound sideshields and provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CK210	331412101	Smoke	Clear, anti-scratch	Ea
CK210AF	331400331	Smoke	Clear, anti-scratch, anti-fog	Ea



## Checklite® Safety Glasses

Features flexible spatula temple design, nearly total eye-orbital seal and polycarbonate lens that filters over 99.9% of UV radiation. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
CL010	331400461	Clear	Clear, uncoated	Ea
CL110	331400471	Clear	Clear, anti-scratch	Ea
CL110AF	331400481	Clear	Clear, anti-scratch, anti-fog	Ea
CL112	331400491	Smoke	Gray, anti-scratch	Ea
CL119	331400511	I/O	Clear mirror, anti-scratch	Ea



## USS Defense® Safety Glasses

Features co-injected TPR and polycarbonate temples. Available with MAX6™ anti-fog coating or BOSSMAN™ mirror lens coating. Meets ANSI Z87+. Meets Military Ballistic High Velocity Standard. 72/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
UD110PF	331442401	Gun metal	Clear, MAX6™	Ea
◆ UD112PF	331442411	Gun metal	Gray, MAX6™	Ea
◆ UD11RZ	331442421	Gun metal	Polarized fire mirror, BossMan™	Ea
◆ UD120PF	331442431	Trans dark blue	Clear, MAX6™	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
◆ UD122PF	331442441	Trans dark blue	Gray, MAX6™	Ea
◆ UD128B	331442451	Trans dark blue	Blue diamond mirror, BossMan™	Ea
◆ UD210PF	331442461	Black	Clear, MAX6™	Ea
◆ UD212PF	331442471	Black	Gray, MAX6™	Ea



## Stratos® Safety Glasses

Features wraparound design and 1-piece polycarbonate lens with integral sideshields that provide 99.9% UV protection and are treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
SS010	331402921	Black	Clear, uncoated	Ea
SS110	331441101	Black	Clear, anti-scratch	Ea



SS110



TK120



## Tomahawk® Safety Glasses

Features 5-position ratchet-action temples, wraparound design and 1-piece polycarbonate lens treated with Duramass® scratch-resistant coating. Offers integral sideshields and lightweight frame. Provides more than 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
TK110	331464011	Black	Clear, anti-scratch	Ea
TK112	331403541	Black	Gray, anti-scratch	Ea
TK120	331464021	Blue	Clear, anti-scratch	Ea



S2110



## Blackjack® Safety Glasses

Features wraparound chrome metal frame, 99.9% UV protection and Duramass® scratch-resistant coated lenses. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
S2110	331421111	Chrome	Clear, anti-scratch	Ea
S2110AF	331403111	Chrome	Clear, anti-scratch, anti-fog	Ea
S2112AF	331403131	Chrome	Gray, anti-scratch, anti-fog	Ea



## Klondike® Safety Glasses

Popular frame style fits a variety of head shapes. Features polycarbonate lens with 11-base curve, optional Duramass® anti-fog coating, adjustable temples and soft gel nosepiece. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
KD110	331432011	Black	Clear, anti-scratch	Ea
KD110AF	331402101	Black	Clear, anti-scratch, anti-fog	Ea
KD112	331401541	Black	Gray, anti-scratch	Ea
KD120	331402121	Blue	Clear, anti-scratch	Ea



KD110

KD120



## Swagger® Safety Glasses

Features soft material co-injected onto temples, thermoplastic rubber (TPR) nose grips, breakaway cord and wider temples. Offers orbital seal and polycarbonate lenses that provides 99.9% UV protection with Duramass® scratch-resistant hard coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
SR118B	331440881	Black	Blue diamond, anti-scratch	Ea
SR11R	331440951	Black	Fire mirror, anti-scratch	Ea
SR120	331440891	White	Clear, anti-scratch	Ea
◆ SR122AF	331451021	White	Gray, anti-scratch, anti-fog	Ea
SR128B	331440911	White	Blue diamond, anti-scratch	Ea
SR137	331440971	Red	Silver mirror, anti-scratch	Ea
◆ SR13R	331440981	Red	Fire mirror, anti-scratch	Ea



SR122AF



SR137

◆ Non-stock item. Minimum quantity may apply.





FF122



FF222



FF232



ST110



IA128B



IA132AF



IA120AF



OG110AF



## ForceFlex® and ForceFlex® 2 Safety Glasses

Features opaque polycarbonate frame and lens, bayonet temples and universal nosebridge. ForceFlex 2 features a half-frame design. Provides 99.9% UV protection and offers Duramass® scratch-resistant coating on lenses. Carrying case included. Lifetime frame warranty. Meets ANSI Z87.1+ High Impact standard. Meets MIL-PRF-31013 clause 3.5.1.1 for High Velocity Impact Protection. ForceFlex 144/case; ForceFlex 2 12/box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
FF122	331456821	ForceFlex	Black	Gray, anti-scratch	Ea
FF222	331439901	ForceFlex 2	Translucent brown w/ white rubber	Gray, anti-scratch	Ea
FF232	331492321	ForceFlex 2	Translucent yellow	Gray, anti-scratch	Ea



## Storm® Safety Glasses

Features 5-position ratchet-action temples, non-slip temple sleeves and polycarbonate lens that delivers advanced visual acuity. Treated with Duramass® scratch-resistant coating. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
ST110	331464051	Black	Clear, anti-scratch	Ea
ST1130	331403011	Black	Shade 3.0, anti-scratch	Ea
ST1150	331403031	Black	Shade 5.0, anti-scratch	Ea



## Inertia® Safety Glasses

Features dielectric polycarbonate frame with single flexible lens and Flarefit™ temple. Offers non-slip wraparound thermoplastic rubber (TPR) temple sleeve and adjustable, TPR soft nose pad. Lenses are treated with the Duramass® scratch-resistant coating and block 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
IA120AF	331439201	Silver	Clear, anti-scratch, anti-fog	Ea
IA122AF	331439211	Silver	Gray, anti-scratch, anti-fog	Ea
IA128B	331438761	Silver	Blue diamond mirror, anti-scratch	Ea
IA130AF	331439071	White	Clear, anti-scratch, anti-fog	Ea
IA132AF	331468141	White	Gray, anti-scratch, anti-fog	Ea



## Law® Over-the-Glass Safety Glasses

Features wraparound nylon frame with 5-position ratchet action temple and non-slip thermoplastic rubber (TPR) temple inserts. Dielectric. Polycarbonate lens has Duramass® scratch-resistant coating and Duramass AF4 anti-fog coating. Meets ANSI Z87.1+ High Impact standard. 144/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
OG110AF	331440181	Matte gray	Clear, anti-scratch, anti-fog	Ea
♦ OG112AF	331439811	Matte gray	Gray, anti-scratch, anti-fog	Ea



## Dominator™ DM3

Features solution-based protection, wire core and independently adjustable nose pads. Available with MAX3™ scratch-resistant coating, MAX6™ anti-fog coating or BOSSMAN™ mirror lens coatings. Offers co-injected TPR wire core and adjustable nose pads and temples. Meets or exceeds Z87+ and Military High Velocity Impact standards. Includes cord and cleaning case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ DM1310P	331442751	Gunmetal	Clear, MAX3	Ea
◆ DM1310PF	331442761	Gunmetal	Clear, MAX6	Ea
◆ DM1312P	331442771	Gunmetal	Gray, MAX3	Ea
◆ DM1312PF	331442781	Gunmetal	Gray, MAX6	Ea
◆ DM1319	331442791	Gunmetal	Clear, BossMan	Ea
◆ DM131R	331442801	Gunmetal	Fire, mirror, BossMan	Ea
◆ DM131RZ	331442811	Gunmetal	Fire, mirror, BossMan	Ea



DM1310P



V6X01HC



## 3M™ Virtua™ Safety Eyewear

Features unisex design, wraparound coverage and polycarbonate construction. Offers indoor-outdoor mirrored lens for a comfortable, contoured fit. 20/Case.

ITEM #	ORDER #	LENS	UOM
◆ V6X01HC	665532361	Clear, hardcoat	Ea
◆ V6X02AF	665532391	Gray, AF	Ea
◆ V6X02HC	665532371	Gray, hardcoat	Ea
◆ V6X01AF	665532381	Clear, AF	Ea



11872-00000-20



## 3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

Lightweight frame features the Cord Control System (CCS) with a removable foam gasket attachment. CCS is designed to keep a corded earplug attached, untangled, and ready for use. Offers foam gasket that helps limit eye exposure to nuisance dust while providing additional cushioning. Anti-fog polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	LENS	UOM
11872-00000-20	665527311	Clear, anti-fog	Ea
11873-00000-20	665527301	Gray, anti-fog	Ea



## 3M™ Virtua™ V4 Safety Eyewear

Soft, dual-injected temples for all-day comfort. Features lightweight design, unisex styling and polycarbonate wraparound lens. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11670-00000-20	665564111	Black	Clear, hardcoat	Ea
11672-00000-20	665573851	Black	Clear, anti-fog	Ea
11671-00000-20	665564121	Black	Gray, hardcoat	Ea
11673-00000-20	665570321	Black	Gray, anti-fog	Ea
◆ 11674-00000-20	665570331	Black	I/O mirror	Ea



11670-00000-20



11674-00000-20



11673-00000-20



**WARNING**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



11818-00000-20

## 3M 3M™ Virtua™ AP Protective Eyewear

Features frameless design, high-wrap polycarbonate lenses and integral sideshields. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11815-00000-20	665570451	Gray	Gray, hardcoat	Ea
11818-00000-20	665550751	Clear	Clear, anti-fog	Ea
11819-00000-20	665525241	Clear	Clear, hardcoat	Ea
11847-00000-20	665540231	Mirror	I/O mirror, hardcoat	Ea



11331-00000-20

## 3M 3M™ Virtua™ Safety Eyewear

Features lightweight frame design, unisex styling and a high-wrap lens for front and side impact protection. Lenses available with anti-fog coating or hardcoat. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11326-00000-20	665564381	Clear	Clear, hardcoat	Ea
11329-00000-20	665570161	Clear	Clear, anti-fog	Ea
11328-00000-20	665570151	Clear	I/O mirror, hardcoat	Ea
11327-00000-20	665570141	Gray	Gray, hardcoat	Ea
11330-00000-20	665570171	Gray	Gray, anti-fog	Ea
11331-00000-20	665570181	Blue Mirror	Blue mirror, hardcoat	Ea



SF201AF

## 3M 3M™ SecureFit™ Protective Eyewear

Features 3M™ Pressure Diffusion Temple Technology which means there are no moving parts and nothing to adjust, while the versatile design is suited for a wide variety of faces. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
SF201AF	66552210	Clear	Clear, anti-fog	Cs
◆ SF202AF	66552002	Gray	Gray, anti-fog	Cs
◆ SF203AF	66552765	Amber	Amber, anti-fog	Cs
SF201AS	66550236	Clear	Clear, anti-scratch	Cs



SF401AF

## 3M 3M™ SecureFit™ 400-Series Protective Eyewear

Features adjustable nosepiece, dual-material on temples and 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear. Polycarbonate lens absorbs 99.9% UV. Meets the ANSI Z87.1+ High Impact standard. 20/Case.

ITEM #	ORDER #	LENS	UOM
SF401AF	665527831	Clear, anti-fog	Ea
SF402AF	665527851	Gray, anti-fog	Ea
SF410AS	665527841	I/O mirror	Ea



11380-00000-20

## 3M 3M™ BX™ Safety Eyewear

Features contoured design, fully adjustable temples, soft nosebridge, 3 lens angles, and polycarbonate lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11380-00000-20	665522531	Silver/black	Clear, anti-fog	Ea

### ⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



### 3M™ Lexa™ Safety Eyewear

Features aspheric lens, adjustable length temples and lens angle adjustment for customized fit. Polycarbonate lens absorbs 99.9% UV. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



ITEM #	ORDER #	FRAME	LENS	SIZES	UOM
<b>Lexa Fighter</b>					

◆ 15258-00000-100	665572461	American RWB	Clear, anti-fog	M	Ea
-------------------	-----------	--------------	-----------------	---	----

#### Lexa

◆ 15100-00000-20	665522211	Metallic slate	Clear, anti-fog	L	Ea
15200-00000-20	665572331	Metallic slate	Clear, anti-fog	M	Ea



### 3M™ Metaliks™ and Metaliks Sport Safety Eyewear

Features silver-plated metal frame, spatula temples, 10-base de-centered lens, and adjustable fit. Polycarbonate lenses with choice of anti-fog or hardcoat. Metaliks Sport features the popular sports style lens design. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
<b>Metaliks</b>				

15170-10000-20	665521141	Silver	Clear, anti-fog	Ea
15172-10000-20	665564181	Silver	I/O mirror, hardcoat	Ea

#### Metaliks Sport

11343-10000-20	665521191	Nickel	Clear, anti-fog	Ea
----------------	-----------	--------	-----------------	----



### 3M™ Fuel2™ Safety Eyewear

Features nylon frame construction with a soft nosebridge. Polycarbonate lens absorbs 99.9% UV and hardcoat protects lens from scratching. Includes lanyard and microfiber bag. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 11650-00000-10	665522111	Metallic sand	Red mirror	Ea
◆ 11652-00000-10	665522121	Silver	Blue mirror	Ea
11653-00000-10	665522161	Silver	Clear, anti-fog	Ea
11654-00000-10	665520821	Black	Gray, anti-fog	Ea



### 3M™ Nuvo™ Safety Eyewear

Lightweight, retro-styled protective eyewear features adjustable temples, an integral brow bar and soft nosepiece. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
11411-00000-20	665522821	Gray	Clear, anti-fog	Ea
◆ 11412-00000-20	665522831	Gray	Gray, anti-fog	Ea



### 3M™ KX™ 1000 Safety Eyewear

Lightweight, contoured design and Duralite® polycarbonate lenses provide a panoramic view. Features seamless lens with built-in sideshields which offers excellent eye coverage and 99.9% UV protection. Anti-fog coating optional. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



ITEM #	ORDER #	FRAME	LENS	UOM
12150-00000-20	665522621	Black	Clear, uncoated	Ea



### 3M™ Privo™ Safety Eyewear

Features color-accented temples, soft-tipped temples and polycarbonate lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
12261-00000-20	665522631	Black	Clear, anti-fog	Ea



◆ Non-stock item. Minimum quantity may apply.



## 3M 3M™ Moon Dawg™ Safety Eyewear

Surf-style sunwear features wide temples, rectangular lenses and a lightweight frame. Polycarbonate lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
11215-00000-20	665574381	Black	Gray, anti-fog	Ea
11216-00000-20	665574391	Black	I/O mirror	Ea



11215-00000-20



## 3M™ Maxim™ GT Safety Eyewear

Features lightweight frame, high-wrap lens and optical clarity. Offers elastomeric browguard and dual-injected adjustable temples with 3-position lens adjustment for better fit. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
14246-00000-20	665542461	Silver/black	Clear, anti-fog	Ea



14246-00000-20



## 3M™ Light Vision™ and Light Vision2™ Safety Eyewear with LED Lights

Features hands-free, adjustable direct lighting, (2) bright, adjustable LED lights, wraparound design, and cushioned brow, nosebridge and temple tips for comfort. Polycarbonate lenses absorb 99.9% UV. Includes replaceable CR2032 3 V batteries, microfiber storage bag and lanyard. Meets ANSI Z87.1+ High Impact standard; Light Vision2 also certified to the requirements of the CSA Z94.3 standard. 10/Box.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11356-00000-10	665520801	Light Vision	Gray	Clear, anti-fog	Ea
11476-00000-20	665574241	Light Vision2	Gray	Clear, anti-fog	Ea



11356-00000-10



13407-00000-5



## 3M™ Smart Lens™ Protective Eyewear

Light reactive lens lightens and darkens with changing outdoor light conditions: light to dark in less than 20 seconds, dark to light in less than 3 minutes. Features nylon brow, spring-hinged magnesium alloy temples and adjustable nosebridge. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact requirements of ANSI Z87.1-2003. 5/Box.

Note: Safety directors should assess their particular workplace and make all Smart Lens wearers aware of the time required for the lens transition. Special care should be taken when moving from outdoors to indoors. Outdoor temperatures may affect lens transition time.

ITEM #	ORDER #	FRAME	LENS	UOM
13407-00000-5	665522461	Black	Photochromic, anti-fog	Ea



41110-00000-100



## 3M™ Tour-Guard™ III Safety Eyewear

Ideal for visitors and temporary workers. Polycarbonate construction features integral sideshields. Regular size designed to fit over most personal Rx eyewear. Lenses absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 100/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
41110-00000-100	665564291	Clear	Clear	Ea



**WARNING**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



12166-00000-20



### 3M™ OX™ 2000 Safety Eyewear

Fits over most prescription eyewear. Features adjustable length temples, Secure-Grip temple tips and polycarbonate lens. DX™ anti-fog hardcoat helps protect lens from fog, scratching and many chemicals. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
12166-00000-20	665574651	Black	Clear, anti-fog	Ea



12159-00000-20



### 3M™ OX™ 1000 Safety Eyewear

Designed to fit over most personal prescription eyewear. Features standard spatula temples and DX™ anti-fog hardcoat which helps protect lens from fog, scratching and many chemicals. Polycarbonate lens absorbs 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
12159-00000-20	665570201	Black	Clear, uncoated	Ea



HIE602AF

HIE603AF



### 3M™ HIE6 Safety Eyewear

Attaches directly to hard hat suspension and retracts between hard hat suspension and shell. Easy to maneuver and adjust for closeness and height. No temple design. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ HIE601AF	66552930	Black	Clear, anti-fog	Cs
◆ HIE602AF	66552931	Black	Amber, anti-fog	Cs
◆ HIE603AF	66552932	Black	Gray, anti-fog	Cs



TGV01-20



### 3M™ Tour-Guard™ V Protective Eyewear

Features wraparound sideshields that help provide extra protection. Medium size fits over most personal prescription eyewear. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
TGV01-20	665531535	Tour-Guard V, dispenser box	Clear	Clear	20/Bx
TGV01-100	66553152	Tour-Guard V, bulk pack	Clear	Clear	100/Cs



### 3M™ Solus™ 1000-Series

Features Scotchgard™ Anti-Fog lens coating which withstands disinfection with diluted bleach soaking or alcohol wipes without losing its anti-fog performance. Kit includes optional elastic strap and removable foam gasket.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S1101SGAF	665531871	Blue/black	Clear	Ea
◆ S1101SGAF-KT	665531321	Blue/black	Clear	Kit
◆ S1102SGAF	665534421	Blue/black	Gray	Ea
◆ S1103SGAF	665534511	Blue/black	Amber	Ea
◆ S1201SGAF	665532901	Green/black	Clear	Ea
◆ S1201SGAF-KT	665532911	Green/black	Clear	Kit
◆ S1202SGAF	665534431	Green/black	Gray	Ea
◆ S1203SGAF	665534441	Green/black	Amber	Ea

#### Replacement Foam Gasket

◆ SOLUS-FOAM	665534531			Ea
--------------	-----------	--	--	----

#### Elastic Strap

◆ SOLUS-STRAP	665534551			Ea
---------------	-----------	--	--	----



S1201SGAF-KT

S1103SGAF

S1101SGAF

◆ Non-stock item. Minimum quantity may apply.





## Jackson Safety\* V20 Visio\* Safety Eyewear

Economical protection with three-point extendable temples to provide a customized fit for enhanced comfort. Unique dual-tone frame for added style. Hardcoated lenses for scratch resistance and longer life. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
14470	C24119131	Silver	Clear	Ea
14471	C24119891	Silver	Clear, anti-fog	Ea
14472	C24119151	Silver	Smoke	Ea
14473	C24119901	Black/Silver	Smoke, anti-fog	Ea
14474	C24119171	Black	Amber	Ea
14476	C24119191	Black	Indoor/Outdoor	Ea



## Jackson Safety\* V30 Nemesis\* Safety Eyewear

Sporty, flexible, and lightweight design for comfort and compliance. Enhanced nosepiece design with integrated ridges to divert sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Comes with a gravity feed display box. Base curve 8. Nemesis\* S fits a smaller, slimmer head without adjustments with a base curve 8.25. Nemesis\* Polarized has superior polarized-lens technology to reduce eye stress and fatigue caused by excessive glare. Meets ANSI Z87.1+ requirements for high-impact protection. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act, except for Nemesis\* Polarized. 12/Box.



ITEM #	ORDER #	FRAME	LENS	UOM
<b>Nemesis*</b>				
25676	C24119441	Black	Clear	Ea
25679	C24119451	Black	Clear, anti-fog	Ea
25659	C24119491	Black	Amber	Ea
14481	C24133581	Black	Blue mirror	Ea
25685	C24124161	Black	Indoor/Outdoor	Ea
25688	C24126061	Black	Smoke mirror	Ea
19639	C24120301	Blue	Light blue	Ea
19642	C24120311	Black	Copper blue shield	Ea
22475	C24124701	Black	Smoke, anti-fog	Ea
25692	C24119501	Black	IRUV 3.0	Ea
25671	C24119511	Black	IRUV 5.0	Ea

ITEM #	ORDER #	FRAME	LENS	UOM
22608	C24129781	Camouflage	Clear, anti-fog	Ea
22610	C24137081	Camouflage	Amber, anti-fog	Ea
22609	C24124441	Camouflage	Smoke, anti-fog	Ea
19644	C24120321	Camouflage	Bronze	Ea
22611	C24124381	Red	Smoke	Ea
<b>Nemesis* Polarized</b>				
28635	C24186351	Gunmetal	Polarized smoke	Ea
28637	C24186371	Brown	Polarized brown	Ea
<b>Nemesis* S</b>				
38474	C24184745	Black	Clear	Ea
◆ 38478	C24100461	Black	Clear, anti-fog	Ea



## Jackson Safety\* V30 Nemesis\* VL Safety Eyewear

Sporty and flexible like the original Nemesis\* safety eyewear, the Nemesis\* VL safety eyewear is frameless, making it even more lightweight. No-brow design increases upwards peripheral vision and limits interference with hard hat suspension systems. Hardcoated lenses for scratch resistance and longer life. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Every pair includes a neck cord for reduced risk of damage when not being worn. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
29111	C24120731	Gunmetal	Clear, anti-fog	Ea
25704	C24120741	Gunmetal	Smoke	Ea





### Jackson Safety\* V40 Hellraiser\* Safety Eyewear

Sunglasses style eyewear with a compact, lightweight design for comfort as stand-alone PPE and when used with other PPE like face shields and welding hoods. Flex-point temples for comfort and stability. Hardcoated lenses for scratch resistance and longer life. Base Curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



20539

ITEM #	ORDER #	FRAME	LENS	UOM
20539	C24121001	Black	Clear	Ea
28615	C24121011	Black	Clear, anti-fog	Ea
25714	C24121021	Black	Smoke	Ea
20541	C24121031	Black	Amber	Ea
25716	C24121041	Black	Indoor/Outdoor	Ea
20543	C24121061	Black	Blue mirror	Ea
20544	C24121071	Black	IRUV 3.0	Ea
20545	C24121081	Blue	IRUV 5.0	Ea



### Smith & Wesson® Elite\* Safety Eyewear

Features wide temples that provide structural integrity and stability. Hardcoated lenses for scratch resistance and longer life. Every pair comes with a carrying pouch that can double as a lens cleaning solution. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



21302

ITEM #	ORDER #	FRAME	LENS	UOM
21302	C24163121	Black	Clear, anti-fog	Ea
21303	C24163131	Black	Smoke	Ea



### Jackson Safety\* V10 Element\* Safety Eyewear

Features metal-free design with screw-less hinges. Base curve 10 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



25627

ITEM #	ORDER #	FRAME	LENS	UOM
25627	C24148801	Clear	Clear	Ea
25631	C24121291	Black	Smoke	Ea
◆ 25638	C24120331	Black	Indoor/Outdoor	Ea
◆ 33072	154002351	Black	Light blue	Ea




25672



### Jackson Safety\* V50 Calico\* Safety Eyewear

Features interchangeable temple bars and removable foam lining that helps to seal out dust and debris. Superior anti-scratch coating to prevent scratches that could impair vision and increase lens longevity, passing the EN 166 "K" mark test for resistance to surface damage by fine particles #3. Anti-fog coating and ventilation from cushioned brow bar provide premium anti-fog performance for worker efficiency and safety, passing the EN 166 "N" mark test t#1 & #3. Base curve 8. Includes carrying pouch that doubles as a lens cleaning solution. Meets ANSI Z87.1+ requirements for high-impact protection. Certified to meet the requirements of CSA Z94.3. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 25672	15405672	Black	Clear, anti-fog	Bx
◆ 25675	15405675	Black	Smoke, anti-fog	Bx



### Smith & Wesson® Magnum® 3G Safety Eyewear

Safety eyewear with a frameless sunglasses design. Extendable temples offer three different temple lengths for a customized fit. Self-adjusting nose pad with rubber fingers designed to prevent glasses from slipping down the nose. Hinge stops prevent temple tips from scratching lenses for increased longevity. Hardcoated lenses for scratch resistance and longer life. Base curve 7 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.



19823



19826

ITEM #	ORDER #	FRAME	LENS	UOM
19794	C24121331	Black	Clear, anti-fog	Ea
◆ 19796	C24121341	Black	Copper blue shield	Ea
19799	C24121351	Black	Clear	Ea
19823	C24121371	Black	Smoke	Ea
19826	C24121391	Black	Amber	Ea
19831	C24121441	Metallic gray	Indoor/Outdoor	Ea

◆ Non-stock item. Minimum quantity may apply.



## StarLite® Safety Glasses

Features scratch-resistant, hardcoated 100% polycarbonate lenses with dual 9.75 base curve enhance the wearer's range of visibility and block 99.9% of UV light. Features full brow protection and deep, universal-fit temples. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.



4675

ITEM #	ORDER #	FRAME	LENS	UOM
4675	323346751	Amber	Amber	Ea
4679	323346791	Clear	Clear, anti-fog	Ea
4680	323346801	Clear	Clear	Ea
4683	323346831	Gray	Gray	Ea
460M	323304601	Clear	Clear I/O mirror	Ea
468M	323300481	Gray	Silver mirror	Ea



## StarLite® SQUARED Safety Glasses

Features squared and lightweight design. Soft, pliable temples provide comfort, and fingertip nosepiece minimizes slippage. Scratch-resistant, hardcoated 100% polycarbonate lens for long life. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.



440M

ITEM #	ORDER #	FRAME	LENS	UOM
4476	323300391	Blue	Pacific blue	Ea
4479	323300401	Clear	Clear, anti-fog	Ea
4480	323300421	Clear	Clear	Ea
4483	323300431	Gray	Gray	Ea
440M	323300371	Clear	Clear, I/O mirror	Ea
448M	323300411	Gray	Silver mirror	Ea



## Conqueror® Protective Eyewear

Features durable polycarbonate wraparound lens, soft, comfortable nosepiece and ergonomic, contoured temple tips. Adjustable length retainer included with each pair. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
28CM5M	323302851	Camo	Bronze mirror	Ea
28CM78	323327031	Camo	Gray, anti-fog	Ea
28GB79	323327011	Black	Clear, anti-fog	Ea
28GB80	323327001	Black	Clear	Ea
28GB83	323327021	Black	Gray	Ea



28CM5M



## DEWALT® DPG54 Protector™ Safety Glasses

Features rubber-tipped temples, distortion-free optics and impact-resistant polycarbonate lenses that provide 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.



DPG54-1D

ITEM #	ORDER #	FRAME	LENS	UOM
DPG54-1D	336535791	Clear	Clear, hardcoat	Ea
DPG54-2D	336535811	Smoke	Smoke, hardcoat	Ea



## Flight® Safety Glasses

Features cushioned temple 'wings' and floating lens design that fights fogging. Lightweight construction and soft rubber nosepiece. Independently, third-party tested and certified by UL® to meet ANSI Z87.1+ and CSA Z94.3. 10/Box.



35BK8M

ITEM #	ORDER #	FRAME	LENS	UOM
35GY80	323327101	Gray/black	Clear	Ea
35BK83	323327121	Black/gray	Gray	Ea
35GY79	323327111	Gray/black	Clear, anti-fog	Ea
35BK8M	323327141	Black/gray	Silver mirror	Ea
35BK9M	323327131	Black/gray	Blue mirror	Ea



## DEWALT® DPG52 Contractor Pro™ Safety Glasses

Features rubber-tipped temple pads, rubber nosepiece and polycarbonate lens that provides impact resistance and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG52-1D	336535731	Clear	Clear, hardcoat	Ea
DPG52-2D	336535751	Smoke	Smoke, hardcoat	Ea
DPG52-6D	336535761	Silver mirror	Silver mirror, hardcoat	Ea



DPG52-1D



### Rad-Sequel™ Safety Glasses

Features rubber-tipped temples and soft, rubber nosepiece for secure, custom fit. Polycarbonate lens provides impact resistance and 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
RS1-10	336531461	Clear	Clear, hardcoat	Ea
RS1-11	336531471	Clear	Clear, hardcoat, anti-fog	Ea
RS1-20	336531481	Smoke	Smoke, hardcoat	Ea



### Mirage™ Safety Glasses

Features scratch-resistant hardcoat and dual wraparound 9.75-base lens that provides a nearly perfect orbital seal. Provides 99.9% UV protection. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
MR0110ID	336531751	Clear	Clear, hardcoat	Ea
MR0111ID	336531761	Clear	Clear, hardcoat, anti-fog	Ea
MR0120ID	336531771	Smoke	Smoke, hardcoat	Ea
MR0121ID	336531781	Smoke	Smoke, hardcoat, anti-fog	Ea
MR0190ID	336531791	I/O	I/O mirror, hardcoat	Ea



MR0190ID



### DeWALT® DPG59 Reinforcer Rx™ Safety Glasses

Combines safety glasses with reading glasses. Magnification diopter is molded into the polycarbonate lens. Features ergonomically positioned handgrip pattern on the temple, non-slip rubber nosepiece and cushioned non-slip temple pads. Impact-resistant polycarbonate lens provides 99.9% UV protection, and scratch-resistant hardcoat protects lens and maintains optical clarity. Protective eyeglass sleeve included. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
DPG59-110	336536011	Black	Clear, hardcoat, +1.0	Ea
DPG59-115	336536021	Black	Clear, hardcoat, +1.5	Ea
DPG59-120	336536031	Black	Clear, hardcoat, +2.0	Ea



DPG59-110



### Genesis® Readers

Dual, 9-base curve wraparound lens provides peripheral vision and protection. Features soft flexible fingers and elastomer browguard which diffuses and deflects impact. Diopters available from +1.0 to +3.0. Meets ANSI Z87.1+ 2015 High Impact standard. Ultra-dura® anti-scratch hardcoat provides enhanced chemical and scratch resistance. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S3760	341586001	Black	Clear, Ultra-dura, +1.0	Ea
S3761	341586011	Black	Clear, Ultra-dura, +1.5	Ea
S3762	341586021	Black	Clear, Ultra-dura, +2.0	Ea



S3760

### Honeywell UVEX Seismic® Sealed Eyewear with Reading Magnifiers

Features flexible design which can be worn with temples or adjustable headband as conditions change. Headband and subframe are cushion-lined, flame-resistant and replaceable. Soft, high-quality face cushioning and padded temple tips for comfort. Uvextra® anti-fog coating helps keep lenses clear in humid or extreme environments. Meets ANSI Z87.1+ 2015 High Impact standard. Certified to the requirements of the CSA Z94.3 2007 standard. 10/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ S0661X	341588321	Black	Clear, Uvextra, +1.5	Ea
◆ S0662X	341588331	Black	Clear, Uvextra, +2.0	Ea



S0661X



### Crucible Eyewear

Features adjustable rubber nosepiece and dual mold rubber temple grips that add comfort and stability. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ 40227	336501471	White	Silver mirror polarized	Ea
◆ 40117	336501481	Brown	Brown, HD	Ea
◆ 4061	336501491	Black	Smoke	Ea
◆ 40412	336501501	Black	Indoor/Outdoor	Ea



40227



### Passage Eyewear

Features lightweight frame, flexible temples with rubber temple pads and seamless one piece design. Polycarbonate lens provides impact resistance. Meets ANSI Z87.1 standards. Provides 99.9% protection against harmful UV rays. 12/Box.

ITEM #	ORDER #	LENS	UOM
◆ PS0110ID	336501521	Clear	Ea
◆ PS0111ID	336501531	Clear, AF	Ea
◆ PS0120ID	336501541	Smoke	Ea
◆ PS0190ID	336501551	Indoor/Outdoor	Ea



PS0110ID

◆ Non-stock item. Minimum quantity may apply.



BKH10



### BearKat Magnifier® Safety Glasses

Features one-piece design, wraparound polycarbonate lens that offers unobstructed vision and filters more than 99.9% of UV radiation and flexible temples. Non-slip, rubber head grips are notched for a clip-on breakaway cord. Meets ANSI Z87.1+ High Impact standard. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
BKH10	331400031	Clear	Clear, anti-scratch, +1.0	Ea
BKH15	331400051	Clear	Clear, anti-scratch, +1.5	Ea
BKH20	331400071	Clear	Clear, anti-scratch, +2.0	Ea
BKH25	331400091	Clear	Clear, anti-scratch, +2.5	Ea
BKH15G	331400061	Smoke	Gray, anti-scratch, +1.5	Ea
BKH20G	331400081	Smoke	Gray, anti-scratch, +2.0	Ea
BKH25G	331400201	Smoke	Gray, anti-scratch, +2.5	Ea



### Jackson Safety\* V60 Nemesis\* Rx Readers Safety Eyewear

Sporty, flexible, lightweight eyewear with integrated diopters for vision assistance. Enhanced nosepiece design with integrated ridges to channel away sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Base curve 8 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Certified to meet the requirements of CSA Z94.3. Note: 22516, 22518 and 22519 are not CSA Certified. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
28618	C24120551	Black	Clear, +1.0	Ea
28621	C24120561	Black	Clear, +1.5	Ea
28624	C24120571	Black	Clear, +2.0	Ea
28627	C24120581	Black	Clear, +2.5	Ea



38507



### Jackson Safety\* V60 Nemesis\* with RX Inserts Safety Eyewear

Sporty eyewear that comes with a close-fit prescription lens insert behind the polycarbonate eyeshield. Solution tends to be more lightweight and comfortable than options like side shields and over-the-glasses safety glasses. Adjustable ratchet-action temples with five positions provide a customized fit. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Base curve 8.25 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act. 12/Box.

ITEM #	ORDER #	FRAME	LENS	UOM
38503	C24185031	Black	Clear, anti-fog	Ea
38507	C24185071	Blue	Indoor/Outdoor, anti-fog	Ea



DM13H10PF



### Dominator™ DM3 Readers

Features solution-based protection, wire core and independently adjustable nose pads. Available with MAX3™ scratch-resistant coating, MAX6™ anti-fog coating or BOSSMAN™ mirror lens coatings. Offers co-injected TPR wire core and adjustable nose pads and temples. Meets or exceeds Z87+ and Military High Velocity Impact standards. Includes cord and cleaning case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ DM13H10PF	331442821	Tortoise	Clear, +1.0, MAX6	Ea
◆ DM13H10BPF	331443201	Tortoise	Brown, +1.0, MAX6	Ea
◆ DM13H15PF	331442831	Tortoise	Clear, +1.5, MAX6	Ea
◆ DM13H15BPF	331443211	Tortoise	Brown, +1.5, MAX6	Ea
◆ DM13H20PF	331442841	Tortoise	Clear, +2.0, MAX6	Ea
◆ DM13H20BPF	331443221	Tortoise	Brown, +2.0, MAX6	Ea
◆ DM13H25PF	331442851	Tortoise	Clear, +2.5, MAX6	Ea
◆ DM13H25BPF	331443231	Tortoise	Brown, +2.5, MAX6	Ea



28621

ITEM #	ORDER #	FRAME	LENS	UOM
28630	C24120591	Black	Clear, +3.0	Ea
22516	C24124291	Black	Smoke, +1.5	Ea
22518	C24124681	Black	Smoke, +2.0	Ea
22519	C24124621	Black	Smoke, +2.5	Ea



### 3M™ BX™ Readers Safety Eyewear

Contoured, fully adjustable design features soft-tip temples, soft nosebridge, three lens angles and polycarbonate lenses that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11377-00000-20

ITEM #	ORDER #	FRAME	LENS	UOM
11374-00000-20	665570241	Silver/black	Clear, anti-fog, +1.5	Ea
11375-00000-20	665520811	Silver/black	Clear, anti-fog, +2.0	Ea
11376-00000-20	665564091	Silver/black	Clear, anti-fog, +2.5	Ea
11377-00000-20	665522521	Silver/black	Gray, anti-fog, +1.5	Ea
11378-00000-20	665522001	Silver/black	Gray, anti-fog, +2.0	Ea
11379-00000-20	665522711	Silver/black	Gray, anti-fog, +2.5	Ea



### 3M™ Nuvo™ and Nuvo™ Readers Safety Eyewear

"Retro" styling with molded-in magnifying diopters on the lower lens. Features adjustable temples, integral brow bar and soft nosepiece. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.



11434-00000-20

ITEM #	ORDER #	DESCRIPTION	FRAME	LENS	UOM
11434-00000-20	665563881	Nuvo Readers	Gray	Clear, +1.5	Ea
11435-00000-20	665574221	Nuvo Readers	Gray	Clear, +2.0	Ea
11436-00000-20	665574231	Nuvo Readers	Gray	Clear, +2.5	Ea



11513-00000-20

### 3M™ Virtua™ Safety Readers

Lightweight, unisex design features reading diopters, flexible temples and polycarbonate lenses with anti-fog coating that absorb 99.9% UV. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
11513-00000-20	665574541	Clear	Clear, +1.5	Ea
◆ 11514-00000-20	665574551	Clear	Clear, +2.0	Ea



SF415AF

### 3M™ 3M™ SecureFit™ Safety Readers

Stylish design weighs less than 1 oz., has soft adjustable nose pads for greater personalization, and incorporates dual-material on temples to provide cushioned comfort plus enhanced style. Incorporates 3M™ Pressure Diffusion Temple Technology to help diffuse pressure over the ear and provide enhanced temple comfort while not compromising the security of fit. Corrective vision to multiple degrees. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of ANSI Z87.1-2010. 20/Case.

ITEM #	ORDER #	FRAME	LENS	UOM
◆ SF415AF	665534561	Clear	Clear, +1.0	Ea
◆ SF420AF	665534571	Clear	Clear, +2.0	Ea



### 3M™ Clear Eyewear Side Covers

Can be used with many different spectacle styles.

WARNING: This product does not meet the side impact performance requirement of ANSI Z87.1+ High Impact standard. If user is exposed to potential side impacts, use ANSI Z87.1 compliant safety spectacles with side protection, goggles or faceshields with primary eye protection to avoid serious eye injuries.



23451-00030-20

ITEM #	ORDER #	UOM
23451-00030-20	665572621	20/Cs

#### ⚠ WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

◆ Non-stock item. Minimum quantity may apply.