

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Waffle House-Edwin Miller Blvd	Facility Type Food Service Establishment	
Licensee Name East Coast Waffles, Inc.	Facility Telephone # 304 262-6637	
Facility Address 1807 Ewdin Miller Blvd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 06/26/2018	Total Time Spent 2.13

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walkin	39
Dessert cooler left	40
2 Door Reach In	41
Drawers	
Cold wells	34
Hot Holds	
Dessert cooler right	

Food Temperatures	
Description	Temperature (Fahrenheit)
Gravy	135
Chili	155
Grits	162
Cold well	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
SanitizerbucketsD ishmachine	Chemical		+200	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 6

Repeated # 0

3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): milk and chocolate milk out of date 6-25-18

4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Sanitizer bucket +200 ppm

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Walk in cooler shelves need cleaned, old food stuffs and molds observed on the racks

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): 2 door cooler needs dusted outside on ledges and inside needs cleaned including dry products on racks

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Ice machine needs cleaned inside, mold

6-501.111 - CONTROLLING PESTS

This is a critical violation

OBSERVATION: Flies observed in multiple areas of the unit

Observed Non-Critical Violations

Total # 16

Repeated # 0

3-305.12 - FOOD STORED IN PROHIBITED AREAS.

OBSERVATION: Cases of to go cups needs stored off the floor

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: 2 door cooler needs racks, rust.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Grill stand needs cleaned, grease

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Milk crates being used as shelves are not able to be used as that, not smooth and easily cleanable

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Walls need cleaned in drystock

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Dry stock shelves need cleaned

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

OBSERVATION: Clean utensils and glasses are being stored or stacked without being air-dried first..

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Light shield in back needs replaced, cracked

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: Old unclean toaster stored in the drystock room needs cleaned and wrapped in plastic to keep debris from it or thrown out

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Light covers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Back hand sink and drain needs cleaned, mold

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walk in cooler condensers need cleaned, dust

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors need cleaned behind and under equipment

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walk in cooler door and gasket needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Grill filters need cleaned


6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Dish drain needs cleaned


Inspection Outcome

Comments

Person in Charge


Valerie Hott

Sanitarian


Glenn GCO Ondick