

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name RESA VIII School House Rd.	Facility Type Food Service Establishment	
Licensee Name RESA VIII Head Start	Facility Telephone # 304	
Facility Address 143 School House Rd Hedgesville, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 03/24/2017	Total Time Spent 1.05

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Milk cooler	35
Refridgerator	39
Upstairs cooler	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Spraybottle	Chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS <i>This is a critical violation</i> OBSERVATION: (CORRECTED DURING INSPECTION): Grater and sharp kitchen knife stored unclean

ObservedNon-CriticalViolations
Total # 2 Repeated # 0 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Need to install an outlet cover behind the stove
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: Bottom kitchen vents need cleaned, spider webs

Inspection Outcome

Comments

Disclaimer

Person in Charge



Dawn Heatwole

Sanitarian



Glenn GCO Ondick