

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name CCSI, Inc(Sweet Inspirations/Classic Chocolates)	Facility Type Food Service Establishment
Licensee Name CCSI, Inc	Facility Telephone # 304
Facility Address 839 Winchester Ave Martinsburg , WV	Licensee Address 839 Winchester Ave , WV 25401

Inspection Information		
Inspection Type Routine	Inspection Date 02/01/2017	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
True refrigerator	36
"Cold Milk" refrigerator	40
display refrigerator	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
bleachbucketdishmachine	chemicalheat	yes	10/100	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations**Total # 7****Repeated # 0****3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING***This is a critical violation**OBSERVATION: 2 bowls of filling past date(discarded) & fudge and cupcakes need to be datemarked***4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER***This is a critical violation**OBSERVATION: (CORRECTED DURING INSPECTION): bleach bucket sanitizer too weak-10ppm/100ppm***4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS***This is a critical violation**OBSERVATION: (CORRECTED DURING INSPECTION): big mixer(not used today) needs thorough cleaning***4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS***This is a critical violation**OBSERVATION: (CORRECTED DURING INSPECTION): dough hook and couple bowls stored not clean***4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE***This is a critical violation**OBSERVATION: sheet pans left on cooling rack from weekend-Need to be cleaned after use***6-501.111 - CONTROLLING PESTS***This is a critical violation**OBSERVATION: few mouse droppings observed in cake decoration/mop room-Area needs organized to make easily cleanable***7-201.11 - SEPARATION***This is a critical violation**OBSERVATION: (CORRECTED DURING INSPECTION): Windex spray bottle should not be stored on shelving holding cake cardboard forms***Observed Non-Critical Violations****Total # 18****Repeated # 0****3-305.11 - FOOD STORAGE***OBSERVATION: items should be stored 6" off floor throughout***4-202.16 - NONFOOD CONTACT SURFACES***OBSERVATION: cardboard boxes not cleanable-avoid using for plastic candy molds***4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION***OBSERVATION: trim on both cake tables needs replaced/repaired and trim on cake cardboard form storage shelving***4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION***OBSERVATION: 2 door freezer-ice buildup-needs defrosted***4-602.13 - NONFOOD CONTACT SURFACES**

OBSERVATION: *outsides of candy machines needs cleaned-cord connections, outside table, etc*

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: *few lids on tubs/containers need cleaned*

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: *upright freezer-Kelvinator-needs bottom area cleaned*

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: *candy retail area-ceiling needs repaired in several areas(leak?/screw hook damage)*

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: *ceiling light out over cake table*

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: *Leak from upstairs apartment-Repair currently occurring-Floor tiles, etc will need replaced*

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: *restroom-toilet seat needs tightened*

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: *cake decoration storage room needs to be organized so as to make area cleanable*

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: *restroom-ceiling fan, toilet and floor needs cleaned*

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: *caulk behind handsink needs cleaned-If cannot clean, then replace*

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: *floor drain beneath 3 bay sink needs cleaned*

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: *cake box storage closet-high dusting needed and outside vent on HVAC needs cleaned*

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: *floor needs cleaned on both sides of back door, beneath floor mats and where items have dropped and not picked up*

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: *floor perimeters and coving needs cleaned throughout-back and front*

Inspection Outcome

Comments


*Be sure all items are tightly sealed and all areas kept clean to prevent any re-occurrence of pest issues
*Owner-Please fax last pest control treatment invoice to Health Deot-304-263-8274

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards