

**West Virginia Department of Health  
& Human Resources  
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name Butterflies and Bullfrogs	Facility Type Food Service Establishment
Licensee Name Michele Esposito	Facility Telephone # 304
Facility Address 4174 Hedgesville Rd Hedgesville, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 09/15/2017	Total Time Spent 1.07

<b>Equipment Temperatures</b>	
Description Refrigerator	Temperature (Fahrenheit) 41

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
spraybottles	chem		+200	bleach	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 3</b>  <b>Repeated # 0</b>  <b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b>  <b>This is a critical violation</b>  <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Several utensils and measuring cups were stored unclean  <b>4-703.11 - HOT WATER AND CHEMICAL</b>  <b>This is a critical violation</b>  <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Spray bottle +200ppm  <b>6-501.111 - CONTROLLING PESTS</b>  <b>This is a critical violation</b>  <b>OBSERVATION:</b> Fruit flies observed in the kitchen</p>

<b>ObservedNon-CriticalViolations</b>
<p><b>Total # 3</b>  <b>Repeated # 0</b>  <b>4-601.11(C) - NON-FOOD CONTACT SURFACES</b>  <b>OBSERVATION:</b> Inside the silverware caddies need cleaned  <b>4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED</b>  <b>OBSERVATION:</b> Clean pots are being stored or stacked without being air-dried first..  <b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b>  <b>OBSERVATION:</b> Ladder in the kitchen needs cleaned</p>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge



**Michele Esposito**

Sanitarian



**Glenn GCO Ondick**