

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

## 1 Identification

- **Product identifier**
- **Trade name: Roadside® Fix-a-Flat®**
- **Recommended use and restriction on use**
- **Recommended use:**  
Sealant
- **Restrictions on use:**  
No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
(North America)  
ITW Global Tire Repair, Inc.  
125 Venture Drive, Suite 210, San Luis Obispo, CA 93401  
Tel (805) 489-0490
- (Europe)  
ITW Global Tire Repair, Europe GmbH  
Carl-Benz Str. 10, 88696 Owingen, Germany  
Tel 0049 7551-9200-100
- Only representative of a non-Community manufacturer  
H2 Compliance  
Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland  
Tel +353 21 486 8122  
E-Mail info@h2compliance.com
- **Information department:** Product Safety Department
- **Emergency telephone number:**  
ChemTel Inc.  
+1 (800)255-3924, +1 (813)248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.  
0 % of the mixture consists of component(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 1)

## · Hazard pictograms:



GHS04 GHS08

## · Signal word: Danger

## · Hazard-determining components of labeling:

Solvent naphtha (petroleum), heavy arom.

## · Hazard statements:

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

## · Precautionary statements:

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Classification system

## · NFPA ratings (scale 0 - 4)



Health = 0

Fire = 0

Reactivity = 1

## · HMIS-ratings (scale 0 - 4)



HEALTH 0 Health = 0

FIRE 0 Fire = 0

REACTIVITY 1 Reactivity = 1

### 3 Composition/information on ingredients

## · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

## · Dangerous components:

811-97-2	Norflurane ⚠ Press. Gas, H280 Simple Asphyxiant	10-25%
64742-94-5	Solvent naphtha (petroleum), heavy arom. ⚠ Asp. Tox. 1, H304	10-25%
1336-21-6	ammonia, aqueous solution ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318	< 0.5%

· Additional information: For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 2)

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Take affected persons out into the fresh air.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Do not pull solidified product away from the skin.  
Clean with water and soap.
- **After eye contact:**  
Protect unharmed eye.  
Remove contact lenses if worn.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
A person vomiting while lying on their back should be turned onto their side.  
Do not induce vomiting; immediately call for medical help.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No relevant information available.
- **Danger:**  
Danger of pulmonary edema.  
Danger of impaired breathing.
- **Indication of any immediate medical attention and special treatment needed:**  
If swallowed, gastric irrigation with added, activated carbon.  
If necessary oxygen respiration treatment.  
Later observation for pneumonia and pulmonary edema.  
Medical supervision for at least 48 hours.  
If swallowed or in case of vomiting, danger of entering the lungs.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
In certain fire conditions, traces of other toxic gases cannot be excluded.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:** Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**  
Use respiratory protective device against the effects of fumes/dust/aerosol.

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

**Trade name: Roadside® Fix-a-Flat®**

(Cont'd. of page 3)

- Ensure adequate ventilation.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
 Allow to solidify. Pick up mechanically.  
 Clean the affected area carefully; suitable cleaners are:  
 Warm water and cleansing agent  
 Organic solvent  
 Dispose contaminated material as waste according to item 13.  
 Send for recovery or disposal in suitable receptacles.
- **Reference to other sections:**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**  
 Do not spray on a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
 Observe official regulations on storing packagings with pressurized containers.  
 Provide ventilation for receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
 Protect from frost.  
 Store receptacle in a well ventilated area.  
 Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- **Specific end use(s):** No relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**811-97-2 Norflurane**

WEEL (USA) | Long-term value: 1000 ppm

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 The usual precautionary measures for handling chemicals should be followed.  
 Avoid close or long term contact with the skin.  
 Keep away from foodstuffs, beverages and feed.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 4)

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- **Engineering controls:**
- **Breathing equipment:** Not required under normal conditions of use.
- **Protection of hands:**

Not required under normal conditions of use.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Not required.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Body protection:** Not required under normal conditions of use.
- **Limitation and supervision of exposure into the environment** No relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No relevant information available.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General information**

- **Appearance:**

**Form:**

Aerosol

**Color:**

Different according to coloring

- **Odor:**

Ammonia-like

- **Odor threshold:**

Not determined.

- **pH-value at 20 °C (68 °F):**

&lt; 9,5

- **Change in condition:**

**Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

Not applicable, as aerosol.

- **Flash point:**

Not applicable, as aerosol.

- **Flammability (solid, gaseous):**

Not applicable.

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 5)

· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not self-igniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Oxidizing properties:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	0,98 g/cm <sup>3</sup> (8.178 lbs/gal)
· <b>Relative density:</b>	Not determined.
· <b>Vapor density:</b>	Not determined.
· <b>Evaporation rate:</b>	Not applicable.
· <b>Solubility in / Miscibility with:</b>	
<b>Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions:**  
Reacts with peroxides and other radical forming substances.  
Reacts with reducing agents.  
Reacts with strong acids and alkali.  
Develops readily flammable gases / fumes.  
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
- **Conditions to avoid:** No relevant information available.
- **Incompatible materials:** No relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Irritant gases/vapors  
Sulfur oxides (SO<sub>x</sub>)  
Nitrogen oxides

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 6)

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** No irritant effect.
- **On the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

None

- **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** The product contains materials that are harmful to the environment.
- **Persistence and degradability:** The product is partially biodegradable. Significant residuals remain.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
At present there are no ecotoxicological assessments.  
This statement was deduced from the properties of the single components.  
The product contains materials that are harmful to the environment.  
Due to the consistence and the low watersolubility of the product a bioavailability is not probable.  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015



**Trade name: Roadside® Fix-a-Flat®**

· **Other adverse effects:** No relevant information available. (Cont'd. of page 7)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:**  
Solvent naphtha  
Water, if necessary with cleansing agents.

### 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADR, IMDG, IATA</b>	UN1950
· <b>UN proper shipping name</b>	
· <b>DOT, IATA</b>	AEROSOLS, Non-Flammable
· <b>ADR</b>	1950 AEROSOLS, Non-Flammable
· <b>IMDG</b>	AEROSOLS, Non-Flammable
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	2.2
· <b>Label</b>	2.2
<hr style="border-top: 1px dashed black;"/>	
· <b>ADR</b>	
	
· <b>Class</b>	2.2 5A
· <b>Label</b>	2.2

(Cont'd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 8)

· IMDG, IATA



· Class 2.2  
· Label 2.2

· Packing group  
· DOT Not regulated.  
Not regulated.  
· ADR, IMDG, IATA Not regulated.

· Environmental hazards  
· Marine pollutant: No

· Special precautions for user Not applicable.  
· EMS Number: F-D,S-U  
· Segregation groups Alkalis

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:  
· DOT  
· Quantity limitations On passenger aircraft/rail: 75 kg  
On cargo aircraft only: 150 kg  
· Remarks: Non-flammable Gas Consumer Commodity (ORM-D)

· ADR  
· Excepted quantities (EQ) Code: E0  
Not permitted as Excepted Quantity

· IMDG  
· Limited quantities (LQ) 1L  
· Excepted quantities (EQ) Code: E0  
Not permitted as Excepted Quantity

· UN "Model Regulation" UN1950, Aerosols, 2.2

**15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture  
· United States (USA)  
· SARA

· Section 302 (extremely hazardous substances):  
None of the ingredients are listed.

· Section 304 (emergency release notification):  
None of the ingredients are listed.

(Cont'd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

Trade name: Roadside® Fix-a-Flat®

(Cont'd. of page 9)

· **Sections 311/312 (hazardous chemical threshold planning quantity in pounds):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **Canadian substance listings**

· **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 1%):**

None of the ingredients are listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 11/02/2015 / -

(Cont'd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 11/02/2015

Reviewed on 11/02/2015

**Trade name: Roadside® Fix-a-Flat®**

(Cont'd. of page 10)

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Press. Gas: Gases under pressure: Compressed gas  
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Asp. Tox. 1: Aspiration hazard, Hazard Category 1

**· Sources**

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)