

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name McDonald's Apple Harvest	Facility Type Food Service Establishment
Licensee Name Keenen Enterprises II, Inc	Facility Telephone # 304 263-6177
Facility Address 14634 Apple Harvest Drive Martinsburg , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 09/26/2017	Total Time Spent 13.55

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In	37
Salad Refrigerator	38
Prep Unit	38
Milk Refrigerator	38
Frappe Cooler	39
McCafe Refrigerator	40
Beverage Air Milk Storage	39
Drive-Thru Refrigerator	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishmachineBucket	ChemicalChemical		30050	QuatChlorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 1 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: Orange juice machine nozzle needs cleaned

Observed Non-Critical Violations

Total # 12

Repeated # 1

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Oven needs repaired (parts ordered)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Filet of Fish freezer needs defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Condenser leaking in Walk-In refrigerator and needs repaired

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION: Ice build-up in Walk-In freezer (worked on and looks better)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Ice machine gasket needs replaced (torn)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Fan cover in Drive Thru refrigerator needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Inside of refrigerator under hot chocolate machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Storage shelving above handsink needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Shelving above 3-Bay sink needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Cupholders on front line needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Dumpster area needs power washed

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Dry storage shelving needs cleaned at bottom

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Shelley Degrange



Keith Allison