

CHAIN HARDWARE


Oblong Master Links (O)



Part Number	Single Leg (in.)	Double Leg (in.)	WLL (lbs.)	A (in)	B (in)	C (in)	Weight (lbs/pc)
8451100	5/16	9/32	7,400	0.63	2.36	4.33	1.2
8451300	1/2	3/8	15,200	0.86	3.54	6.29	3.3
8451400	5/8	1/2	26,000	1.02	3.93	7.08	5.1
8451500	3/4	5/8	39,100	1.26	4.33	7.87	8.6
8451600	7/8	3/4	61,100	1.49	5.90	10.82	16.5
8451700	1	7/8	74,000	1.77	7.08	13.38	28.2

Sub-Assemblies (O)

Part Number	Chain Size (in.)	WLL (lbs.)	A (in)	B (in)	C (in)	A1 (in)	B1 (in)	C1 (in)	Weight (lbs/pc)
8452110	9/32	11,200	0.70	2.95	5.31	0.51	0.98	2.12	2.60
8452310	3/8	22,900	1.02	3.93	7.08	0.70	1.57	3.34	7.40
8452410	1/2	39,000	1.26	4.33	7.87	0.86	1.96	4.52	13.30
8452510	5/8	58,700	1.41	5.51	10.23	1.02	2.55	5.51	21.90
8452610	3/4	91,700	2.00	7.48	13.78	1.26	2.75	5.90	51.40
8452710	7/8	110,900	2.00	7.48	13.78	1.41	2.95	6.69	56.90



Eye Foundry Hook (F)



Eye Type Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Throat Opening (in)	Weight (lbs/pc)
8477200	9/32 - 5/16	5,700	4.92	2.52	2.03
8477400	3/8	8,800	5.90	2.99	3.90
8477600	1/2	15,000	6.81	3.50	6.22
8477700	5/8	22,600	8.25	4.01	11.09
8477800	3/4	35,300	10.23	4.48	16.76

CHAIN HARDWARE

Clevis Sling Hook w/Latch (S)

Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Throat Opening w/Latch (in)	Weight (lbs/pc)
8418200	9/32	4,300	3.74	1.02	1.21
8418400	3/8	8,800	4.33	1.22	2.21
8418600	1/2	15,000	5.35	1.57	3.75
8418700	5/8	22,600	6.10	1.77	7.06
8418800	3/4	35,300	7.28	2.08	11.03
8418900	7/8	42,700	8.26	2.44	27.12



Eye Sling Hook w/Latch (S)



Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Throat Opening w/Latch (in)	Weight (lbs/pc)
8417200	9/32 - 5/16	5,700	3.97	1.02	1.1
8417400	3/8	8,800	5.15	1.22	2.14
8417600	1/2	15,000	6.26	1.57	4.19
8417700	5/8	22,600	7.20	1.77	7.28
8417800	3/4	35,300	7.99	2.08	9.92
8417900	7/8	42,700	8.81	2.44	15.66

Safety Latch Kits

Part Number	Chain Size (in)	Use with part #'s
8410177	9/32	8417200, 8418200
8410277	3/8	8417400, 8418400
8410377	1/2	8417600, 8418600
8410477	5/8	8417700, 8418700
8410577	3/4	8417800, 8418800
8410677	7/8	8417900, 8418900



CHAIN HARDWARE

Coupling Link



Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Weight (lbs/pc)
8453100	9/32	4,300	1.98	0.31
8453200	3/8	8,800	2.83	0.77
8453300	1/2	15,000	3.43	1.63
8453400	5/8	22,600	4.13	2.56
8453500	3/4	35,300	4.44	4.62
8453600	7/8	42,700	5.23	6.84

Cradle Clevis Grab Hook (G)

Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Throat Opening (in)	Weight (lbs/pc)
8428200	9/32	4,300	2.57	0.39	0.97
8428400	3/8	8,800	3.14	0.51	2.12
8428600	1/2	15,000	4.15	0.66	4.63
8428700	5/8	22,600	4.40	0.74	7.5
8428800	3/4	35,300	4.64	0.92	11.47
8428900	7/8	42,700	6.06	1.02	17.2



Cradle Eye Grab Hook (G)



Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Throat Opening (in.)	Weight (lbs/pc)
8427200	9/32 - 5/16	5,700	2.71	0.39	0.88
8427400	3/8	8,800	3.40	0.51	1.94
8427600	1/2	15,000	4.35	0.66	4.3
8427700	5/8	22,600	5.07	0.74	7.06
8427800	3/4	35,300	6.02	0.92	10.8
8427900	7/8	42,700	7.08	1.02	16.54

Cradle Eye Grab Shortening Hook w/Clevis Attachment (A)

Part Number	Chain Size (in)	WLL (lbs)	Reach (in)	Weight (lbs/pc)
8420200	9/32-5/16	5,700	4.60	1.35
8420400	3/8	8,800	5.82	2.69
8420600	1/2	15,000	7.28	5.62
8420700	5/8	22,600	9.13	10.80



CHAIN HARDWARE

Clevis Self Locking Hook (L)



Part Number	Chain Size (In.)	WLL (lbs.)	Reach (In.)	Throat w/Latch Open (In.)	Weight (lbs/pc)
8498200	9/32	4,300	4.84	1.33	2.09
8498400	3/8	8,800	5.63	1.77	3.53
8498600	1/2	15,000	7.08	2.00	7.06
8498700	5/8	22,600	8.46	2.36	13.23

Eye Self Locking Hook (L)

Part Number	Chain Size (In.)	WLL (lbs.)	Reach (In.)	Throat w/Latch Open (In.)	Weight (lbs/pc)
8497200	9/32	4,300	5.31	1.33	2.12
8497400	3/8	8,800	6.61	1.77	3.64
8497600	1/2	15,000	8.07	2.00	7.17
8497700	5/8	22,600	9.88	2.36	13.45



Swivel Self Locking Hook (W)



Part Number	Chain Size (In.)	WLL (lbs.)	Reach (In.)	Throat w/Latch Open (In.)	Weight (lbs/pc)
8499200	9/32	5,700	7.16	1.33	2.43
8999400	3/8	8,800	8.54	1.77	4.41
8499600	1/2	15,000	10.66	2.12	8.82
8499700	5/8	22,600	12.59	2.44	14.99

Plate Hook (P)

Part Number	Chain Size (In.)	WLL (lbs.)	Weight (lbs/pc)
593400400	9/32	3,500	2.80
593400600	3/8	7,100	5.70
593400800	1/2	12,000	13.00
593401000	5/8	18,100	26.50
593401200	3/4	28,300	42.00
593401400	7/8	34,200	65.00

