

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Trinity United Methodist Church	Facility Type Food Service Establishment	
Licensee Name Trinity United Methodist Church	Facility Telephone # 304 263-9215	
Facility Address 220 West Martin St Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/06/2018	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description Beverage Air	Temperature (Fahrenheit) 38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

<i>Observed Non-Critical Violations</i>
Total # 4
Repeated # 0
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Hand sink and In Sink Erator sink need cleaned
 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: Inside of spice/salt/pepper cabinet needs cleaned
 6-301.12 - HAND DRYING PROVISION OBSERVATION: No paper towels at handsink for hand drying.
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Plug on outside of stove/oven needs repaired (loose)


<i>Inspection Outcome</i>

Comments

Watch Best by dates: Italian Dressing (Great Value) 6/29/2017, Kool-Aid Cherry April 17, 2017, Chewy oat & Honey Sept 15, 2016, Mrs. Freshley's Fruit & Grain Cereal Bars 7/17/2017. Garlic Powder 2/24/2017. Heinz Zesty Cocktail Sauce 1/28/2012.

Disclaimer

Person in Charge



Ashley Albright

Sanitarian



Keith Allison