

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 1  
CORE: 6

PRIORITY FOUNDATION: 0  
TOTAL: 7

ESTABLISHMENT: Berkeley Heights Elementary PERMIT NO.: \_\_\_\_\_ DATE: 10/31/2019  
 ADDRESS: 726 Hack Wilson Way CITY: Martinsburg STATE: WV ZIP: 25401  
 PERSON IN CHARGE/TITLE: x Desire Crim TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): x Desire Crim SANITARIAN (SIGNATURE): Paul Allison  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 10:00am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
✓			6-501.11	Drain under 2-Bay sink not working and needs repaired. (Breaker Tripped)
✓			4-602.13	Inside of microwave needs cleaned
			4-501.11	metal cart needs repaired (tape not easily cleanable)
✓			4-602.13	Gasket on Walk-In Refrigerator needs cleaned (mold)
			6-501.12	Fan Covers on Fans in dishmachine area need cleaned.
			6-501.11	Screw holes in dish return area (outside) need repaired/sealed.
✓	✓		4-602.11	Vegetable slicer needs cleaned.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Hot Hold	141°	Dishmachine	160°	Baked Beans	145°		
Metro 1	177°	Milk Right	39°	Carrots Right	141°		
Metro 2	144°	Milk Left	41°	Baked Beans Left	154°		
Hoshizaki	37°	Carrots	143°				

