1. PRODUCT IDENTIFICATION AND COMPANY

Trade Name: CORPRO-86 Article no(s):
Synonyms: -- CAS-no: Mixture

Formula: -- EC-no:

Manufacturer: Astro-Chem Lab, Inc.

4102 2nd Ave W Williston, ND 58801 Phone: 701-572-7355

24 Hour Phone Number: 800-568-6614

2. HAZARD IDENTIFICATION

NGER

Emergency Overview: DANGER

FLAMMABLE LIQUID AND VAPOR. May be fatal or cause blindness if swallowed. Harmful if inhaled or absorbed through the skin. Causes irritation to skin, eyes and respiratory tract. Affects

central nervous system and liver.

Potential Health Effects:

Eyes: Irritant, characterized by a burning sensation,

redness, tearing, inflammation, possible corneal injury, painful sensitization to light. Continued

exposure may cause lesions.

Skin: Methyl Alcohol is a defatting agent and may cause

skin to become dry and cracked. Skin absorption can occur in harmful amounts; symptoms may

parallel inhalation exposure.

Inhalation: An irritant to the mucous membranes. Toxic effects

exerted upon nervous system, particularly the optic

nerve. Once absorbed into the body, it is very

slowly eliminated. Symptoms of over exposure may include headache, drowsiness, nausea, vomiting, blurred vision, blindness, coma, and death. A

person may get better but then worse up to 30 hours

later.

Ingestion: Toxic. Symptoms similar to those for inhalation, but

severity and speed of appearance may be greater. May be fatal or cause blindness. Usual fatal dose: 100-125 ml. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause central nervous system depression, characterized by

excitement, followed by headache, dizziness,

drowsiness and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death

due to respiratory failure.

Chronic Exposure: Marked impairment of vision has been reported.

Repeated or prolonged skin contact may cause

dermatitis. Chronic exposure may cause

reproductive disorders and teratogenic effects. Laboratory experiments have resulted in mutagenic

effects.

Aggravation of Preexisting

Conditions: Persons with preexisting skin disorders, eye

problems, impaired liver, or kidney function may be more susceptible to the effects of the substance.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredient	Percent	CAS Number	TLV-TWA
Methanol	20-25	67-56-1	200 PPM
Isopropyl Alcohol	5-10	67-63-0	400 PPM

4. FIRST AID MEASURES

Signs and Symptoms:

Medical Conditions Aggravated: Preexisting eye, skin and respiratory disorders may

be aggravated by exposure to this product.

Ingestion: Seek medical attention. May cause ocular damage. **Inhalation:** Move to fresh air. If breathing has stopped, give

Move to fresh air. If breathing has stopped, give artificial respiration, then oxygen, if needed. Seek

medical attention immediately. Prolonged inhalation of vapors may lead to a sense of

drunkenness. May result in central nervous system

depression.

Eye Contact: Flush with water for at least 15 minutes. Contact a

physician immediately. Eye contact will cause

irritation.

Skin (Dermal): Remove contaminated clothing and wash

contaminated skin with large amounts of soap and water. If irritation persists, contact a physician. Repeated or prolonged contact may cause irritation and dermatitis, especially to preexisting conditions.

Early to moderate Central Nervous System

depression may be evidenced by giddiness,

headache, dizziness and nausea.

Listed Carcinogens: None listed.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Dry chemical or CO₂.

Special Fire Fighting Procedures: Use of self-contained breathing apparatus is

recommended with full face piece.

Unusual Fire and Explosion

Hazards: None known.

6. ACCIDENTAL RELEASE MEASURES

Spill: Flammable liquid. Release can cause an immediate

fire/explosion hazard. Eliminate all ignition sources, stop spill and use absorbent materials. If necessary,

contain spill by diking. Collect liquid with explosion proof pumps and/or non-combustible

absorbent.

7. HANDLING AND STORAGE

Storage:

Handling: Keep away from heat. Keep away from sources of

ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas, fumes, vapor and spray. Avoid contact with eyes. Wear suitable

protective clothing. In case of insufficient

ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids. Store in a segregated and approved area. Keep

container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or

flame).

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: Use explosion-proof ventilation equipment. Use

adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Use only under a chemical fume hood. Facilities storing or utilizing this material should be equipped with an eyewash facility and a

safety shower.

Personal Protective Equipment

Eye/face Protection Use safety glasses with side shields. Keep chemical

out of eyes. Use goggles, if condition warrants

(windy, etc.)

Skin Protection: Avoid contact with the skin. Use layers of clothing

to prevent skin contact. Wear protective gloves and suitable protective clothing (long sleeved shirts and long pants). Coveralls and face shields may be preferred if condition warrants (windy, etc.)

Respiratory Protection: A respiratory protection program that meets

OSHA's 29 CRF 1910.134 and ANSI Z88.2

requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a

respirator's use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown liquid with amine odor.

Boiling Point: N/A **Vapor Pressure:** N/A **Vapor Density:** N/A

Density @ 60°F: 8.13 pounds/gallon

Specific Gravity: 0.975
Solubility in Water: Soluble pH: N/A

Flash Point: 120°F., TCC.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous Polymerization: Will not occur under normal conditions. **Incompatibility:** Keep away from strong oxidizing agents.

Hazardous Decomposition

Products: Oxides of sulfur, oxides of nitrogen, hydrogen

chloride.

Conditions to Avoid: None known.

11. TOXICOLOGICAL INFORMATION

Methanol

Product	Species	Test Results
Acute		_
Dermal		
LD50	Rabbit	15,800 mg/Kg
Oral		
LD50	Mouse	7,300 mg/Kg
LD50	Rabbit	14,200 mg/Kg
LD50	Rat	5,628 mg/Kg

Inhalation

LD50 Rat 64,000 mg/Kg

Isopropyl Alcohol

Product Species Test Results
Acute

Acute Dermal

LD50 Rabbit 12,800 mg/Kg

Oral

LD50 Mouse 3,600 mg/Kg

Inhalation

LD50 Rat 16,000 mg/Kg

Carcinogenicity: CAS # 67-56-1: Not listed by ACGIH, IARC,

NIOSH, NTP, or OSHA.

Teratogenicity: No

Reproductive Effects: Reported to cause birth defects in rats exposed to

20,000 ppm

Mutagenicity: Insufficient data.

12. ECOLOGICAL INFORMATION

Environmental: Methanol in fresh or salt water may have serious

effects on aquatic life. A study in methanol's toxic effects on sewage sludge bacteria reported little effect on digestion at 0.1% while 0.5% methanol retarded digestion. Methanol will be broken down into carbon dioxide and water. Isopropyl Alcohol is possibly hazardous, short term degradation products are not likely. However, long term degradation

products may arise.

Mobility: Volatile organic compound (VOC): 100%

Persistence and Degradability: Readily biodegradable in water. Methanol, when

released into the air is expected to exist in the aerosol phase and will be degraded from the ambient atmosphere by the reaction with photo chemically produced hydroxyl radicals with an estimated half life of 17.8 days. When released into the soil, methanol is expected to readily biodegrade and leach into groundwater. When released into water, it is expected to have a half life of between 1

and 10 days.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Responsibility for proper waste disposal rests with

the generator of the waste. Dispose of any waste material in accordance with applicable regulations.

Under RCRA, it is the responsibility of the user to

determine, at the time of disposal, whether product

meets RCRA criteria for hazardous waste.

14. TRANSPORT INFORMATION

RCRA Status:

Proper Shipping Name: UN 1993, Flammable Liquid, N.O.S., (Contains

Isopropyl Alcohol and Methanol), 3, PG III, ERG

128

15. REGULATORY INFORMATION

SARA Section 313: None listed.

HMIS Health:1HMIS Flammability:2HMIS Reactivity:0HMIS Personal Protection:C

16. OTHER INFORMATION

Date Issued: November 2013 **Revision Date:** June 2015

DISCLAIMER: This information is furnished without warranty,

expressed or implied, except that it is accurate to the best knowledge of Astro-Chem Lab, Inc. The data on this sheet relates only to the specific material designated herein. Astro-Chem Lab, Inc. assumes no legal responsibility for use or reliance upon this

data.