

CASE-MIX ADJUSTMENT VARIABLES AND SCORES 2017

	Episode number within sequence of adjacent episodes	1 or 2	1 or 2	3+	3+
	Therapy visits	0-13	14+	0-13	14+
	EQUATION	1	2	3	4
	CLINICAL DIMENSION				
1	Primary or Other Diagnosis = Blindness/Low Vision				
2	Primary or Other Diagnosis = Blood disorders		2		
3	Primary or Other Diagnosis = Cancer, selected benign neoplasms		5		5
4	Primary Diagnosis = Diabetes		4		2
5	Other Diagnosis = Diabetes	1			
6	Primary or Other Diagnosis = Dysphagia AND Primary or Other Diagnosis = Neuro 3-Stroke	2	18	2	12
7	Primary or Other Diagnosis = Dysphagia AND M1030 (Therapy at home) =3(Enteral)	2	6		6
8	Primary or Other Diagnosis = Gastrointestinal disorders				
9	Primary or Other Diagnosis = Gastrointestinal disorders AND M1630 (ostomy)=1 or 2		7		
10	Primary or Diagnosis = Gastrointestinal disorders AND Primary or Other Diagnosis = Neuro 1-Brain disorders and paralysis, OR Neuro 2-Peripheral neurological disorders OR Neuro 3-Stroke, OR Neuro 4-Multiple Sclerosis				
11	Primary or Other Diagnosis = Heart Disease OR Hypertension	1	2		2
12	Primary Diagnosis = Neuro 1-Brain disorders and paralysis	2	12	7	12
13	Primary or Other Diagnosis = Neuro 1-Brain disorders and paralysis AND M1840 (toilet transfer)=2 or more		3		3
14	Primary or Other Diagnosis = Neuro 1-Brain disorders and paralysis OR Neuro 2-Peripheral neurological disorders AND M1810 or M1820 (Dressing upper or lower body)= 1, 2, or 3	2	3	1	3
15	Primary or Other Diagnosis = Neuro 3- Stroke	3	12	2	5
16	Primary or Other Diagnosis = Neuro 3- Stroke AND M1810 or M1820 (Dressing upper or lower body)=1,2 or 3				
17	Primary or Other Diagnosis = Neuro 3-Stroke AND M1860 (Ambulation)= 4 or more				
18	Primary or Other Diagnosis = Neuro 4-Multiple Sclerosis AND AT LEAST ONE OF THE FOLLOWING: M1830 (Bathing)=2 or more OR M1840 (Toilet transfer)=2 or more OR M1850 (Transferring)=2 or more OR M1860 (Ambulation)=4 or more	3	7	6	11
19	Primary or Other Diagnosis = Ortho 1-Leg Disorders or Gait Disorders AND M1324 (most problematic pressure ulcer stage)=1,2,3,4	8	1	7	
20	Primary or Other Diagnosis = Ortho 1-Leg OR Ortho 2-Other Orthopedic disorders AND M1030 (Therapy at home)=1(IV/infusion) or 2 (Parenteral)	3		3	4
21	Primary or Other Diagnosis = Psych 1-Affective and other psychoses, depression				
22	Primary or Other Diagnosis = Psych 2-Degenerative and other organic psychiatric disorders				
23	Primary or Other Diagnosis = Pulmonary disorders				1
24	Primary or Other Diagnosis = Pulmonary disorders AND M1860 (Ambulation)=1 or more		1		
25	Primary Diagnosis = Skin 1-Traumatic wounds, burns, post-operative complications	4	20	7	18
26	Other Diagnosis = Skin 1-Traumatic wounds, burns, post-operative complications	7	15	8	15
27	Primary or Other Diagnosis = Skin 1-Traumatic wounds, burns and post-operative complications OR Skin 2-Ulcers and other skin conditions AND M1030 (therapy at home)=1 (IV/Infusion) or 2 (Parenteral)	3			
28	Primary or Other Diagnosis = Skin 2-Ulcers and other skin conditions	2	17	8	17

CASE-MIX ADJUSTMENT VARIABLES AND SCORES 2017

	Episode number within sequence of adjacent episodes	1 or 2	1 or 2	3+	3+
	Therapy visits	0-13	14+	0-13	14+
29	Primary or Other Diagnosis =Tracheostomy (Z43.0)	4	17	4	17
30	Primary or Other Diagnosis =Urostomy/Cystostomy (Z43.5, Z43.6)		18		13
31	M1030 (Therapy at home) =1 (IV/Infusion) or 2 (Parenteral)		17	6	17
32	M1030 (Therapy at home) =3 (Enteral)		16		9
33	M1200 (Vision) =1 or more				
34	M1242 (Pain) =3 or 4	3		2	
35	M1311 = Two or more pressure ulcers at stage 3 or 4	5	10	5	10
36	M1324 =(Most problematic pressure ulcer stage)=1 or 2	4	19	7	16
37	M1324 =(Most problematic pressure ulcer stage)=3 or 4	9	32	11	26
38	M1334 (Stasis ulcer status)=2	4	15	8	15
39	M1334 (Stasis ulcer status)=3	7	17	10	17
40	M1342 (Surgical wound status)=2	2	7	5	11
41	M1342 (Surgical wound status)=3		6	4	9
42	M1400 (Dyspnea)=2, 3 or 4				
43	M1620 (Bowel incontinence)=2 to 5		4		3
44	M1630 (Ostomy)= 1 or 2	4	12	2	8
45	M2030 (Injectable Drug Use)= 0, 1, 2 or 3				
	FUNCTIONAL DIMENSION				
46	M1810 or M1820 (Dressing upper or lower body)= 1, 2, or 3	1		1	
47	M1830 (Bathing)=2 or more	6	5	5	2
48	M1840 (Toilet training)=2 or more	1	2		
49	M1850 (Transferring)=2 or more	3	1	2	
50	M1860 (Ambulation)=1,2, or 3	7		4	
51	M1860 (Ambulation)=4 or more	8	9	6	8

		1 st and 2 nd Episodes		3 rd + Episodes		All Episodes
		0 to 13 Therapy visits	14 to 19 Therapy visits	0 to 13 Therapy visits	14 to 19 Therapy visits	20+ Therapy Visits
Grouping Step: Equation(s) used to calculate points (see Table 3)		1 1	2.1 2	3 3	2.2 4	4 (2&4)
Dimension	Severity Level					
Clinical	C1	0 to 1	0 to 1	0 to 1	0 to 1	0 to 3
	C2	2 to 3	2 to 7	2	2 to 9	4 to 16
	C3	4+	8+	3+	10+	17+
Functional	F1	0 to 13	0 to 6	0 to 6	0 to 1	0 to 2
	F2	14	7 to 13	7 to 10	2 to 9	3 to 6
	F3	15+	14+	11+	10+	7+
Service	S1	0 to 5	14 to 15	0 to 5	14 to 15	20+
	S2	6	16 to 17	6	16 to 17	
	S3	7 to 9	18 to 19	7 to 9	18 to 19	
	S4	10		10		
	S5	11 to 13		11 to 13		