


ENGINE DRIVEN PUMPS CENTRIFUGAL PUMP • TRASH PUMP • TRAILER MOUNTED

TSURUMI Engine Powered Pumps are constructed for maximum durability in a compact, easy handling design. Utilizing superior features and materials, Tsurumi provides an affordable, high value pump line designed to withstand your tough dewatering applications.



TE SERIES GAS ENGINE CENTRIFUGAL PUMPS



TE3-50HA 2" Centrifugal Pump Powered by Honda



TE3-80HA 3" Centrifugal Pump Powered by Honda



TE2-100HA 4" Centrifugal Pump Powered by Honda



TE2-25H
1" Compact Centrifugal Pump
Powered by Honda

EPT SERIES GAS ENGINE TRASH PUMPS



EPT3-50HA 2" Trash Pump Powered by Honda



EPT3-80HA 3" Trash Pump Powered by Honda



EPT3-100HA 4" Trash Pump Powered by Honda

THP HIGH PRESSURE PUMP



THP-4070HA
1" / 1.5" High Pressure Pump
Powered by Honda



TE SERIES - GAS ENGINE CENTRIFUGAL PUMP

Tsurumi TE Series centrifugal pumps are powerful & lightweight pumps powered by heavy-duty Honda GX engine. Available in 1", 2", 3" and 4" NPT coupling suction sizes.












TE3-100HA







TE Series Features

- Heavy-duty Honda gas engine with oil sensor and Silicon Carbide mechanical seal provides longer life
- Cast Iron impeller and volute casing
- Durable Rolled-Steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Suction strainer included (TE2-25H)
- 1", 2" and 3" models are light enough for parcel shipment

Optional Accessories - See page 28-31

TE2-25H: 1" Mill Hose, 1" Suction Hose NPT

TE3-50HA / -80HA / -100HA: Hose Kit, Hoses & Hose accessories, Wheel Kit



| Model | Discharge / Suction Size | Engine | Max. Output (hp/rpm) | Dimensions (inches) | | | Shipping |
|-----------|-----------------------------|-------------|----------------------|---------------------|--------|--------|---------------|
| | | | | Length | Width | Height | Weight (lbs.) |
| TE2-25H | 1" NPSH Coupling | Honda GX25 | 1.1 / 2220 | 9 | 14 | 13 | 12 |
| TE3-50HA | 2" NPT Coupling | Honda GX120 | 4.0 / 3600 | 18 1/2 | 14 5/8 | 17 1/8 | 55 |
| TE3-80HA | 3" NPT Coupling | Honda GX160 | 5.5 / 3600 | 20 1/2 | 16 1/2 | 18 1/8 | 64 |
| TE2-100HA | 4" NPT Coupling | Honda GX240 | 8.0 / 3600 | 25 | 18 | 23 1/2 | 109 |



EPT SERIES - GAS ENGINE TRASH PUMP


Tsurumi EPT Series are designed with oversized pump casing, and a cleanout door which can be removed from the pump casing without having to remove the suction hose. Powered by heavy-duty Honda GX Gas engines.








EPT3-100HA



EPT Series Features

- Heavy-duty Honda gas engine with oil sensor delivers high power from a compact, reliable design. Silicon Carbide mechanical seal provides longer life
- High Chrome impeller, Cast Iron volute casing plus Stainless Steel wear plate promise increased durability and decreased maintenance
- Pump/engine set mounted to cage frame on Rubber Vibration Cushions to buffer stress and wear
- Durable Rolled-Steel frame provides pump/engine with maximum protection, perfect ease of handling or transport and safe operation
- Wheel Kit for easy transportation available with all trash pumps as an optional accessory

Optional Accessories - See page 28-31 Hose Kit, Hoses, Hose accessories, Wheel Kit



Tsurumi EPT Series Engine Trash Pump

- The clean-out door can be disassembled easily without taking off suction hose.
- 2 Designed with larger pump casing.
- 3 Heavy-duty Honda gas engine.
- 4 Mounted to cage frame on Rubber Vibration Cushions.
- 5 Durable rolled-steel frame.
- 6 High Chrome impeller, cast Iron volute casing, stainless steel wear plate

| Model | Discharge / Suction Size | Engine | Max. Output (hp/rpm) | Dimensions (inches) | | | Shipping |
|------------|-----------------------------|-------------|-------------------------|---------------------|--------|--------|---------------|
| | | | | Length | Width | Height | Weight (lbs.) |
| EPT3-50HA | 2" NPT Coupling | Honda GX160 | 5.5 / 3600 | 23 1/4 | 18 1/4 | 17 3/8 | 82 |
| EPT3-80HA | 3" NPT Coupling | Honda GX240 | 8.0 / 3600 | 27 1/2 | 20 1/8 | 25 5/8 | 136 |
| EPT3-100HA | 4" NPT Coupling | Honda GX340 | 11.0 / 3600 | 30 1/8 | 20 1/8 | 26 | 160 |