

CertainTeed

*Bufftech*<sup>®</sup>

Vinyl Fence Products




**CertainTeed**  
SAINT-GOBAIN



**Shown here:**  
 Chesterfield CertaGrain Texture and 4-Rail  
 Post & Rail CertaGrain Texture in Sierra Blend


**On Cover:**  
 Chesterfield CertaGrain Texture with Lattice  
 Accent in Sierra Blend

|  |   |   |  |   |   |
|--|---|---|--|---|---|
| Page 4.  | 6.  | 8.  | 12.  | 14.   | 16.   |
| <b>The Bufftech Advantage</b>                          | <b>Privacy</b><br><br>Galveston<br>CertaGrain®<br>& Smooth                          | <b>Privacy</b><br><br>Chesterfield<br>CertaGrain®                                   | <b>Privacy</b><br><br>Chesterfield<br>CertaStucco™                                   | <b>Privacy</b><br><br>Chesterfield<br>Smooth  | <b>Privacy</b><br><br>New Lexington   |
| The Leader<br>in Aesthetics,<br>Color &<br>Performance |  |  |  |  |  |

# CertainTeed Bufftech® Vinyl Fence Products

From backyard privacy to sophisticated styling, Bufftech® vinyl fence redefines Exterior Living Spaces® with long-lasting beauty and performance. With the industry's widest range of styles, colors and textures, Bufftech makes it easy to find the perfect fence for your home.

Because a lot of life happens beyond your four walls.



18.

Semi-Private

Imperial  
Columbia  
Millbrook



20.

Contemporary

Baron  
Princeton  
Countess  
Monarch  
Victorian



22.

Classic

Manchester  
Canterbury



24.

Traditional

Danbury  
Rothbury  
Cape Cod  
Yorkshire



26.

Post & Rail

4-Rail  
3-Rail  
2-Rail  
Crossbuck



28.

Gates

30.

Accessories

31.

Arbors

32.

Specifications

# The Bufftech® Advantage

Long-lasting beauty, superior performance and the best protection you can get — that's the Bufftech Advantage.

## The difference starts with details.

### Precision Routing

Assures a clean, realistic look without visible glue or screws.

### Heavyweight Pickets

Provide impact resistance and reduces movement.

### Internal Reinforcement

Limits sagging and maintains a strong and sturdy performance.

### Shown here:

Chesterfield CertaGrain Texture in contrasting colors: Brazilian Blend posts and rails with Frontier Blend pickets

CertaStucco™

Smooth

## Color & Texture

CertainTeed sets the standard for the latest innovations in sophisticated styling. From our proprietary texturing process to our unique shades and stain blends, CertainTeed is the undisputed leader in color and texture. Whether you want the look and feel of natural wood or an easy-to-maintain, economical alternative to stucco walls, Bufftech has a vinyl fence to complement any setting. Plus, Bufftech is virtually maintenance-free, and never needs staining or painting. For complete style and color specifications, see page 32.

Mission Ivory  
CertaStucco

White  
Smooth

Almond  
CertaStucco

Almond  
Smooth

Colors throughout this brochure are simulated. Consult product samples before making final selection.

Natural Clay  
Smooth

# Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.

Backed by CertainTeed's exclusive **WindZone™ performance**, Bufftech fence is engineered for use in high wind and hurricane conditions, as approved by Miami-Dade County NOA #12-1106.11\*. Recognized as the most stringent standards in the country, Miami-Dade test protocols include dynamic wind load testing up to 115 mph.



The Bufftech line also meets requirements of the ASTM and includes styles that comply with local codes for **swimming pool** applications. Check with your local building code official as local codes may vary.



\*Miami-Dade County-approved NOA #12-1106.11, for exceptional performance in high wind conditions. To comply with WindZone Performance, additional items are needed for installation. Please reference our product catalog. Expires 3/13/2018.



Look for these icons throughout the brochure on products that meet special performance requirements.

# Peace of Mind

CertainTeed stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. SureStart™ protection, an exclusive CertainTeed benefit, covers warranted repair and replacement costs--including labor, for five years after installation.



CertainTeed also guarantees the performance of Bufftech's darker colors and stain blends with our proprietary **ColorLast® fade protection**, a state-of-the-art acrylic formulation that provides superior protection from the harsh rays of the sun.

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. (see back cover for complete third-party testing information).



## A company you can trust.

For more than 100 years, homeowners and building professionals alike have relied on CertainTeed as a trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior vinyl fencing line, proudly made in the U.S.A.



## Select Cedar



## CertaGrain®



# Privacy

## The perfect choice for complete privacy

Bufftech fence offers a realistic woodgrain texture and rich, authentic shades that replicate the look of natural wood without the maintenance.



### Galveston CertaGrain® Texture

Available in 7' and 8' heights, Galveston — our tallest privacy fence offers the ultimate in complete privacy and is suitable for commercial applications.

Heights: 7' & 8'  
Picket Style: 7/8" x 7" Tongue & Groove



All 3 Steel Reinforced Rails



### Galveston Smooth Finish

Heights: 7' & 8'  
Picket Style: 7/8" x 7" Tongue & Groove





Galveston CertaGrain Texture in Sierra Blend



All 3  
Steel  
Reinforced  
Rails


## Galveston

Smooth Finish with Lattice  
& Galveston with Victorian (not shown)

Heights: 6' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7" Tongue & Groove

White

Almond



Distinctive  
Deco Rail Design  
available with smooth  
fence styles.

# Privacy

*The beauty of wood with the benefits of vinyl*

## Chesterfield CertaGrain® Texture

Bufftech's authentic woodgrain texture and "multi-chromatic" color blends recreate the natural beauty of stained wood in an easy-to-maintain vinyl design. Top rails in ColorLast® colors feature reinforcement for added strength and durability.

Heights: 4', 5' & 6'  
Picket Style: 7/8" x 7" Tongue & Groove



See What's New!



Chesterfield CertaGrain Texture in Brazilian Blend

## Chesterfield CertaGrain® Texture Decorative Accents and Styles

Customers look to CertainTeed for the latest innovations in style and performance. We're bringing you privacy with a different view. Introducing Chesterfield's expanded selection of CertaGrain® Texture Decorative Accents and Styles.



Steel Reinforced Bottom Rail



Add a unique, decorative style in one of four rich blend colors with Chesterfield Concave and Convex to make your fence stand out among the rest.

### with Concave

Heights: 6'

Picket Style: 7/8" x 7" Tongue & Groove



Steel Reinforced Bottom Rail



### with Convex

Heights: 6' and 6-1/2'

Picket Style: 7/8" x 7" Tongue & Groove





Steel Reinforced Bottom Rail

Transition from low to high fence sections. These specially designed fence sections provide an aesthetically appealing way to unify your fence installation.

### with S Curve

Heights: Transitions from 6' to 4'  
Picket Style: 7/8" x 7" Tongue & Groove



Steel Reinforced Bottom Rail

### with Swoop

Heights: Transitions from 6' to 4'  
Picket Style: 7/8" x 7" Tongue & Groove



Steel Reinforced Bottom Rail

For homeowners who like their privacy with a touch of style, the Chesterfield with Victorian Accent or with Lattice Accent offers two great choices.

### with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7" Tongue & Groove



Steel Reinforced Bottom Rail

### with Lattice Accent

The 3-dimensional, molded, solid-color lattice features a subtle texture that complements the finish on the overall fence.

Heights: 4' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7" Tongue & Groove



# Privacy

*Traditional stucco styling in an economical easy-care design*



CertaStucco  
Texture in  
Mission Ivory

## Chesterfield CertaStucco™ Texture

Bufftech's innovative alternative to traditional stucco walls, CertaStucco won't crumble, peel, chip or crack due to settlement, or stain like traditional stucco. It eliminates the time-consuming, costly task of digging a foundation and finishing the wall.

Heights: 4', 5' & 6'  
Picket Style: 7/8" x 7" Tongue & Groove

Mission  
Ivory

Almond

Steel  
Reinforced  
Bottom  
Rail



Chesterfield  
CertaStucco Texture  
in Mission Ivory



Chesterfield CertaStucco Texture in Almond

# Privacy

*Extraordinary performance combined with great style*



Distinctive Deco Rail Design

## Chesterfield Smooth Finish

Top rails in ColorLast® colors feature reinforcement for added strength and durability.

Heights: 4', 5' & 6'  
Picket Style: 7/8" x 7" Tongue & Groove  
(4' not available in Natural Clay)



Steel Reinforced Bottom Rail

## with Swoop Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'  
Available Colors: White & Almond  
Picket Style: 7/8" x 7" Tongue & Groove



Steel Reinforced Bottom Rail

## with S Curve Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'  
Available Colors: White & Almond  
Picket Style: 7/8" x 7" Tongue & Groove





Chesterfield Smooth finish in Almond

Steel Reinforced Bottom Rail



### with Lattice Accent

Heights: 4' 8" plus 1' 4" Accent & 3' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7"  
Tongue & Groove

White

Almond

Steel Reinforced Bottom Rail



### with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7" Tongue & Groove and 7/8" x 1-1/2"

White

Almond

Steel Reinforced Bottom Rail



### with Huntington Accent

Heights: 4' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7" Tongue & Groove and 1-1/2" Square

White

Almond

Steel Reinforced Bottom Rail



### with Westminster Accent

Heights: 4' 8" plus 1' 4" Accent  
Picket Style: 7/8" x 7" Tongue

White

# Privacy

*Smart choice  
for the value*

## New Lexington

New Lexington offers dependable performance at an economical price, with features you'd expect to find on higher-end fence products. New Lexington includes Bufftech's signature "v" groove picket and Classic Curve deco rail design.


Heights: 4', 5' & 6'  
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White

Almond

Steel Reinforced Bottom Rail

Distinctive  
Deco Rail  
Design



Steel Reinforced Bottom Rail



Steel Reinforced Bottom Rail

## with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'  
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White

Almond

## with S Curve

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'  
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White

Almond



New Lexington in White



Steel Reinforced Bottom Rail

Steel Reinforced Bottom Rail

### with Lattice Accent

Heights: 4' 11" plus 1' 1" Accent  
Picket Style: 5/8" x 11-3/8" Tongue & Groove

- White
- Almond

### with Victorian Accent

Heights: 4' 11" plus 1' 1" Accent  
Picket Style: 5/8" x 11-3/8" Tongue & Groove

- White
- Almond

# Semi-Private

*A versatile option that complements any setting*

## Imperial Select Cedar Texture

Thru-picket "good neighbor" design is equally attractive on both sides. Top rails in ColorLast® colors feature reinforcement for added strength and durability.

Heights: 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 3"  
 Picket Spacing: 7/16"



## Imperial Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 3"  
 Picket Spacing: 7/16"

Imperial without Midrail



Imperial Select Cedar Texture  
with Midrail in Timber Blend



Aluminum  
Reinforced  
Bottom  
Rail



## Columbia with Lattice

Heights: 5' & 6'  
Picket Style: 7/8" x 6" Ribbed  
Picket Spacing: 4-9/16"

White



Columbia without Lattice



Steel  
Reinforced  
Bottom  
Rail

## Millbrook

Heights: 5' & 6'  
Picket Style: 7/8" x 6" Ribbed  
Picket Spacing: 13/16"

White

Almond

# Contemporary

*Easy care with  
modern-day flair*

## Baron Select Cedar Texture

Steel  
Reinforced  
Bottom  
Rail

Thru-picket "good neighbor" design is equally attractive on both sides. Top rails in ColorLast® colors feature reinforcement for added strength and durability.

Heights: 4', 5' & 6' (5' & 6' include midrail)

Picket Style: 7/8" x 3"

Picket Spacing: 2-15/16"



Baron Select Cedar Texture  
in Brazilian Blend



Baron Select Cedar  
Texture with Midrail



< Baron with Midrail

## Baron

### Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 3"  
 Picket Spacing: 2-15/16"



< Princeton with Midrail

## Princeton

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 1-1/2"  
 Picket Spacing: 1-3/4"



< Countess with Midrail

## Countess

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 1-1/2", 7/8" x 3"  
 Picket Spacing: 2-5/16"



< Monarch with Midrail

## Monarch

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 1-1/2", 7/8" x 3"  
 Picket Spacing: 3"



< Victorian with Midrail

## Victorian

Heights: 3', 4', 5' & 6' (5' & 6' include midrail)  
 Picket Style: 7/8" x 1-1/2"  
 Picket Spacing: 3-5/8"



# Classic

*Sophisticated styling  
in an elegant design*

## Manchester

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 3', 4'  
Picket Style: 1-1/2" Square  
Picket Spacing: 1-9/16"

White

Almond

## Classic Impressions™ Posts for Manchester


Heights: 3' & 4' posts available  
(available specifically to complement  
Manchester fence for flat and concave styles)

White

Recessed  
(all four sides)



Fluted  
(two sides only)



Steel  
Reinforced  
Bottom  
Rail



Steel  
Reinforced  
Bottom  
Rail

## Manchester Concave

Heights: 3', 4'  
Picket Style: 1-1/2" Square  
Picket Spacing: 1-9/16"

White

Almond



Manchester in White  
with Classic Impressions  
Recessed Posts



Steel  
Reinforced  
Bottom  
Rail



Steel  
Reinforced  
Bottom  
Rail

## Canterbury

Heights: 3' & 4'  
Picket Style: 1-1/2" Square  
Picket Spacing: 1-9/16"

White

## Canterbury with Swoop

Heights: 3' & 4'  
Picket Style: 1-1/2" Square  
Picket Spacing: 1-9/16"

White

# Traditional

*A timeless look that's always in style*

## Danbury Select Cedar Texture

Straight/Concave

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 4'

Picket Style: 3" Pointed Picket

Picket Spacing: 2-15/16"



Steel Reinforced Bottom Rail



Steel Reinforced Bottom Rail

## Danbury Smooth Finish Straight

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Pointed Picket

Picket Spacing: 2-15/16"



Steel Reinforced Bottom Rail

## Rothbury Concave

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Dog Ear Picket

Picket Spacing: 2-15/16"



Rothbury Straight



Danbury Concave



Danbury Select Cedar Texture in Sierra Blend shown with Chesterfield CertaGrain Texture in Sierra Blend



**Cape Cod**  
Concave

Heights: 3', 4' & 5'  
Picket Style: 3" Pointed Picket  
Picket Spacing: 2-7/16"

White



Cape Cod Straight



**Yorkshire**  
Straight

Heights: 3' & 4'  
Picket Style: 3" Dog Ear Picket  
Picket Spacing: 2-7/16"

White



Yorkshire Concave

# Post & Rail

*A winning combination of beauty, durability and versatility*

## Safe for Horses

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.



## 4-Rail CertaGrain Texture


Rail Size (White): 1-1/2" x 5-1/2" Ribbed  
Rail Size (Blend Colors\*): 2" x 6" Ribbed

Ribbed  
Reinforced  
Rails



## 4-Rail Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed,  
2" x 6" Ribbed



## 3-Rail CertaGrain Texture

Rail Size (White):  
1-1/2" x 5-1/2" Ribbed  
Rail Size (Blend Colors\*):  
2" x 6" Ribbed



**3-Rail**  
Smooth Finish  
Rail Size:  
1-1/2" x 5-1/2" Ribbed,  
2" x 6" Ribbed





### 2-Rail CertaGrain Texture

Rail Size (White):  
1-1/2" x 5-1/2" Ribbed  
Rail Size (Blend Colors\*):  
2" x 6" Ribbed



### 2-Rail Smooth Finish

Rail Size:  
1-1/2" x 5-1/2" Ribbed



### Crossbuck

Rail Size: 1-1/2" x 5-1/2" Ribbed



2-Rail and Crossbuck styles are recommended for decorative purposes only.

\*CertaGrain Post & Rail Fence in Blend Colors is installed on 6' post centers. Consult our product installation instructions at [www.certainteed.com](http://www.certainteed.com) for full details.

# Gates

*Built to last—  
no matter which  
fence style*



Chesterfield CertaGrain Texture  
in Arctic Blend

Chesterfield Smooth Finish Concave  
Gate with Victorian Accent in White



Chesterfield CertaGrain Texture  
Concave Gate with Victorian Accent in  
Sierra Blend



Chesterfield CertaGrain Texture  
Convex Gate with Victorian Accent  
in Weathered Blend



Chesterfield Smooth Finish Convex  
Gate with Victorian Accent in White



Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



### Heavy Duty Aluminum Frame Construction

Aluminum post insert adds strength and simplifies installation



TruClose Hinge

LokkLatch Deluxe

Heavy-duty internal aluminum frame for both gate kits and pre-assembled gates

Stainless steel fasteners prevent corrosion

|                                    | Pre-Assembled Gate Widths     | Unassembled Gate Kit Maximum Width | Extension Kit Required** |
|------------------------------------|-------------------------------|------------------------------------|--------------------------|
| <b>Galveston</b>                   | 50-1/2"                       | 50-1/2"                            | No                       |
| <b>Chesterfield</b>                | 36-1/2"<br>50-1/2"<br>64-3/4" | 70"                                | Yes                      |
| <b>Chesterfield Concave Accent</b> | 50-1/2"                       | na                                 | na                       |
| <b>Chesterfield Convex Accent</b>  | 50-1/2"                       | na                                 | na                       |
| <b>New Lexington</b>               | 42-1/2"<br>50-1/2"<br>65-1/4" | 72"                                | Yes                      |
| <b>Imperial</b>                    | 50"                           | 72"                                | Yes                      |
| <b>Columbia*</b>                   | 50"                           | 50"                                | No                       |
| <b>Millbrook</b>                   | 50"                           | 60"                                | Yes                      |
| <b>Baron</b>                       | 50"                           | 72"                                | Yes                      |
| <b>Princeton</b>                   | 50"                           | 72"                                | Yes                      |
| <b>Countess</b>                    | 50"                           | 72"                                | Yes                      |
| <b>Monarch</b>                     | 50"                           | 72"                                | Yes                      |
| <b>Victorian</b>                   | 50"                           | 72"                                | Yes                      |
| <b>Manchester</b>                  | 50"                           | 50"                                | No                       |
| <b>Manchester Concave</b>          | na                            | 50"                                | No                       |
| <b>Canterbury</b>                  | 50"                           | 50"                                | No                       |
| <b>Danbury</b>                     | 50"                           | 50"                                | No                       |
| <b>Cape Cod</b>                    | 50"                           | 60"                                | Yes                      |
| <b>Rothbury</b>                    | 50"                           | 50"                                | No                       |
| <b>Yorkshire</b>                   | 50"                           | 60"                                | Yes                      |
| <b>2-Rail*</b>                     | na                            | 72"                                | na                       |
| <b>3-Rail*</b>                     | na                            | 96"                                | na                       |
| <b>4-Rail*</b>                     | na                            | 96"                                | na                       |
| <b>Crossbuck*</b>                  | na                            | 96"                                | na                       |

\* All Gates are rackable, except Columbia, Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.

\*\* For unassembled gate kits over 50" wide to achieve maximum width

### Stainless Steel Gate Hardware

Give your gate the old-world look of wrought iron with our rugged, rust-free stainless steel gate hardware. The hardware includes hinge, strike and latch and is available in Black Pebble.



Strike and Latch

Hinge

LokkLatch® Key-Lockable Gate Latch, GateHandle™, MagnaLatch® Magnetic Safety Gate Latch, LokkLatch Magnetic® and TruClose® Self-Closing Gate Hinges are registered trademarks of D&D Technologies.

### High Performance Nylon Gate Hardware Kits

Versatile and virtually maintenance free, our premium nylon gate hardware offers key lockable latches, self-closing hinges and contoured gate handles. Available in Black.



LokkLatch® Magnetic

LokkLatch® with External Access Kit

LokkLatch® Deluxe

MagnaLatch® Magnetic Safety Gate Latch

GateHandle™

TruClose® Adjustable, Self-Closing Gate Hinges

# Accessories

*Distinctive details  
for the perfect  
finishing touch*

## PVC Post Caps

Bufftech's standard PVC post caps come in a variety of styles.



Ball Gothic External Flat New England Internal Flat

## Aluminum Post Cap Covers



Bronze Pebble Black Pebble


The aluminum post cap cover with a textured decorative finish can be combined with our New England cap and coordinating gate hardware.\*\*

Offered in 4" x 4" and 5" x 5" sizes.

\*\*Decorative cap and New England cap sold separately.

## Decorative Post Caps

Bufftech's decorative post caps feature a metallic and powder coat finish.



Antique Brown Antique Copper Antique Gray Antique Gold Patina

## Solar Post Caps & Lighting

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.

### Solar Post Caps



Antique Brown Antique Copper Antique Gray Antique Gold Patina



White\* Black\* Copper\* Stainless\*

\*Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.

### Solar Wedge Lights



White Black Copper Stainless



# Vinyl Arbors

*Classic beauty with low-maintenance durability*



**Aristocrat II**

Outside Dimensions: 91" h x 72" w x 31" d  
Inside Dimensions: 78-1/2" h x 58" w x 31" d

White

Aristocrat II arbor shown with Danbury Smooth Finish Concave fence.



**Vineyard Pergola**

Outside Dimensions: 93" h x 89" w x 54" d  
Inside Dimensions: 84" h x 48" w x 54" d

White



**Beaumont**

Outside Dimensions: 96" h x 57" w x 32" d  
Inside Dimensions: 90" h x 49" w x 32" d

White

# Specifications & Color Availability

|              |                          | Height     | Racking | Post Size | Section Width                 | Picket Size                    | Picket Spacing  | Code  | Metal Rail Reinforcement |
|--------------|--------------------------|------------|---------|-----------|-------------------------------|--------------------------------|---|---|--------------------------|
| Privacy      | Galveston Smooth         | 7', 8'     | 5° *    | 5" x 5"   | 96"                           | 7/8" x 7" Tongue & Groove      | N/A   |   | Top, Middle, Bottom      |
|              | Galveston CertaGrain     | 7', 8'     | 5° *    | 5" x 5"   | 96"                           | 7/8" x 7" Tongue & Groove      | N/A   |   | Top, Middle, Bottom      |
|              | Chesterfield Smooth      | 4', 5', 6' | 10° *   | 5" x 5"   | 96"                           | 7/8" x 7" Tongue & Groove      | N/A   |   | Bottom**                 |
|              | Chesterfield CertaGrain  | 4', 5', 6' | 10° *   | 5" x 5"   | 96"                           | 7/8" x 7" Tongue & Groove      | N/A   |   | Bottom**                 |
|              | Chesterfield CertaStucco | 4', 5', 6' | 10° *   | 5" x 5"   | 96"                           | 7/8" x 7" Tongue & Groove      | N/A   |   | Bottom                   |
|              | New Lexington            | 4', 5', 6' | 7° *    | 5" x 5"   | 96"                           | 5/8" x 11-3/8" Tongue & Groove | N/A   |   | Bottom                   |
| Semi-Private | Imperial Smooth          | 3', 4'     | 10°     | 4" x 4"   | 96"                           | 7/8" x 3"                      | 7/16"   |   | Bottom**                 |
|              |                          | 5', 6'     | 5°      | 5" x 5"   |                               |                                |   |   |                          |
|              | Imperial Select Cedar    | 4'         | 10°     | 4" x 4"   | 96"                           | 7/8" x 3"                      | 7/16"   |   | Bottom**                 |
|              |                          | 5', 6'     | 5°      | 5" x 5"   |                               |                                |   |   |                          |
| Columbia     | 5', 6'                   | 5°         | 5" x 5" | 96"       | 7/8" x 6" Ribbed              | 4-9/16"                        |    | Bottom (Aluminum)   |                          |
| Millbrook    | 5', 6'                   | 5°         | 5" x 5" | 96"       | 7/8" x 6" Ribbed              | 13/16"                         |   | Bottom  |                          |
| Contemporary | Baron Smooth             | 3', 4'     | 10°     | 4" x 4"   | 96"                           | 7/8" x 3"                      | 2-15/16"  |    | Bottom**                 |
|              |                          | 5', 6'     | 5°      | 5" x 5"   |                               |                                |   |   |                          |
|              | Baron Select Cedar       | 4'         | 10°     | 4" x 4"   | 96"                           | 7/8" x 3"                      | 2-15/16"  |    | Bottom**                 |
|              |                          | 5', 6'     | 5°      | 5" x 5"   |                               |                                |   |   |                          |
|              | Princeton                | 3', 4'     | 10°     | 4" x 4"   | 96"                           | 7/8" x 1-1/2"                  | 1-3/4"  |    | Bottom                   |
|              |                          | 5', 6'     | 5°      | 5" x 5"   |                               |                                |   |   |                          |
|              | Countess                 | 3', 4'     | 10°     | 4" x 4"   | 96"                           | 7/8" x 1-1/2"                  | 2-5/16"   |    | Bottom                   |
|              |                          | 5', 6'     | 5°      | 5" x 5"   |                               | 7/8" x 3"                      |   |   |                          |
| Monarch      | 3', 4'                   | 10°        | 4" x 4" | 96"       | 7/8" x 1-1/2"                 | 3"                             |  | Bottom  |                          |
|              | 5', 6'                   | 5°         | 5" x 5" |           | 7/8" x 3"                     |                                |   |   |                          |
| Victorian    | 3', 4'                   | 10°        | 4" x 4" | 96"       | 7/8" x 1-1/2"                 | 3-5/8"                         |   | Bottom  |                          |
|              | 5', 6'                   | 5°         | 5" x 5" |           |                               |                                |   |   |                          |
| Classic      | Manchester               | 3', 4'     | 5°      | 5" x 5"   | 96"                           | 1-1/2" x 1-1/2"                | 1-9/16"   |   | Bottom                   |
|              | Canterbury               | 3', 4'     | 5°      | 5" x 5"   | 96"                           | 1-1/2" x 1-1/2"                | 1-9/16"   |   | Bottom                   |
| Traditional  | Danbury Smooth           | 4'         | 5°      | 4" x 4"   | 96"                           | 7/8" x 3"                      | 2-15/16"  |   | Bottom                   |
|              | Danbury Select Cedar     | 4'         | 5°      | 4" x 4"   | 96"                           | 7/8" x 3"                      | 2-15/16"  |   | Bottom                   |
|              | Rothbury                 | 4'         | 5°      | 4" x 4"   | 96"                           | 7/8" x 3"                      | 2-15/16"  |   | Bottom                   |
|              | Cape Cod                 | 3', 4'     | 15°     | 4" x 4"   | 72"                           | 7/8" x 3"                      | 2-7/16"   |   | None                     |
|              |                          | 5'         | 15°     | 5" x 5"   |                               |                                |   |   |                          |
| Yorkshire    | 3', 4'                   | 15°        | 4" x 4" | 72"       | 7/8" x 3"                     | 2-7/16"                        |   | None  |                          |
| Post & Rail  | Post & Rail Smooth       | 3', 4', 5' | 5°      | 5" x 5"   | 96"                           | N/A                            | N/A   |   | None                     |
|              | Post & Rail CertaGrain   | 3', 4', 5' | 5°      | 5" x 5"   | 96" White<br>72" Blend Colors | N/A                            | N/A   |   | None                     |
|              | Crossbuck                | 4'         | 5°      | 5" x 5"   | 96"                           | N/A                            | N/A   |   | None                     |

\*Accents will reduce the amount of racking

\*\*Reinforced top rail for ColorLast® colors

|   |       |  |  |  |  |  |  |  |  |  |                 |              |             |
|---|-------|--|--|--|--|--|--|--|--|--|-----------------|--------------|-------------|
| Rails   | White | Almond   | Natural Clay   | Mission Ivory  | Weathered Blend  | Timber Blend   | Canyon Blend   | Frontier Blend   | Arbor Blend  | Arctic Blend   | Brazilian Blend | Sierra Blend | Honey Blend |
| 2" x 6" Deco x 95" (Top/Bottom)<br>2" x 6" x 95" (Midrail)            | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 2" x 6" Channeled x 95" (Top/Bottom)<br>2" x 6" x 95" (Midrail)       |       |  | ●  |  | ●  |  |  | ●  | ●  | ●  | ●               | ●            | ●           |
| 2" x 6" Deco x 95"  | ●     | ●  | ●  |  |  |  |  |  |  |  |                 |              |             |
| 2" x 6" Channeled x 95"   | ●     | ●  | ●  |  | ●  | ●  | ●  | ●  | ●  | ●  | ●               | ●            | ●           |
| 2" x 6" Channeled x 95"   |       | ●  |  | ●  |  |  |  |  |  |  |                 |              |             |
| 1-1/2" x 5-1/2" Deco x 95"  | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  | ●  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  | ●  |  | ●  | ●  |  | ●  | ●  | ●  | ●               | ●            |             |
| 3-1/2" x 3-1/2" x 94"   | ●     |  |  |  |  |  |  |  |  |  |                 |              |             |
| 2" x 6" x 94-1/2" (Top/Bottom)<br>1-3/4" x 3-1/2" x 94-1/2" (Midrail) | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  | ●  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  | ●  |  | ●  | ●  |  | ●  | ●  | ●  | ●               | ●            |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 2" x 6" x 94-1/2" (Bottom)<br>2" x 3-1/2" x 95" (Top)                 | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 2" x 6" x 94-1/2" (Bottom)<br>2" x 3-1/2" x 95" (Mid/Top)             | ●     |  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  | ●  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  | ●  |  | ●  |  |  |  | ●  | ●  |                 | ●            |             |
| 1-3/4" x 3-1/2" x 95-1/2"   | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 71-1/2"   | ●     |  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-3/4" x 3-1/2" x 71-1/2"   | ●     |  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-1/2" x 5-1/2" Ribbed or<br>2" x 6" Ribbed                           | ●     | ●  |  |  |  |  |  |  |  |  |                 |              |             |
| 1-1/2" x 5-1/2" Ribbed (white) or<br>2" x 6" Ribbed (blend colors)    | ●     |  |  |  | ●  |  |  |  |  | ●  | ●               | ●            |             |
| 1-1/2" x 5-1/2" Ribbed  | ●     |  |  |  |  |  |  |  |  |  |                 |              |             |

# Make a Smart Investment



| Performance Features                       | Bufftech Vinyl |
|--|----------------|
| Lifetime limited warranty                  | ✓              |
| Transferable warranty                      | ✓              |
| 5-year labor warranty                      | ✓              |
| Dark color fade warranty                   | ✓              |
| Made in the USA                            | ✓              |
| Never needs painting or staining           | ✓              |
| Won't chip, peel, crack or splinter        | ✓              |
| Won't rot or support mold growth           | ✓              |
| Impervious to termites/wood-boring insects | ✓              |
| Lead free                                  | ✓              |
| No harmful chemicals                       | ✓              |
| High-quality raw materials                 | ✓              |
| Concealed fasteners                        | ✓              |
| Heavyweight pickets                        | ✓              |
| Wide choice of colors                      | ✓              |
| Woodgrain and stucco textures              | ✓              |
| Steel reinforced rails                     | ✓              |
| Routed rails and posts                     | ✓              |
| Class A rating for flame spread            | ✓              |
| Recycled Content                           | ✓              |
| Self-extinguishing                         | ✓              |
| Easy to assemble                           | ✓              |
| Building code compliant                    | ✓              |
| Meets ASTM standards                       | ✓              |

## Quality Assurance

Bufftech fence products undergo rigorous testing to ensure they are manufactured to the highest standards and will withstand the test of time.

### Material

- Dimensional checks
- Wall thickness
- Cap stock thickness
- Color/gloss
- Impact
- Flex
- Tensile strength
- Accelerated weathering

### Design

- Railing code approvals
  - Kingston – CCRR-0211
  - Oxford – CCRR-0187
  - Panorama® – CCRR-0115
- Fence certifications
  - Miami-Dade county approved  
NOA#:12-1106.11 (expires 3-13-2018)
  - Gates load tested for 300lbs
  - ASTM E 90 Sound Transmission Loss Test
  - STC 21 (applies to Chesterfield and Galveston)

## Building Responsibly with Bufftech

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. By carefully examining all environmental impacts throughout each phase of a product's life cycle—from raw materials and manufacturing, to transportation and use, to disposal and/or recycling—we gain a complete, accurate view of our product's true sustainability.

CertainTeed conducted a Life Cycle Assessment (LCA) that was submitted to the National Institute of Standards and Technology (NIST) and was published in the building product LCA database, BEES (Building for Environmental and Economic Sustainability). The findings from this Life Cycle Assessment provide a new, if not surprising, vantage point from which to make more credible and confident decisions on environmentally sound vinyl fence options.



All Bufftech® products are GreenCircle Certified®, a third-party auditing process designed to assure builders, regulators and homeowners that Bufftech fence complies with our environmental and sustainability claims, including the recycled content of our product.



Professional: [facebook.com/CertainTeedFreedomofChoice](https://www.facebook.com/CertainTeedFreedomofChoice)  
Consumer: [facebook.com/CertainTeedLivingSpaces](https://www.facebook.com/CertainTeedLivingSpaces)

[ **Be Certain** ] Confidence worth building on.™

### ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE  
GYPSUM • CEILINGS • INSULATION

[www.certainteed.com](http://www.certainteed.com) <http://blog.certainteed.com>

CertainTeed Corporation  
20 Moores Road  
Malvern, PA 19355

Professional: 800-233-8990  
Consumer: 800-782-8777

© 1/16 CertainTeed Corporation, Printed in U.S.A.  
Code No. 40-40-70610

