

# Hazardous Storage

Chemicals require very specific and specialized storage which minimizes risk, personal injury and damage to property and equipment. Safe storage of chemicals also requires that all chemicals be properly identified including statement of hazards. Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



896020

894520

**JUSTRITE**

## Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U•Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and SpillSlope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Yellow. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved.

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>30-Gallon Cabinets</b>				
◆ 893000	B6168930	Cabinet w/ 2 doors & 1 shelf, manual close	44" H x 43" W x 18" D	Ea
◆ 893020	B6163020	Cabinet w/ 2 doors & 1 shelf, self-close	44" H x 43" W x 18" D	Ea
<b>45-Gallon Cabinets</b>				
◆ 894500	B61611021	Cabinet w/ 2 doors & 2 shelves, manual close	65" H x 43" W x 18" D	Ea
◆ 894520	B6164520	Cabinet w/ 2 doors & 2 shelves, self-close	65" H x 43" W x 18" D	Ea
<b>60-Gallon Cabinets</b>				
◆ 896000	B6166000	Cabinet w/ 2 doors & 2 shelves, manual close	65" H x 34" W x 34" D	Ea
◆ 896020	B6161795	Cabinet w/ 2 doors & 2 shelves, self-close	65" H x 34" W x 34" D	Ea

Hazardous Storage

**JUSTRITE**

## Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Yellow. Complies with OSHA and NFPA regulations. 12-Gal. cabinets are FM approved.

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 890400	B6164400	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea
◆ 890420	B6161801	4-Gal. countertop cabinet, self-close	22" H x 17" W x 17" D	Ea
◆ 891200	B6161796	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea
◆ 891220	B6161803	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea



890400



**JUSTRITE**  
**Sure-Grip® EX Blue Steel Countertop and Compac Cabinets for Corrosives**

Allows increased access to often-used corrosive liquids without compromising safety. Portable size keeps work areas flexible. Fits almost anywhere and provides protection when space is at a premium. Includes (1) adjustable shelf. Measures: 22" H x 17" W x 17" D. Blue. Meets NFPA regulations.

890402

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 890402	B6162402	4-Gal. countertop, 1 door, manual close	Ea
◆ 890422	B6162422	4-Gal. countertop, 1 door, self-close	Ea

Ships Direct **FOB Mfg.**

**JUSTRITE**  
**Blue Polyethylene Storage Cabinets for Corrosives**

Hollow-bodied, polyethylene cabinet withstands highly corrosive acids and offers maximum protection against chemical corrosion and leaks. Clearly labeled for ACID contents and accepts a padlock (not included) for added security. Stores up to (2) 1-qt. bottles. Door can be hinged from either side for best worktop space utilization. Polyethylene spill tray inside contains leaks and can be removed for easy cleaning. Separate polyethylene tray stores under the cabinet and can be used as a handy work tray. Measures: 19 1/2" H x 14 1/4" W x 16 1/4" D. Blue.



24040

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 24040	B61609581	Countertop cabinet w/ 1 door	Ea

Ships Direct **FOB Mfg.**

26800



26800D

26800B



**JUSTRITE**  
**Smokers Cease-Fire® Cigarette Butt Receptacles**

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved. Made in USA.

ITEM #	ORDER #	COLOR	UOM
<b>Cigarette Butt Receptacle</b>			
◆ 26800	B6160010	Pewter gray	Ea
◆ 26800B	B6160001	Adobe Beige	Ea
◆ 26800D	B6160003	Deco black	Ea

**JUSTRITE**  
**Oily Waste Cans**

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable powder-coat paint finish. Red. FM tested and approved, UL® listed, and TÜV certified.

09100



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 09100	B61606921	6-Gal. oily waste can w/ foot-operated cover	11 7/8" OD x 15 7/8" H	Ea
◆ 09300	B61606971	10-Gal. oily waste can w/ foot-operated cover	13 15/16" OD x 18 1/4" H	Ea
◆ 09500	B61607011	14-Gal. oily waste can w/ foot-operated cover	16 1/16" OD x 20 1/4" H	Ea
◆ 09700	B61607041	21-Gal. oily waste can w/ foot-operated cover	18 3/8" OD x 23 7/16" H	Ea

◆ Non-stock item. Minimum quantity may apply.



### **JUSTRITE Type I Steel Safety Cans**

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>Type I Flammable Safety Cans, Red</b>				
◆ 10301	B61607181	1-Gal. safety can w/ trigger handle	7 1/4" dia. x 11 1/2" H	Ea
◆ 7110100	B61621001	1-Gal. safety can w/ swinging handle	9 1/2" dia. x 11" H	Ea
◆ 7120100	B61631001	2-Gal. safety can w/ swinging handle	9 1/2" dia. x 13 3/4" H	Ea
◆ 7125100	B61651001	2 1/2-Gal. safety can w/ swinging handle	11 3/4" dia. x 11 1/2" H	Ea
◆ 7150100	B61618091	5-Gal. safety can w/ swinging handle	11 3/4" dia. x 16 7/8" H	Ea
◆ 7150110	B61651101	5-Gal. safety can w/ swinging handle & 11202Y poly funnel	11 3/4" dia. x 16 7/8" H	Ea
<b>Type I Diesel Safety Cans, Yellow</b>				
◆ 7150200	B61652001	5-Gal. safety can w/ swinging handle	11 3/4" dia. x 16 7/8" H	Ea
<b>Funnels</b>				
◆ 11202Y	B61608451	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L	Ea



### **JUSTRITE Type II AccuFlow™ Safety Cans**

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, glug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough powder-coat paint finish for durability. Measures: 11 3/4" dia. x 17 1/2" H. Red. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 7250120	B61661201	5-Gal. AccuFlow™ safety can w/ 5/8" hose	Ea
◆ 7250130	B61631301	5-Gal. AccuFlow™ safety can w/ 1" hose	Ea

### **JUSTRITE Bench Cans**

Help make cleaning small parts with solvents much easier and safer. Simply place parts on the spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Plated steel dasher also serves as an effective flame arrester and hinged cover minimizes evaporation losses. Designed with a protected rim to reduce possible hand injury. Constructed of sturdy, 24-gauge, lead-free coated steel, can is finished in tough powder-coat paint finish for added durability. Red. FM tested and approved.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 10175	B61607131	1-Qt. steel bench can	4 7/8" OD x 5 1/2" H	Ea
◆ 10295	B61607171	2-Qt. steel bench can	9 3/8" OD x 3 1/4" H	Ea

Ships Direct **FOB Mfg.**



26750

### JUSTRITE® Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" Dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. Red. FM Approved.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 26750	B61614361	Self-close drum cover w/ fusible link for 55-gal. drums	Ea

Ships Direct **FOB Mfg.**



### EcoPolyBlend™ Spill Control Pallet

Durable, UV-protected EcoPolyBlend™ polyethylene is made of black, 100% recycled material that is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction and oversized, leak-proof sump prevent leaks even if a 55-gal. drum fails and completely empties its contents. Sturdy, self-locating grates are nearly 2 1/2" thick for superior crack resistance and can be removed for quick sump inspection and cleaning. Includes wide forklift pockets for easy relocation. Meets or z EPA 40 CFR 264.175, NFPA 1 and the International Fire Code, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 9.13.1 and OSHA 29 CFR 1910.106(e)(2)(iii).

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 28623	B6168623	2-Drum pallet, in-line w/out drain	Ea

Ships Direct **FOB Mfg.**



28623



28653



### EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning. Modular centers allow for creating a customized system using optional joining clips to firmly lock units together to expand storage space. Sumps remain separate and clips can be removed for easy repositioning.



28657



ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 28653	B6168653	1-Drum accumulation center	Black	5 1/2" H x 25" W x 25" D	Ea
◆ 28655	B61618071	2-Drum accumulation center	Black	5 1/2" H x 49" W x 25" D	Ea
◆ 28657	B6168657	4-Drum accumulation center	Black	5 1/2" H x 49" W x 49" D	Ea
◆ 28656	B6168656	4-Drum accumulation center	Yellow	5 1/2" H x 49" W x 49" D	Ea

Ships Direct **FOB Mfg.**

◆ Non-stock item. Minimum quantity may apply.