

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Hedgesville Assembly of God	Facility Type Food Service Establishment	
Licensee Name Hedgesville Assembly of God	Facility Telephone # 304 754-5094	
Facility Address 6867 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/16/2018	Total Time Spent 1.00

Equipment Temperatures	
Description Fridge	Temperature (Fahrenheit)

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 2
Repeated # 0
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Repair wall where changing table was removed
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Need new caulk in womens restroom

Inspection Outcome
Facility will be re-evaluated at the next routine inspection.

Comments

Disclaimer

Person in Charge

On file

Sanitarian

Cara N Harding

Cara N Harding