

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name James Rumsey Culinary Arts Kitchen	Facility Type Food Service Establishment	
Licensee Name James Rumsey Technical Institute	Facility Telephone # 304 754-7925	
Facility Address 3274 Hedgesville Rd Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 01/09/2018	Total Time Spent 1.77

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walkin	34
Turbo air refrig	36

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine Training Lab 3-bay Kitchen 3-bay	heatChemicalChemical	160	200	heatquat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 7**

**Repeated # 0**

**3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** several pieces of swiss cheese found moldy in walkin

**4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** adult kitchen-panini grill needs cleaned(stored)

**4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** adult kitchen-stored slicer needs cleaned

**4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** adult kitchen-mixer stored not clean and mixing bowl not clean

**4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS**

**This is a critical violation**

**OBSERVATION:** adult kitchen-larger mixer stored not clean

**6-501.111 - CONTROLLING PESTS**

**This is a critical violation**

**OBSERVATION:** equipment storage-couple mouse droppings seen and dead mouse found on glue board

**7-102.11 - COMMON NAME**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** chemical spray bottles need to be labeled both in main kitchen and adult kitchen

**Observed Non-Critical Violations**

**Total # 21**

**Repeated # 0**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** walkin freezer-one fan not working

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** walkin door gasket needs secured-duct tape not approved

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** speed racks need cleaned in equipment storage room

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): stored pans/silverware beneath table covered in dust-clean and store covered

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): student refrigerator needs door gaskets need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): unused hot box needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** walkin shelving needs more detailed cleaning-edges(rust starting)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** warming wells need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): table top kettle needs cleaned=cover when not in use

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** griddle area needs cleaned-sides of equipment, walls and outside vent

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** convotherm oven needs cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): inside drawer edges need cleaned in prep tables

**6-301.11 - HANDWASHING CLEANSER, AVAILABILITY**

**OBSERVATION:** (*CORRECTED DURING INSPECTION*): Soap not available in adult kitchen

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** single sink in prep table leaking

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** single sink not working-needs repaired

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** adult kitchen-3 bay sink left not clean after using

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** area beneath 3 bay sink needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** black floor fan needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** walkin fan covers need cleaned

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

**OBSERVATION:** floor needs cleaned in dry storage

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**

**OBSERVATION:** hood filters need cleaned


***Inspection Outcome***

***Comments***

Send mobile packet

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards