

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name AMVETS Post #30	Facility Type Food Service Establishment	
Licensee Name James M. Barrett	Facility Telephone # 304 229-2655	
Facility Address 141 Middleway Pike Inwood , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/11/2019	Total Time Spent 1.25

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
GE	38
Roper	41
Beer Cooler #1	40
Refrigerator	38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 1
Repeated # 3
4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE
This is a critical violation
OBSERVATION: Soda wand nozzle needs cleaned (mold)

Observed Non-Critical Violations

Total # 4

Repeated # 3

4-302.12 - TEMPERATURE MEASURING DEVICES

REPEAT OBSERVATION (**CORRECTED DURING INSPECTION**): Thermometer need in small Haier refrigerator

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Inside of cabinets need cleaned in kitchen

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Floor in game room needs repaired

Inspection Outcome

Comments

Disclaimer

Person in Charge



Donna Woerner

Sanitarian



Keith Allison