West Virginia Department of Health & Human Resources Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | | |
|---------------------------|----------------------|------------------|
| Facility Name | Facility Type | |
| 7-11 VA/Kearneysville | Retail Food Store | |
| Licensee Name | Facility Telephone # | |
| Southland Corporation | 304 | |
| Facility Address | Licensee Address | |
| 2943 Charlestown Rd | , | |
| Kearneysville , WV | | |
| Inspection Information | | |
| Inspection Type | Inspection Date | Total Time Spent |
| Routine | 08/15/2018 | 1.22 |

| Equipment Temperatures | | |
|------------------------|--------------------------|--|
| Description | Temperature (Fahrenheit) | |
| Walk in cooler | 39 | |
| Retail case | 39 | |
| Retail hot case | 138 | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 2

Repeated # 2

6-501.111 - CONTROLLING PESTS

This is a critical violation

REPEAT OBSERVATION Mouse feces found in front storage room

6-501.111 - CONTROLLING PESTS

This is a critical violation

REPEAT OBSERVATION Flies observed in multiple area of the unit

ObservedNon-CriticalViolations

Total # 2

Repeated # 2

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Vents need cleaned in the unit

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Walk in cooler floor needs cleaned

| Inspection Outcome | |
|--------------------|--|
| | |

Comments

Disclaimer

Person in Charge

Sanitarian

bryan howell

Buyan Henell

Glenn GCO Ondick