SAFETY DATA SHEET



Prepared in accordance with the United States Hazard Communication Standard: 29 CFR 1910.1200 (2012) Revision date: 25-Feb-16

1. IDENTIF1CATIONOF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name:	Tullanox® HM-253 Silica
CAS-no:	68909-20-6
Synonyms:	Reaction products with silicon dioxide, Synthetic Amorphous Silica, Hydrophobic precipitated silica
Recommended use:	Various, Rheological control, Flow agent, Thickening agent, Reinforcing agent in Adhesives and/or sealants, Silicone elastomer, Suspension, Paints, Dispersion, other
Restrictions on use:	Not Applicable.
Supplier: Tulco Inc. 9 Bishop Rd. Ayer MA 01432 United States Tel: +1 978-772-4412 Emergency Telephone Number:	Tulco Inc. (During work hours) +1 978-772-4412 Tulco Inc. (After work hours) +1 978-877-7987 2. HAZARDS IDENTIFICATION
<u>Classification</u>	
OSHA Regulatory Status:	This chemical is not considered hazardous by the United States 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).
Label Elements:	
Pictogram:	None

Product name: Tullanox® HM-253 Silica

Signal Word:	None
Hazard statements:	None
Precautionary Statements:	None

Hazards not otherwise classified (HNOC)

Do not expose to temperatures above 150°C. Hazardous products of combustion can include carbon monoxide, carbon dioxide and nitrogen oxides (NOx).

Potential health effects

Principle Routes of Exposure:	Inhalation, Skin Contact, Eye contact
Eye Contact:	May cause mechanical irritation. Avoid contact with eyes.
Skin Contact:	May cause mechanical irritation and skin drying. Avoid contact with skin. No cases of sensitization in humans have been reported.
Inhalation:	Dust may be irritating to respiratory tract. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. See also Section 8.
Ingestion:	Adverse health effects are not expected. See Section 11.
Carcinogenicity:	Does not contain any substances greater than 0.1 listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.
Target Organ Effects:	Lungs, See Section 11
Medical Conditions Aggravated by Exposure:	Asthma, Respiratory disorder
Potential Environmental Effects:	None known. See Section 12.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Silicon Dioxide, Synthetic Amorphous Silica, Precipitated Amorphous Silica.

Chemical name	CAS No	Weight- %	Trade Secret
Silanamine,I,I,I-trimethyI-N-(trimethyIsilyI)-, hydrolysis products with silica	68909-20-6	100	*

Other Information:

The hyphen (-) means "not applicable"

This product may contain impurities resulting from our production process < 0.01 Ammonia. Ammonia is not intentionally added in this product but remains adsorbed at the surface of this product. This impurity has been tested as part of our product

4. FIRST AID MEASURES

FIRST AID MEASURES

Product code: HM253	Product name: Tullanox® HM-253 Silica	Revision date: 25-Feb-16	
Skin Contact	Wash thoroughly with soap and water. Seek medical attention	n if symptoms develop.	
Eye contact	Flush eyes immediately with large amounts of water for 15 m attention if symptoms develop.	inutes. Seek medical	
Inhalation	If cough, shortness of breath or other breathing problems occ medical attention if symptoms persist. If necessary, restore ne standard first aid measures.		
Ingestion	Do not induce vomiting. If conscious, give several glasses of by mouth to an unconscious person.	water. Never give anything	
Most important symptoms and effects	s, both acute and delayed		
Symptoms:	The most important known symptoms and effects are describ Section 11.	ed in Section 2 and/or in	
Indication of any immediate medical a	ttention and special treatment needed		
Note to physicians:	Treat symptomatically.		
	- 5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circl surrounding environment. Carbon dioxide (C02). Foam. Dry c		
Unsuitable Extinguishing Media:	None.		
Specific hazards arising from the chemical:	None.		
Hazardous combustion products:	Carbon monoxide (CO). Carbon dioxide (C02). Nitrogen oxide	es (NOx).	
Protective equipment and precautions for firefighters:	Wear suitable protective equipment. In the event of fire, wear apparatus.	self-contained breathing	
Risk of Dust Explosion:	Not Applicable: Will not cause dust explosion		
<u>1</u> .	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective equipment and emergency procedures			
Personal precautions:	Avoid dust formation. Ensure adequate ventilation. Use perso See also Section 8.	nal protective equipment.	
For emergency responders:	Use personal protection recommended in Section 8.		
Environmental Precautions:			
Environmental Precautions:	Contain spilled product on land, if possible. Local authorities s significant spillages cannot be contained.	should be advised if	
Methods and material for containmen	t and cleaning up		
Methods for containment:	Prevent further leakage or spillage if safe to do so.		

1. Product code: HM253	Product name:	Tullanox® HM-253 Silica	Revision date: 25-Feb-16
Methods for cleaning up:	Clean up promptly by vacuum. Use of a vacuum with high efficiency particulate air (HEPA) filtration is recommended. Do not create a dust cloud by using a brush or compressed air. Pick up and transfer to properly labeled containers. See Section 13.		
	7. HANDLING	AND STORAGE	
Precautions for safe handling			
Advice on safe handling:	Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.		
	Take precautionary measures against static discharges. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations. Fine dust is capable of penetrating electrical equipment and may cause electrical shorts.		
General hygiene considerations:	Handle in accordance with	n good industrial hygiene and safet	y practice
Conditions for safe storage, including	any incompatibilities		
Storage Conditions:	Keep containers tightly closed in a dry and well-ventilated place. Do not store together with volatile chemicals as they may be adsorbed onto product. Store at ambient conditions. Keep in properly labeled containers.		
Incompatible materials:	None known.		
8	8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Exposure guidelines:	The table below is a summary. Please see the specific legislation for complete information.		
Amorphous Silica, The regulatory exposure limits are found under the general silica, CAS RN 7631-86-9:	Australia: Austria MAK Finland: Germany TRGS 900: India: Ireland: Norway: Switzerland: UK WEL: US OSHA PEL:	2 mg/m³, TWA, Respirable 4 mg/m³, TWA, Inhalable fraction 5 mg/m³ 4 mg/m³, TWA, Inhalable fraction 10 mg/m³, TWA 2.4 mg/m³, TWA, Respirable d 1.5 mg/m³, TWA, Respirable d 4 mg/m³, TWA 6 mg/m³, TWA, Inhalable fraction 2.4 mg/m³, TWA, Respirable fraction 6 mg/m³ (54 FR2701)	on ust ust

Dust, or Particulates Not Otherwise Specified:	Belgium:	10 mg/ m³, TWA, Inhalable 3 mg/m³ TWA, Respirable
	China:	8 mg/m³, TWA 10 mg/m³, STEL
	France:	10 mg/m³, TWA Inhalable dust 5 mg/m³, TWA Respirable dust
	Italy:	10 mg/m³, TWA, Inhalable 3 mg/m³, TWA, Respirable
	Malaysia:	10 mg/m³, TWA, Inhalable 3 mg/m³, TWA, Respirable
	Spain:	10 mg/m³, VLA, Inhalable 3 rng/m", VLA, Respirable
	US ACGIH - PNOS:	10 mg/m³, TWA, Inhalable 3 mg/m³, TWA, Respirable
	US OSHA - PEL:	15 mg/m³, TWA, Total dust 5 mg/m³, TWA, Respirable
Engineering Controls:	Ensure adequate ventilation to maintain exposures below occupational limits. Provide appropriate local exhaust ventilation at machinery and at places where dust can be generated.	
Personal protective equipment [PPE]		
Respiratory Protection:	Approved respirator may be necessary if local exhaust ventilation is not adequate.	
Hand Protection:	Wear protective gloves to prevent skin drying. Use protective barrier cream before handling the product. Wash hands and other exposed skin with mild soap and water.	
Eye/face Protection:	Wear eye/face protection. Wear safety glasses with side shields (or goggles).	
Skin and Body Protection:	Wear suitable protective clothing. Wash clothing daily. Work clothing should not be allowed out of the workplace	

allowed out of the workplace.

Other:

Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

Environmental exposure controls:

In accordance with all local legislation and permit requirements as applicable for dusts.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information given is based on data obtained from similar product.

Physical State:	Solid	Odor:	Ammonia.	
Appearance:	Powder	Odor threshold:	5 ppm	
Color:	White			
Property	Values	Remarks • Method		
pH:	≤8.6	In-house testing		
Melting point/freezing point:	1600 - 1700 °C	CRC Handbook of Chemistry and	d Physics	
Boiling point / boiling range:	2230 °C	CRC Handbook of Chemistry and	d Physics	
Evaporation Rate:		Not Applicable		
Vapor pressure:		Not Applicable		
Vapor Density:		Not Applicable		
Density:	2.2-2.3 g/cm3	@ 20°C		
Bulk Density:	<8 lbs/ft ³	DIN/ISO 787:11		
Specific Cravity at 20°C.	2.2 - 2.3			
Specific Gravity at 20°C: Water solubility:	2.2 - 2.3	No information available		
Solubility(ies):		No information available		
Partition Coefficient		Not Applicable		
(n-octanol/water):				
Decomposition temperature:		No information available		
Viscosity:		Not Applicable		
•		Not Applicable		
Kinematic viscosity:		Not Applicable		
Dynamic viscosity: Oxidizing Properties:		No oxidizing properties		
Softening point:		Not Applicable		
VOC content ():		Not Applicable		
Volatile (by Volume):		Not Applicable		
Volatile (by Weight):		Not Applicable		
· · · · · · · · · · · · · · · · · · ·				
Surface Tension:		Not Applicable		
Explosive properties:		Non-explosible		
Flash Point:		Not combustible		
Flammability (solid, gas):		Not flammable. Product resists ig	nition and does not promote	
		flame spread		
Flammability limit in Air:	3	Not Applicable		
Explosion limits in Air - Upper (-	Not Applicable		
Explosion limits in Air - lower (g/m [°]):	Not Applicable		
Autoignition Temperature:		Not Applicable		
Minimum Ignition Temperature:		No information available		
Minimum Ignition Energy:		No information available		

Ignition Energy:	
Maximum Absolute Explosion Pressure:	No information available
Maximum Rate of Pressure Rise:	Not Applicable
Burn Velocity:	Not Applicable
KstValue:	No information available
Dust Explosion Classification:	Not Applicable
	Not Applicable

End point is listed "not applicable" due to the inherent properties of the substance "No information available" indicates testing has not been performed

10. STABILITY AND REACTIVITY

Reactivity:	Not reactive.
Stability:	Stable under recommended handling and storage conditions.
Possibility of hazardous reactions:	None under normal processing.
Hazardous polymerization:	Hazardous polymerization does not occur.
Conditions to avoid:	Do not expose to temperatures above 150°C. Keep away from heat and sources of ignition. Avoid dust formation.
Incompatible materials:	None known.
Explosion data	See also Section 9.
Sensitivity to Mechanical Impact: N	lone.
Sensitivity to Static Discharge:	This material will not create nor support conditions that would result in a dust explosion or fire. Take precautionary measures against static discharges. Avoid dust formation. All

Hazardous decomposition products: Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx). Ammonia.

11. TOXICOLOGICAL INFORMATION

metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations.

Information given is based on data obtained from this substance or from similar substances.

Acute toxicity	
OrallDSO:	ID50/oral/rat = > 5000 mg/kg. No deaths occurred and no signs of toxicity were seen during the observation periods after single oral administration of the substance. (OECD 423).
Inhalation ICSO:	Due to the product's physical characteristics, no suitable testing procedure is available
Dermal IDSO:	No data are available on the product itself.
	Synthetic Amorphous Silica. LD50/dermal/rabbit = > 2000 mg/kg. Very slight transient erythema in one animal. No signs of systemic or organ toxicity (OECD 402).
Skin corrosion/irritation:	Primary irritation index = 0.0 @ 24 hr. Not classified as an irritant (OECD 404)

Product code: HM253	Product name: Tullanox® HM-253 Silica	Revision date: 25-Feb-16
Serious eye damage/eye irritation:	Not classified as an irritant in rabbit studies (OECD 405). cause mechanical irritation.	High dust concentrations may
Sensitization:	No experimental animal data are available. No cases of s reported.	ensitization in humans have been
Mutagenicity:	Not mutagenic in Ames test. Negative in the chromosom hamster ovary (CHO) cells.	e aberration test in Chinese
Carcinogenicity:	No data are available on the product itself.	
	Synthetic Amorphous Silica. No evidence of carcinogenic animal species following repeated oral or inhalation expo Similarly, epidemiology studies show no evidence of carc manufacture amorphous silica.	osure to amorphous silica.
Reproductive and Developmental Toxicity:	No effects on reproductive organs or fetal development h	nave been reported in animal
STOT - single exposure:	toxicity studies.	
STOT - repeated exposure:	Specific target organ toxicity is not expected after single dermal exposure.	oral, single inhalation, or single
	No data are available on the product itself.	
	Treated Synthetic Amorphous Silica: Repeated dose toxi significant treatment-related adverse effects at the doses Effects Level (NOAEL) in the range of 1000 mgjkgjd.	
	Synthetic Amorphous Silica: Repeated dose toxicity: oral significant treatment-related adverse effects at doses of u Repeated dose toxicity: inhalation (rat), 13 weeks, Lowes <i>1.3</i> rng/rn> based on mild reversible effects in the lungs. Repeated dose toxicity: inhalation (rat), 90 days, LOEL = effects in the lungs and effects in the nasal cavity.	up to 8 silica in the diet. st Observed Effect Level (LOEL) =
Aspiration Hazard:	Based on available data, a STOT-RE classification is not	warranted.
	Based on industrial experience and available data, no as	piration hazard is expected.

12. ECOLOGICAL INFORMATION

Information given is based on data from similar substances.

Aquatic Toxicity:	Fish (Brachydanio rerio) LC50 (96 h): > 10,000 rng/l: (Method: OECD 203)	
	No acute toxicity to Daphnia with EL and ELso ranging from >1000 to 10,000 mg/L (OECD	
	202)	
ENVIRONMENTAL FATE		

The methods for determining biodegradability are not applicable to inorganic substances

Product code: HM253	Product name: Product name: Tullanox® HM-253 Silica	Revision date: 25-Feb-16
Bioaccumulation	Not expected due to physicochemical properties of the substance.	
Mobility:	Not expected to migrate.	
Distribution to Environmental Compartments:	No information available.	
Other adverse effects:	No information available.	

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 3 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations. The person generating waste must determine its proper classification

RCRA:	Unused product is not a hazardous waste under U.S. RCRA, 40 CFR 261.
Unused and Uncontaminated Product:	Product, as supplied, should be disposed of in accordance with the regulations issued by the appropriate federal, state and local authorities. Same consideration should be given to containers and packaging.

14. TRANSPORTATION INFORMATION

DOT

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing group	Not regulated

iCAO (air)

UN/ID no Proper Shipping Name Hazard Class Packing group IATA	Not regulated Not regulated Not regulated Not regulated
UN/ID no Proper Shipping Name Hazard Class Packing group	Not regulated Not regulated Not regulated Not regulated
IMDG UN/ID no Proper Shipping Name	Not regulated Not regulated

Hazard Class	Not regulated
Packing group	Not regulated

RID

UN/IO no	Not regulated
Proper Shipping Name Hazard Class	
	Not regulated
	Not regulated
Packing group	
	Not regulated

ADR

UN/IOno	
Proper Shipping Name Hazard Class Packing group	Not regulated
	Not regulated
	Not regulated
	Not regulated

15. REGULATORY INFORMATION

Hazard Classification

United States - OSHA (29 CFR 1910.1200): Not Hazardous

Mexico - NOM-018-STPS-2000: Not hazardous

Canada - WHMIS Classification (CPR, SOR/88-66): Not controlled

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MjSDS contains all the information required by the Controlled Products Regulations.

International Inventories

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NOSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances	Complies Complies Complies
ENCS - Japan Existing and New Chemical Substances	Complies
IECSC - China Inventory of Existing Chemical Substances	Complies
KECL - Korean Existing and Evaluated Chemical Substances	Complies
PICCS - Philippines Inventory of Chemicals and Chemical Substances	Complies
AICS - Australian Inventory of Chemical Substances	Complies
NZIOC - New Zealand Inventory of Chemicals	Complies
TCSI - Taiwan Chemical Substance Inventory	Complies

US Federal Regulations

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances:

No components are listed as extremely hazardous substances under SARA Section 302.

SARA 311/312 Hazard Categories

Acute Health Hazard	NO
Chronic Health Hazard	NO
Fire hazard	NO
Sudden release of pressure hazard	NO
Reactive Hazard	NO

SARA Section 313 (40 CFR 372) Toxics Release Inventory

Does not contain any of the substances identified under Section 313 as toxic chemicals in excess of the de minimis concentrations necessary to be subject to the supplier notification requirements.

Clean Air Act Amendments of 1990

(CAA, Section 112, 40 CFR 82):

This product may contain trace levels of ammonia (1) that is regulated as Toxic Substances under Clean Air Act

CWA (Clean Water Act)

This product may contain trace levels of ammonia (1) that is regulated under Clean Water Act.

CERCLA

This material, as supplied, may contain trace levels one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302). < 1 Ammonia. Ammonia is not intentionally added in this product but remains adsorbed at the surface of this product. This impurity has been tested as part of our product.

Pharmaceutical Information

Not recommended.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain trace levels of substances regulated by state right-to-know regulations: Ammonia. This product contains a listed component(s) on the Massachusetts Right-to-Know Substances List. New Jersey Right-to-Know List. Pennsylvania Right-to-Know List:. Silica (CAS# 7631-86-9).

16. OTHER INFORMATION

Pharmaceutical Use:

Not permitted

References:

NIOSH Pocket Guide to Chemical Hazards, September 2005. "Silica, amorphous". DHHS (NIOSH) Publication No. 2005-149. National Technical Information Service, Springfield, VA. p. 277

Disclaimer:

The information set forth is based on information that Tulco Inc. believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Tulco Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

Prepared by:	Tulco Incorporated
Revision date:	25-Feb-16

and 'TM' indicate trademarks of Tulco Incorporated.

End of Safety Data Sheet