WEST VIRGINIA Department of Health & Human Resources
BUREAU FOR PUBLIC HEALTH

West Virginia Department of Health & Human Resources

Berkeley Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: **PRIORITY** 0 **PRIORITY FOUNDATION** 0
CORE 5 **TOTAL** 5

ESTABLISHMENT: Valley View Elem **PERMIT NO.:** **DATE:** 12-11-19
ADDRESS: 140 Nadenbough Ln **CITY:** Mtbg **STATE:** WV **ZIP:** 25401
PERSON IN CHARGE/TITLE: X CAROLYN BAKER **TELEPHONE:**
RECEIVED BY (SIGNATURE): x Carolyn Baker **SANITARIAN (SIGNATURE):** [signature] R.S
INSPECTION TYPE: ROUTINE ☒ FOLLOW-UP ☐ COMPLAINT ☐ OTHER: **TIME:** 9:50

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-602.13	- Can rack needs cleaned
			6-501.111	- Spiders + web need cleaned in back storage room
			6-501.11	- Light with water in freezer needs repaired
			4-501.11	- Walkin cooler racks need repaired (rust)
			4-501.11	- Dish tank legs + shelf needs repaired (rust)
				- Temp tag kept blowing off used a stem thermo + hit temp.



Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walkin Cooler	39F.	FWE HB	159	Dishwash	180		
Nonfoil Cool	37F	MAX. left	35F				
Glen Co HB	154.	right	38F				
Cooler	37						

SF-1 (Rev 4/19)