



- DUE TO CHANGING LIGHTING ORDINANCES IT IS THE CONTRACTORS RESPONSIBILITY TO SUBMIT THE SITE PHOTOMETRICS AND LUMINAIRE SPECS TO THE LOCAL INSPECTOR BEFORE ORDERING TO ENSURE THIS PLAN COMPLIES WITH LOCAL LIGHTING ORDINANCES.
 - THIS LIGHTING DESIGN IS BASED ON INFORMATION SUPPLIED BY OTHERS. CHANGES IN ELECTRICAL SUPPLY, AREA GEOMETRY AND OBJECTS WITHIN THE LIGHTED AREA MAY PRODUCE ILLUMINATION VALUES DIFFERENT FROM THE PREDICTED RESULTS SHOWN ON THIS LAYOUT.
 - THIS LAYOUT IS BASED ON .IES FILES THAT WERE LAB TESTED OR COMPUTER GENERATED. ACTUAL RESULTS MAY VARY.

Project:

**GOETZMAN
TENNIS**

Notes:

- 1. Calculation 3' AFG.
- 2. 20' poles and 3' Davit Arm.

Luminaire Location Summary			
Label	LumNo	Z	Tilt
DV190	1	23	0
DV190	2	23	0
DV190	3	23	0
DV190	4	23	0
DV190	5	23	0
DV190	6	23	0

Luminaire Schedule						
Symbol	Qty	Label	Arrangement	Lumens	LLF	Description
☐	6	DV190	SINGLE	107800	0.900	DCLB2GP1 - 1000W MH CENTER COURT SERIES FIXT

Calculation Summary						
Label	Units	Avg	Max	Min	Avg/Min	Max/Min
COURT 1	Fc	47.35	60.0	36.1	1.31	1.66
SPILL	Fc	1.36	19.7	0.0	N.A.	N.A.

FILE:
goetzman.agi

Date:
3-17-10

