

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Martinsburg High Band boosters	Facility Type Food Service Establishment	
Licensee Name Martinsburg High School Band Boosters	Facility Telephone # 304	
Facility Address 701 Bull Dog Way Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 08/15/2018	Total Time Spent 1.18

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Soda cooler 1	70
Cooler	
Soda machine 2	40
Small soda 1	41
Small cooler 2	60
Soda cooler front	38
2nd building cooler 1	37
2nd building soda 2	40

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 1
Repeated # 0
4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS
This is a critical violation
OBSERVATION: Popcorn cooker needs cleaned inside and out

Observed Non-Critical Violations

Total # 3

Repeated # 0

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: New soda coolers need repaired before first use, must keep temp 41f or below

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

OBSERVATION: Inside the pizza warmer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of the cheese machine needs cleaned


Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



C. Michael Williams



Glenn GCO Ondick