450 Broadway St. MC 6120 Redwood City, CA 94063 Ph: 650-723-5643 Fax: 650-723-3429 3801 Miranda Ave. MC Ortho 112 Palo Alto, CA 94304 Ph: 650-493-5000 x66101 Fax: 650-849-1265

MASSIVE ROTATOR CUFF REPAIR PROTOCOL WITH BICEPS TENODESIS

| Name: |
|---|
| Diagnosis: |
| Date of Surgery: |
| Frequency: 1 2 3 4 times / week Duration: 1 2 3 4 5 6 Weeks |
| Days 0 - 7 |
| Patient to do Home Exercises given post-op (pendulums; ROM elbow, wrist, hand, grip strengthening) No active elbow flexion/supination Patient to remain in sling for 6 weeks AT ALL TIMES (except for personal grooming) |
| Weeks 1 - 12 |
| Pendulums Passive external rotation limit 30° (supine, roll towel under elbow) Passive forward elevation limit 90° (supine, elbow bent at 90°, in scaption) No active elbow flexion/supination until 4 weeks post-op (PROM and AAROM elbow from 0-4 weeks; maintain only PROM with shoulder) Table slides at 14 days, hand resting on table, torso leaning forward, no pain Address posterior capsular tightness at 3 months if indicated |
| Minimal to no pain during or after exercises, although fatigue is OK |
| AVOID: |
| NO Pulleys NO internal rotation behind back NO external rotation stretching with arm in 90° of abduction NO stretching in abduction |
| *** NO strengthening until 3 months |
| Modalities/Other: |
| Signature Date: |