

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

| <b>Establishment Information</b>                        |   |                          |
|---|---|--------------------------|
| Facility Name<br>Daily Grind                            | Facility Type<br>Food Service Establishment |                          |
| Licensee Name<br>James & Katie Brinkley                 | Facility Telephone #<br>304 262-9722        |                          |
| Facility Address<br>776 Foxcroft Ave<br>Martinsburg, WV | Licensee Address<br>,                       |                          |
| <b>Inspection Information</b>                           |   |                          |
| Inspection Type<br>Routine                              | Inspection Date<br>01/23/2018               | Total Time Spent<br>1.33 |

| <b>Equipment Temperatures</b> |                          |
|-------------------------------|--------------------------|
| Description                   | Temperature (Fahrenheit) |
| White office cooler           | 41                       |
| Milk cooler                   | 37                       |
| App bread cooler              | 40                       |
| Sandwich cooler               | 40                       |
| Low boy cooler                | 38                       |
| Beer cooler                   | 37                       |
| Drink station cooler/espresso |                          |
| Front drink/sandwich cooler   | 41                       |

| <b>Warewashing Info</b>                                    |                     |              |         |                |                |
|--|---------------------|--------------|---------|----------------|----------------|
| Machine Name   | Sanitization Method | Thermo Label | PPM     | Sanitizer Name | Sanitizer Type |
| Grillbucket3baysin<br>kFrontsanitizerbuc<br>ketSpraybottle | chemchemchem        |              | 300+200 | quatbleach     |                |

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| <b>Observed Critical Violations</b>   |
|---|
| <p><b>Total # 1</b><br/><b>Repeated # 2</b></p> <p><b>4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER</b><br/><b>This is a critical violation</b><br/><b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Bleach bottle +200 ppm</p> |

**Observed Non-Critical Violations**

**Total # 11**

**Repeated # 2**

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Gasket needs repaired or replaced on the sandwich case

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Tops of display case and coffee machines need dusted

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Front server area shelves need dusted

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Green sugar and carryout caddies need cleaned

**4-601.11(C) - NON-FOOD CONTACT SURFACES**

**OBSERVATION:** Under the espresso machine needs cleaned

**5-501.116 - CLEANING RECEPTACLES**

**OBSERVATION:** Receptacle used for storing trash needs outside cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Mens room toilet needs repaired, running water

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**REPEAT OBSERVATION** Several holes in the walls need repaired, possible entry point for rodents and insects

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Coving needs cleaned in back

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**REPEAT OBSERVATION** Floors behind and under equipment needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Vents and surrounding walls and ceiling tiles in back need cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**nichole lilly**

Sanitarian



**Glenn GCO Ondick**